

# Therapy Tables

FROM CHINESPORT'S GENERAL CATALOGUE – 2015 EDITION

CHINESPORT® ITALIA

REHABILITATION and MEDICAL EQUIPMENT

CE

**Chinesport** thanks all collaborators who have given their contribution to achieve the present document.

At our sole discretion, the company reserves the right to change dimensions and type of construction, and to make improvements and other changes to its products. All reproduction rights of all or part of the designs and illustrations are reserved worldwide. The printing process can't give a perfect reproduction of the colours.


Therapy tables 1

Electro-medical Equipment 2

Rehabilitation 3

Pulley therapy 4

Occupational therapy 5

Standing frames 6

Tilt Tables 7

Parallel Bars and Exercise Staircases 8

Walkers 9

Treadmills 10

Tractions 11

Medical Gym 12

Hydrotherapy 13

Postural Analysis 14

Hoisting and Transfer 15

Hygiene and Anti - Decubitus 16

Relax Armchairs 17

Wheelchairs and Healthcare Beds 18





The equipment illustrated in the present chapter can be subject of specific training and multilevel courses arranged by qualified professionals. So upon request it's possible to arrange events at Chinesport's head office or other site indicated by the customer.



# Company Profile

The company Chinesport was founded in 1976. The name derives from an interesting combination of two Italian words, “chinesiterapia” and “sport”.
Our mission is to give recognition and value to the “culture of exercise”, intended as a solution for prevention and treatment. The company specializes in a wide selection of motor rehabilitation equipment and accessories that aim to address any temporary or permanent motor impairment.

The company operates since 1998 under a certified quality management system according to the international ISO 9001 standard, with the addition of ISO 13485, which applies to medical devices manufacturers, since 2010. Product quality is guaranteed by the CE marking, as per Community Directive 93/42/CEE on the safety of medical devices.

Supported by medical consultants and product experts, we organize professional development courses on rehabilitation techniques and methods, as well as on how to use the various products. We also provide users with a program called “Chinesport Culture”, consisting of manuals and videos.

The company exports to 80 countries worldwide and regularly issues an updated version of its comprehensive catalog.

*Udine, May 2015*

**Angelo Snidero**
*(President and Managing Director)*

1

# Therapy Tables

FROM CHINESPORT'S GENERAL CATALOGUE – 2015 EDITION


02 Introduction
03 Configuration Guide
12 Accessories
15 For examination, physiothetrapy and manipulation
15 Visit tables range
23 Ther tables range
33 Unix tables range
37 Sinthesi tables range
45 Bobath tables range
53 Multi-purpose tables and for specific treatments
53 Test tables range
61 Massage tables and for aesthetics
61 Alux tables range
65 Basic tables
75 Other furniture


# Therapy tables *Introduction*

## PRODUCT CODES EXPLAINED

The product code for Chinesport height-adjustable treatment tables is an “open code” that varies depending on the choice of various options available for each model. Each code position has a particular meaning, which corresponds with one or more features of the table.

It is also worth remembering that our Research & Development department is continually developing new options and accessories to achieve table configurations that increasingly meet the professionals’ individual requirements.

## POSITIONS 1-2




### Details on our height-adjustable therapy tables

With an experience spanning over several decades, Chinesport offers a range of height-adjustable treatment tables for various uses and with different structural characteristics. Our offering covers various options including tables for examination, transfer, physical therapy, manipulation, specific treatment and massage. The frame is always sturdy, stable, with all rotary joints such as levers and hinges running on self-lubricating bushings to preserve them from wear and stop them creaking during movement. Finally, the base is open at the sides to allow for fitting hoisting equipment or medical equipment trolleys with overall dimensions up to 18 cm.



L V

**VISIT tables range**

This is the classic range of examination and treatment tables consisting mainly of two sections, with a 68 cm-long head section that can be used as a backrest. The backrest can have positive and negative tilt adjustment: up to +70°/-20°. Height is adjusted via one of the most reliable motors available on the market. A hydraulic version is also available as an alternative. The frame is unique for its simplicity and harmonious design, which is protected by registered Community design. Some of our tables are also available with larger wheels so they can be used to transport patients. This configuration can be completed by fitting a set of safety siderails.



L H

**THER tables range**

A major difference from the VISIT range is given by the head section length which is only 52 cm. For this reason, it cannot be used as a backrest, but it can be fitted with armrests to provide greater comfort for the patient when in prone position. These tables were developed for physiotherapy, osteopathy or for the so-called “Global Postural Re-education” method, and they can be configured with up to six sections to achieve different postural positions for the patient. There is also a model that can be arranged in a seated position for particular use in gynecology. Another difference from the VISIT range is that the head section has a greater tilt adjustment, i.e. positive tilt up to +85° and negative tilt up to -35°, plus the nose/mouth breathing hole is standard.



L C

**UNIX tables range**

This range is an alternative to the classic ranges called VISIT and THER used for examinations, treatments and physiotherapy. In particular, the distinguishing feature in these tables is that during height adjustment the individual sections remain completely motionless. This makes them particularly suitable for smaller environments or to make the best use of available space, as well as to maintain the position chosen for exercises once the pulley therapy system has been set up. You can opt for a simplified base frame and configure the head section with a backrest that is 68 cm long, instead of a smaller section, 52 cm long, that can come with armrests. The second type of head section can have positive and negative tilt adjustment: up to +85°/ -35°.

# Therapy tables *Configuration Guide*





L S

**SINTHESI tables range**

Our Sinthesi couches allow therapists to effortlessly place patients in countless myofascial stretching postures that can be easily maintained for longer periods of time and without strain.
In this relaxed position, various techniques can be applied to facilitate recovery in myofascial elongation, increase joint movement range and achieve an antalgic posture as a relief from acute pain. Also, our Sinthesi tables provide the ideal starting position for exercises that stimulate central activation and for isometric muscular work



L B

**BOBATH tables range**

Large physical therapy tables that are up to two meters long and have a surface area measuring four square meters. The size and stability characteristics mean they are suitable for neurological treatments, as patients can be guided through a wide range of exercises and sensory experiences, as well as postural adjustments. This range also includes the models used in the unique C.I.R. - Continued Intensive Rehabilitation method. Finally, a special version also allows for use with static supine exercises without having to move a patient to a rehabilitation gym.



L E

**TEST tables range**


This is a range of multi-functional tables for examination and for specific treatments. In particular, they can be used in podiatry, gynecology, urology, cardiology, geriatrics, beauty, phlebotomy or even to transport patients within care facilities. The table height can be adjusted electrically or via hydraulic piston, while the moving sections are servo-assisted by gas spring. In some versions, the seating section is tilt-adjustable via another motor. As a result, these tables can easily change into a seated, relaxation, Trendelenburg and anti-Trendelenburg position even with the patient lying on the table. Finally, specialized accessories are available to suit individual uses.




L A

**ALUX tables range**

With this range, Chinesport is branching out into beauty, spa and massage tables for the first time, and introduces some additional optional features such as the sections heated at two different temperatures and the synthetic leather upholstery that covers the sides to produce a softer padding effect on the contact surface. This is why this model comes with more identification codes than any other height-adjustable table, and even when there is only one option of section width or padding density/thickness clients can request personalized features and options.









## POSITIONS 3-4-5

### Quantity and type of sections

This part of the code identifies the type of section. The main difference between models has to do with the number of sections and their dimensions, as well as with the posture that patients can put themselves in when using them.




## POSITION 6

### Height adjustment and type of control

Chinesport tables can have an electric or hydraulic height adjustment. The option with electric adjustment also has various drive types, depending on the number of electric actuators. This design choice was made for one of the most reliable electric actuators available on the market. The standard mains supply is 220V 50-60Hz and all drives work with very low safety voltage. Clients can make a specific request for 110V 50-60Hz supply and a non-SCHUKO plug. Some models can be powered by a 24V battery that come with a 110/220V 50-60Hz battery charger. The minimum protection rating for all electric components is IP 54.



**A** **Electric, with foot switch**
This type of control can be used to activate the electric height adjustment function. The foot switch is placed on the floor. The connection cable allows for complete freedom of movement.



**B** **Electric, with perimeter foot switch**
This is an electric height adjustment system that can be reached from anywhere around the table, without having to locate the foot switch. It is activated by simply pressing or lifting the perimeter bar.




**C** **Hydraulic, with double foot switch**
This hydraulic adjustment is ideal for situations where there is no power supply or when you need to move the table easily.



**D** **Electric, with hand control**
Innovative ergonomic hand control with magnet.
Users can attach it wherever they wish on the table frame. It comes with connection cable. The series Unix, Alux and Mini Top have a different hand control.



**M** **Electric, two motors with hand control, control panel on the base frame**
This option is exclusive to ALUX tables for beauty and massage. It is a dual electric adjustment for height and Trendelenburg / anti-Trendelenburg position. In particular, this configuration features a hand control plus another control panel on the base frame on both long sides.



**E** **Electric, two motors with foot switch**
It can be used with models that have two electric actuators, one for table height adjustment and one for the seat or backrest section.



**F** **Electric, two motors with hand control**
This option has an ergonomic hand control with magnet that users can attach wherever they wish on the table frame. This is an alternative to the foot switch control for models that have two electric actuators, one for table height adjustment and one for the seat or backrest section.



**G** **Electric, with dual control**
This is an alternative option for electric height adjustments. The control is securely placed in a special cradle, which can be attached at the base of the structure if so required by the user. The control can also be used as hand control, or removed from its cradle and attached wherever needed using the magnet.






Here is an outline of the height-adjustable tables from the VISIT range for examination and manipulation. The movable sections are adjusted via a system that is servo-assisted by one or more gas springs.

## POSITION 7

### Other options

Various additional options are available to configure our Chinesport tables after having chosen the height adjustment system and the type of drive. At the moment, we can add wheels to move the table easily, and safety siderails or armrests to provide greater comfort for the patient. These options can also be combined. We would be grateful if you could provide us with any preferred options by writing directly to our Research & Development Department at the address UfficioTecnicoGroup@chinesport.it

**1 No options**
When inserting the product configuration code, please specify if you are interested in any of the options available for position 7 of the code.




**2 With wheels for transportation**
Swiveling, non-marking wheels with a central braking system activated via a single foot pedal. Moving the table is extremely comfortable and requires no effort. The table cannot be moved when a patient is lying on the table.



**3 Safety siderails**
Siderails offer greater safety to patients while they are lying on the table, or when the professional needs to step away temporarily. They can be fitted as and when needed thanks to an easy manual mechanism.




**4 With wheels and safety siderails**
Please indicate if you would like the table to be fitted with wheels and safety siderails, for greater patient safety. The wheels braking system is controlled by a single foot pedal.




**5** **Additional armrests**
Padded supports are available in the same color as the upholstery of the chosen model. They can be rotated by 180° and moved by 12 cm. They are designed to achieve the patient postures also specified under the Global Postural Re-education method. (1)



**6** **With wheels and armrests**
Here you can select to add wheels to the table configuration, in addition to the armrests that can rotate by 180°.



**7** **Compact safety siderails**
These are alternative safety siderails that can be attached exclusively to the VISIT TRANSFER table. A characteristic of these siderails is that they can be attached or removed without adding any bulk at the sides.




**8** **Base with upholstery**
An ornamental cover made from plastic material that is only available for beauty and massage ALUX tables.



(1) RPG Method - Global Postural Re-education Method

# Therapy tables *Configuration Guide*




THERAPY TABLES

**COMFORT AND FLEXIBILITY**

**TEAR-RESISTANT**

**WATERPROOF**

**EASY MAINTENANCE**

**FIRE-RESISTANT**

**RESISTANT TO UV RADIATIONS**

**FUNGICIDAL TREATMENT**

## GiottoCollection Standard Range

Giotto is a coated fire-resistant fabric. It is sturdy and easy to care, making it particularly suitable for use in hospitals, care homes, spas, rehabilitation centers and gyms. Giotto has a leather effect surface and shiny finish, and comes in a wide array of colors. Giotto contains Vinyzene, an anti-microbial that is added during the processing stages to create a protective barrier against dust mites, bacteria and fungi, preventing any bad odors and allergies.

| TECHNICAL FEATURES | UNITS | STANDARD | VALUES |
|---|---|---|---|
| Weight | g/m$^2$ | - | 550 |
| Height | cm | - | 140 |
| Composition | - | - | 88% PVC - 12% PES |
| Abrasion resistance | cycles | as per ISO 5470-2 | 100.000 |
| Color fastness to dry rubbing | grey scale | UNI EN ISO 105-X12 | 4/5 |
| Color fastness to wet rubbing | grey scale | UNI EN ISO 105-X12 | 4/5 |
| Color fastness to light | blue scale | UNI EN ISO 105-B02 | 6 |
| Color fastness to sweat | grey scale | ISO 105-E04 | 4 |
| Adhesion | N | UNI EN ISO 2411 | 60 |
| Elongation at break | N | UNI 1421 | long. 450 / 190 across |
| Resistance to tearing | N | UNI 4818-9 met.B | long. 42 / 35 across |

FIRE RESISTANCE UNI 9175 class 1 IM - EN 1021-2 BS 5852-1

### PADDING DENSITY AND DEPTH




Chinesport normally uses a padding depth and density that is respectively 40 mm and 30 kg/m$^3$, except for the Bobath range. However, our Upholstery Department is able to deal with particular non-standard requests. In such cases, an additional charge may be applied.

### PANEL STABILITY



Panels are secured to the frame by means of bushings.
If required, these bushings can also be easily replaced when the padded section wears out or is damaged.

## POSITION 9




**Color of section cover.**



## CHOOSING THE UPHOLSTERY COLOR:

Upon placing an order, please remember to specify the upholstery color code. Choose among a standard range of 24 colors.

| | | | | | |
|---|---|---|---|---|---|
| A WHITE | New N IVORY | 8 BEIGE | 7 ASHGREY | New K GREY | S DARK BROWN |
| B CREAM | 4 YELLOW | T GREEN LEMON | 1 DARK GREEN | 6 LIGHT GREEN | New E AQUAMARINE |
| Z ORANGE | New G CORAL | F RED | H BURGUNDY | 9 FUCHSIA | New Q LILAC |
| R LIGHT CORNFLOWER BLUE | 2 LIGHT BLUE | 3 MARINE BLUE | L DARK BLUE | M ANTHRACITE | P BLACK |



**02023 CLEANING SET**

To clean and disinfect the padded synthetic leather surface of any examination and treatment table. The set includes 3 x 500 ml bottles.



**XCAT0020131 COLOR SAMPLES**


Upon request from design companies or individual professionals who would like to check the actual synthetic leather color before making a purchase, we are happy to send our samples.

# Cushions *for posture*

## CUSHIONS FOR POSTURE


Postural cushions are available in various shapes and sizes to meet the professional's varied requirements to position a patient correctly. Our cushions are made from variable density foam and have a synthetic leather cover which is fire-resistant and anti-bacterial, easy to clean and durable.
Standard density is 21 kg/m³. Cushion covers have a zip for easy removal, and come in a choice of upholstery from an assortment of 24 color options. Cushions can be purchased in the same type of upholstery as the examination or therapy table.







**AC0024.W ? FACE CUSHION**
L 31 x P 23 x H 6







**AC0025.W ? CUSHION WITH HOLE**
L 40 x P 34 x H 9







**10321.W ? LORDOSIS SUPPORT**
L 29 x P 14 x H 5







**10300.W ? SEMI-CYLINDER 1** - L 48 x P 25 x H18
**10310.W ? SEMI-CYLINDER 2** - L 60 x P 40 x H18






**09940.W ? CUBE 1** L 40 x P 40 x H40
**09950.W ? CUBE 2** L 50 x P 50 x H50








**09700.W ? RECTANGLE 1**- L 40 x P 20 x H10
**09730.W ? RECTANGLE 2**- L 40 x P 30 x H5
**09740.W ? RECTANGLE 3**- L 40 x P 30 x H10
**09820.W ? RECTANGLE 4**- L 80 x P 40 x H40



**11250.W ? LEG PILLOW**
L 77 x P 50 x H 20/15




### MADE-TO-MEASURE CUSHIONS

On request, we can manufacture cushions with non-standard size and density.

Feel free to send us your request by e-mail to our address:
export@chinesport.it


KEY: W = width; D = depth; H = height; all dimensions are in centimeters (cm).

**? CHOICE OF UPHOLSTERY COLOR** - important: always specify the upholstery code along with the chosen item when this option is available.

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | N (New) | 8 | 7 | K (New) | S | B | 4 | T | 1 | 6 | E (New) |
| Z | G (New) | F | H | 9 | Q (New) | R | 2 | 3 | L | M | P |

# Cushions *for posture*







## REMOVABLE COVERS

All Chinesport mattresses and cushions have a synthetic leather cover which is fire-resistant and anti-bacterial, highly durable, removable and washable.







**09600.W** WEDGE 1- L 25 x P 25 x H10
**09610.W** WEDGE 2 - L 35 x P 35 x H10
**09620.W** WEDGE 3 - L 60 x P 45 x H15
**09630.W** WEDGE 4 - L 60 x P 45 x H30
**09640.W** WEDGE 5- L 60 x P 60 x H15
**09650.W** WEDGE 6 - L 60 x P 60 x H20




**10000.W** CYLINDER 1 - L 20 x Ø 8
**10010.W** CYLINDER 2 - L 35 x Ø 15
**10020.W** CYLINDER 3 - L 50 x Ø 15
**10030.W** CYLINDER 4 - L 50 x Ø 25
**10050.W** CYLINDER 5 - L 100 x Ø 25




**10130.W** RIGID ROLL 1 - L 100 x Ø 30
**10150.W** RIGID ROLL 2 - L 100 x Ø 40
**10160.W** RIGID ROLL 3 - L 100 x Ø 50
**10200.W** RIGID ROLL 4 - L 50 x Ø 30



**Cushions come in various sizes, they are elastic and mould easily but always return to their original shape. They offer an ideal support to the lumbar and lateral region, as well as to the upper and lower limbs. They are covered in a washable, breathable fabric.**

**01449** POSTURAL CUSHION 100 - ø cm 19 x 17
**01450** POSTURAL CUSHION 110 - ø cm 19 x 31
**01451** POSTURAL CUSHION 120 - ø cm 25 x 37
**01452** POSTURAL CUSHION 8 - cm 40 x 20 x 13 h
**01453** POSTURAL CUSHION 88 - cm 50 x 28 x 13 h





**01426** POSTURAL SET
This set includes 5 cushions, one for each type specified above, and a carry bag to store the items, size 33 x 33 x 56 h cm.

# Accessories *for height adjustable therapy tables*

## ELECTRICAL ACCESSORIES





### AC0037 ADDITIONAL FOOT PEDAL 1
For models fitted with a single motor. The additional foot pedal provides another way to control the table height adjustment. It can be used on both sides.



### AC0038 ADDITIONAL FOOT PEDAL 2
For models fitted with two motors. The additional foot pedal provides another way to control the table height adjustment, as well as the motorized sections. This accessory can be used on both sides.



### AC0039 ADDITIONAL HAND CONTROL 1
For models fitted with a single motor. The additional hand control provides another way to control the table height adjustment. This hand control has a magnet so it can be easily attached to the table frame, without any restrictions on the location.



### AC0040 ADDITIONAL HAND CONTROL 2
For models fitted with two motors. The additional hand control provides another way to control the table height adjustment, as well as to adjust the motorized sections. This hand control has a magnet so it can be easily attached to the table frame, without any restrictions on the location.



### AC0083 ADDITIONAL CONTROL 1
It can be used both as a foot pedal in combination with the corresponding holder, code AC0575, or as a hand control. It has a magnet that enables it to be attached anywhere on the frame.



### AC0575 HAND CONTROL HOLDER
Can be applied on either side of the base frame as preferred by the carer, and enables the accessory AC0083 to be fitted.



### AC0578 SAFETY DEVICE
This device disconnects the mains supply from the height adjustment system. This stops any inappropriate use when the carer is away. The device consists of a manual switch.




### AC0017 AUXILIARY BATTERY
Enables the table to be used without power supply. It can be attached to the table by plugging the battery cable directly into the actuator. The battery comes with a support so it can be secured to the frame base. Works for 10 height-adjustment cycles. Power supply: 1.2Ah 24V .

# Accessories *for height adjustable therapy tables*



## FOR PROTECTION AND HYGIENE



**AC0031** PAPER ROLL HOLDER F
A metal support with adjustable width from 50 cm to 65 cm that is attached to the upper part of the couch. Recommended for use with paper rolls from set AC0034. This support can be attached to the foot end of models from the Unix, Visit and Ther Series, or to the head end of models from the Test Series.



**AC0699** PAPER ROLL HOLDER H
A metal support with adjustable width having similar characteristics to support AC0031, but designed to be attached only to the head end of models from the Unix, Visit, Ther and Test Series. In particular, for models from the Test Series it is compatible for use with push handle AC0698.



**AC0032** PAPER ROLL HOLDER G
A metal support that is attached to the foot end of the couch base. It allows for the paper roll to be placed vertically if required. This support can be used with rolls that are up to 68 cm long. This support can be attached to the foot end of models from the Unix, Visit and Ther Series, or to the head end of models from the Sinthesi Series.



**AC0034** STANDARD PAPER ROLL SET
The set includes 6 x 60 cm wide rolls.
Each roll is 85 meters long.



**AC0035** MAXI PAPER ROLL SET
The set includes 2 x 90 cm wide rolls. Each roll is 100 meters long.




**AC0036** PROTECTIVE SHEET SET
This set contains 10 synthetic fabric sheets with elasticated border. This sheet can be used on any examination and treatment table.

## PADDED SUPPORTS AND ELEMENTS



**AC0020.W ?** BREATHING HOLE PLUG
For any examination, massage and treatment tables that provide for the option of a standard nose/mouth breathing hole. When ordering, please specify the chosen upholstery color (can be supplied individually).



**AC0307** CYLINDER HOLDER
It can only be attached to model VISIT TRANSFER code LV351. It is fitted to the long side of the table base frame (can be supplied individually).



**AC0021** RPG BAR FOR COUCH
This bar is height-adjustable and is fitted with a rope and strap AC0056. This bar can also be used for exercises from the RPG (Global Postural Re-education) method. It can be attached to couches from the THER Series and models UNIX 2, EVO UNIX 2, EVO UNIX PLUS.



**AC0018.W ?** LATERAL ARMRESTS
They are used to extend the upper body section for larger individuals, or to improve comfort when positioning the arms. Length is 58 cm and width is 15 cm. (can be supplied in combination).



**AC0313** DRIP STAND SUPPORT
To be used with the drip stand accessory code AC0027. It can only be attached to models from the VISIT series (can be supplied in combination).



**AC0022** RPG WALL BAR
This bar has the same characteristics and intended use as accessory AC0021, i.e. it is meant for exercises from the RPG (Global Postural Re-education) method. It is attached to the wall and can therefore be used with any examination or therapy table.

# Accessories *for height adjustable therapy tables*

## SPECIFIC ACCESSORIES FOR TEST SERIES TABLES



### AC0026 FASTENING DEVICE
This device can only be applied to models from the Test Series, 63 cm wide. It is used to configure the table/armchair with various types of armrests and other accessories.



### AC0027 DRIP STAND
A chromed steel drip stand that is attached to models from the Visit Series. To be ordered together with the pair of supports accessory code AC0313. If attached to models from the Test series, please use the fastening device AC0026.




### AC0028 ARMCHAIR ARMREST
This armrest is made from thermoplastic material that can be easily disinfected. When fitted into the fastening device AC0026, it can be easily adjusted in height and rotation. It can be attached in a different position from the other side.




### AC0029 PHLEBOTOMY ARMREST
This phlebotomy armrest is made from thermoplastic material that can be easily disinfected. When fitted into the fastening device AC0026, it can be easily adjusted in height and rotation. It can be attached in a different position from the other side in a different position from the other side.



### AC0710.W ? PADDED ARMREST
Padded, synthetic leather armrest for greater comfort. When fitted into the fastening device AC0026, it can be easily adjusted in height and rotation. Please select the upholstery color.



### AC0698 PUSH HANDLE
It can only be applied to model Test Mobil code LE 211 to facilitate transportation when the patient is lying on the table.




### AC0023.W ? CERVICAL CUSHION
L 30 x P 15 x H 8,5



### AC0545.W ? PLUG FOR GYNECOLOGICAL EXAMINATION TABLE
This plug allows the table to be used for gynecological or urological purposes - ref. models LE151 or LE 351 - and the patient can either lie supine or prone. You can select a color that matches the couch upholstery, so please remember to specify the upholstery color along with the accessory code.



**?** **CHOICE OF UPHOLSTERY COLOR** - important: always specify the upholstery code along with the chosen item when this option is available.

A | N | 8 | 7 | K | S | B | 4 | T | 1 | 6 | E | Z | G | F | H | 9 | Q | R | 2 | 3 | L | M | P

# VisitLine

This is the classic range of examination and treatment tables consisting mainly of two sections, with a 68 cm-long head section that can be used as a backrest. The backrest can have positive and negative tilt adjustment: up to +70° /- 20°. Height is adjusted via one of the most reliable motors available on the market. A hydraulic version is also available as an alternative.
The frame is unique for its simplicity and harmonious design, which is protected by registered Community design. Some of our tables are also available with larger wheels so they can be used to transport patients.
This configuration can be completed by fitting a set of safety siderails.

GUARANTEE YEARS 3 ANNI DI GARANZIA

PATENTED
MODELLO
COMUNITARIO
DEPOSITATO




*"I bought a VISIT 1 couch four years ago and I use it several times a week. I had seen Chinesport couches in several hospital and really liked them. I am absolutely pleased not only with its features, but also because of the numerous positive comments that I receive from my patients, particularly the elderly ones, and for its ease of access. It allows me to do away with those inconvenient and dangerous steps." Prof. Carlo Moreschi - Legal Medical Examiner (Udine - Italy)*


CE

### Pos. 3 - 4 - 5 Type of sections


☐ 111 VISIT 1




☐ 121 VISIT LARGE




☐ 131 VISIT EXTRA LARGE




### Pos. 6 Height adjustment

- ☐ A Electric, with foot switch
- ☐ B Electric, with perimeter foot switch
- ☐ C Hydraulic, with double foot switch
- ☐ D Electric, with hand control, magnetized
- ☐ G Electric, with dual control

### Pos. 7 Other options

- ☐ 1 No options
- ☐ 2 With wheels
- ☐ 3 Safety siderails
- ☐ 4 Wheels and siderails

### Pos. 8 Synthetic leather design

- ☐ W Seamless rounded edges

### Pos. 9 Section upholstery color

24 options available.

For further information on options and accessories, please refer to the first pages.



| L | V | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LV111A1W6



## TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 2 |
| Max safety load (kg) | 200 |
| height adjustment | Electric/hydraulic |
| Minimum/maximum table height (cm) | 47-97 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| head section adjustment | Gas spring-assisted |
| Head section tilt | +70° -20° |
| Wheels diameter (mm) | 6,5 |
| braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 70 to 78 depending on model |

(*) Accessories AC0313 and AC0027 are not available for model LV131.

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0039** ADDITIONAL HAND CONTROL 1
**AC0083** ADDITIONAL CONTROL
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**

**AC0031** PAPER ROLL HOLDER F
**AC0699** PAPER ROLL HOLDER H
**AC0032** PAPER ROLL HOLDER G
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET

**PADDED SUPPORTS AND ELEMENTS:**

**AC0020.W?** BREATHING HOLE PLUG
**AC0313** DRIP STAND SUPPORTS (*)
**AC0027** DRIP STAND (*)


**CUSHIONS FOR POSTURE:**

Refer to the first pages

upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

## Pos. 3 - 4 - 5 Type of sections

☐ 141 VISIT NAR




## Pos. 6 Height adjustment

- ☐ A Electric, with foot switch
- ☐ B Electric, with perimeter foot switch
- ☐ C Hydraulic, with double foot switch
- ☐ D Electric, with hand control, magnetized
- ☐ G Electric, with dual control

## Pos. 7 Other options

- ☐ 1 No options
- ☐ 2 With wheels
- ☐ 3 Safety siderails
- ☐ 4 Wheels and siderails

## Pos. 8 Synthetic leather design

- ☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.



Detail of electrical height adjustment with perimeter foot switch - option B

For further information on options and accessories, please refer to the first pages.



| L | V | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LV111A1W6

Configuration example for a treatment table from the VISIT range.

VIDEO



## TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 2 |
| Max safety load (kg) | 200 |
| height adjustment | Electric/hydraulic |
| Minimum/maximum table height (cm) | 47-97 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| head section adjustment | Gas spring-assisted |
| Head section tilt | +70° -20° |
| Wheels diameter (mm) | 6,5 |
| braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 70 to 78 depending on model |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0039** ADDITIONAL HAND CONTROL 1
**AC0083** ADDITIONAL CONTROL
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**

**AC0031** PAPER ROLL HOLDER F
**AC0699** PAPER ROLL HOLDER H
**AC0032** PAPER ROLL HOLDER G
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET

**PADDED SUPPORTS AND ELEMENTS:**

**AC0020.W?** BREATHING HOLE PLUG
**AC0313** DRIP STAND SUPPORTS
**AC0027** DRIP STAND


**CUSHIONS FOR POSTURE:**

Refer to the first pages

upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

## Pos. 3 - 4 - 5 Type of sections

☐ 151 VISIT TREND




## Pos. 6 Height adjustment

- ☐ A Electric, with foot switch
- ☐ B Electric, with perimeter foot switch
- ☐ C Hydraulic, with double foot switch
- ☐ D Electric, with hand control, magnetized
- ☐ G Electric, with dual control

## Pos. 7 Other options

- ☐ 1 No options
- ☐ 2 With wheels

## Pos. 8 Synthetic leather design

- ☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.



Detail of hydraulic height adjustment with double foot switch - option C.

For further information on options and accessories, please refer to the first pages.



| L | V | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LV111A1W6



Configuration example for a treatment table from the VISIT range.

VIDEO

## TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 2 |
| Max safety load (kg) | 200 |
| height adjustment | Electric/hydraulic |
| Minimum/maximum table height (cm) | 47-97 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| head section adjustment | Gas spring-assisted |
| Head section tilt | +70° -20° |
| Wheels diameter (mm) | 6,5 |
| braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 70 to 78 depending on model |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0039** ADDITIONAL HAND CONTROL 1
**AC0083** ADDITIONAL CONTROL
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**

**AC0031** PAPER ROLL HOLDER F
**AC0699** PAPER ROLL HOLDER H
**AC0032** PAPER ROLL HOLDER G
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET

**PADDED SUPPORTS AND ELEMENTS:**

**AC0020.W?** BREATHING HOLE PLUG
**AC0313** DRIP STAND SUPPORTS
**AC0027** DRIP STAND

**CUSHIONS FOR POSTURE:**


Refer to the first pages

upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

THERAPY TABLES

## Pos. 3 - 4 - 5 Type of sections

☐ 161 VISIT FLEXION




## Pos. 6 Height adjustment

- ☐ A Electric, with foot switch
- ☐ B Electric, with perimeter foot switch
- ☐ C Hydraulic, with double foot switch
- ☐ D Electric, with hand control, magnetized
- ☐ G Electric, with dual control

## Pos. 7 Other options

- ☐ 1 No options
- ☐ 2 With wheels
- ☐ 3 Safety siderails
- ☐ 4 Wheels and siderails

## Pos. 8 Synthetic leather design

- ☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.



Detail of electrical height adjustment with dual control - option G.

For further information on options and accessories, please refer to the first pages.



| L | V | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LV111A1W6



| TECHNICAL FEATURES | |
|---|---|
| Number of sections | 4 |
| Max safety load (kg) | 200 |
| height adjustment | Electric/hydraulic |
| Minimum/maximum table height (cm) | 47-97 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| head section adjustment | Gas spring-assisted |
| Head section tilt | +70° -20° |
| Wheels diameter (mm) | 6,5 |
| braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 70 to 78 depending on model |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0039** ADDITIONAL HAND CONTROL 1
**AC0083** ADDITIONAL CONTROL
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**

**AC0031** PAPER ROLL HOLDER F
**AC0699** PAPER ROLL HOLDER H
**AC0032** PAPER ROLL HOLDER G
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET

**PADDED SUPPORTS AND ELEMENTS:**


**AC0020.W?** BREATHING HOLE PLUG
**AC0313** DRIP STAND SUPPORTS
**AC0027** DRIP STAND

**CUSHIONS FOR POSTURE:**
Refer to the first pages


upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

## Pos. 3 - 4 - 5 Type of sections

☐ 211 VISIT MOBIL




☐ 221 VISIT MOBIL LARGE




## Pos. 6 Height adjustment

- ☐ C Hydraulic, with double pedal
- ☐ D Electric, with hand control, magnetized
- ☐ G Electric, with dual control

## Pos. 7 Other options

- ☐ 1 No options
- ☐ 3 Safety siderails

## Pos. 8 Synthetic leather design

- ☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.

Configuration example for a treatment table from the VISIT range.

VIDEO

For further information on options and accessories, please refer to the first pages.



| L | V | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LV 211 D1 W6



Treatment table configuration with safety siderails - option 3.

| TECHNICAL FEATURES | |
|---|---|
| Number of sections | 2 |
| Max safety load (kg) | 200 |
| height adjustment | Electric/hydraulic |
| Minimum/maximum table height (cm) | 47-97 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| head section adjustment | Gas spring-assisted |
| Head section tilt | +70° -20° |
| Wheels diameter (mm) | 12 |
| braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 70 to 78 depending on model |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0039** ADDITIONAL HAND CONTROL 1
**AC0083** ADDITIONAL CONTROL
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY
**AC0575** PEDAL SUPPORT

**FOR PROTECTION AND HYGIENE:**

**AC0031** PAPER ROLL HOLDER F
**AC0699** PAPER ROLL HOLDER H
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET

**PADDED SUPPORTS AND ELEMENTS:**

**AC0020.W?** BREATHING HOLE PLUG
**AC0313** DRIP STAND SUPPORTS
**AC0027** DRIP STAND

**CUSHIONS FOR POSTURE:**


Refer to the first pages

upholstery color code

| A | N | 8 | 7 | K | S | B | 4 | T | 1 | 6 | E | Z | G | F | H | 9 | Q | R | 2 | 3 | L | M | P |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

## Pos. 3 - 4 - 5 Type of sections

☐ 351 VISIT TRANSFER




## Pos. 6 Height adjustment

- ☐ C Hydraulic, with double foot switch
- ☐ D Electric, with hand control, magnetized
- ☐ G Electric, with dual control

## Pos. 7 Other options

- ☐ 1 No options
- ☐ 7 Drop-down siderails

## Pos. 8 Synthetic leather design

- ☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.



Innovative drop-down siderails - option 7.

For further information on options and accessories, please refer to the first pages.



| L | V | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LV 351 C1 W6



Configuration example for a treatment table from the VISIT range.

VIDEO

## TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 2 |
| Max safety load (kg) | 200 |
| Height adjustment | Electric (battery) / hydraulic |
| Minimum/maximum table height (cm) | 55-97 |
| Mains supply | ND |
| Actuator thrust (N) | 6000 |
| IP Protection | X4 |
| Head section adjustment | Gas spring-assisted |
| Head section tilt | +70° -20° |
| Wheels diameter (mm) | 15 |
| Braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 86 to 95 depending on model |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

AC0037 ADDITIONAL FOOT SWITCH 1
AC0071 SPARE BATTERY IPX5
AC0318 WALL BATTERY CHARGER
AC0575 PEDAL SUPPORT
AC0039 ADDITIONAL HAND CONTROL 1
AC0083 ADDITIONAL CONTROL
AC0578 SAFETY DEVICE

**FOR PROTECTION AND HYGIENE:**

AC0031 PAPER ROLL HOLDER F
AC0699 PAPER ROLL HOLDER H
AC0034 STANDARD PAPER ROLL SET
AC0036 PROTECTIVE SHEET SET
AC0307 CYLINDER HOLDER

**PADDED SUPPORTS AND ELEMENTS:**

AC0020.W? BREATHING HOLE PLUG
AC0313 DRIP STAND SUPPORTS
AC0027 DRIP STAND

**CUSHIONS FOR POSTURE:**


Refer to the first pages

upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

*The quality of Chinesport products is the result of ongoing efforts for improvement and highest attention to detail. For example, the central braking system with one single, ergonomic foot switch control can be activated easily and noiselessly.*



Here is an outline of the height-adjustable tables from the VISIT range for examination and manipulation. The movable sections are adjusted via a system that is servo-assisted by one or more gas springs. The frame is sturdy and stable, with a design that is protected by registered Community design.



A major difference from the VISIT range is given by the head section length which is only 52 cm. For this reason, it cannot be used as a backrest, but it can be fitted with armrests to provide greater comfort for the patient when in prone position. These tables were developed for physiotherapy, osteopathy or for the so-called “Global Postural Re-education” method, and they can be configured with up to six sections to achieve different postural positions for the patient. There is also a model that can be arranged in a seated position for particular use in gynecology. Another difference from the VISIT range is that the head section has a greater tilt adjustment, i.e. positive tilt up to +85° and negative tilt up to -35°, plus the nose/mouth breathing hole is standard.


TherLine

GUARANTEE YEARS 3 ANNI DI GARANZIA


PATENTED
MODELLO
COMUNITARIO
DEPOSITATO

## Pos. 3 - 4 - 5 Type of sections

☐ 111 THER 1




☐ 121 THER PLUS 1




## Pos. 6 Height adjustment

- ☐ A Electric, with foot switch
- ☐ B Electric, with perimeter foot switch
- ☐ C Hydraulic, with double pedal
- ☐ D Electric, with hand control, magnetized
- ☐ G Electric, with dual control

## Pos. 7 Other options

- ☐ 1 No options
- ☐ 2 With wheels

## Pos. 8 Synthetic leather design

- ☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.

Configuration example for a treatment table from the VISIT range.

VIDEO

For further information on options and accessories, please refer to the first pages.



| L | H | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - Code LH 111 B2 WR





Folding lateral armrest, accessory AC0018.W

## TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 2 / 4 |
| Max safety load (kg) | 200 |
| height adjustment | Electric/hydraulic |
| Minimum/maximum table height (cm) | 47-97 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| Head section adjustment | Gas spring-assisted |
| Head section tilt | +85° -35° |
| Wheels diameter (mm) | 6,5 |
| braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 76 to 83 depending on model |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**
**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0083** ADDITIONAL CONTROL
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**
**AC0031** PAPER ROLL HOLDER F
**AC0699** PAPER ROLL HOLDER H
**AC0032** PAPER ROLL HOLDER G
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET


**PADDED SUPPORTS AND ELEMENTS:**
**AC0018.W?** LATERAL ARMRESTS
**AC0021** RPG BAR FOR COUCH

**CUSHIONS FOR POSTURE:**
Refer to the first pages


upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

## Pos. 3 - 4 - 5 Type of sections

☐ 112 THER 2




☐ 122 THER PLUS 2




## Pos. 6 Height adjustment

- ☐ A Electric, with foot switch
- ☐ B Electric, with perimeter foot switch
- ☐ C Hydraulic, with double pedal
- ☐ D Electric, with hand control, magnetized
- ☐ G Electric, with dual control

## Pos. 7 Other options

- ☐ 1 No options
- ☐ 2 With wheels

## Pos. 8 Synthetic leather design

- ☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.

Configuration example for a treatment table from the VISIT range.

VIDEO

For further information on options and accessories, please refer to the first pages.



| L | H | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LH 122 B2 WR





Example of portioned trendelemburg position.

| TECHNICAL FEATURES | |
|---|---|
| Number of sections | 3 / 5 |
| Max safety load (kg) | 200 |
| height adjustment | Electric/hydraulic |
| Minimum/maximum table height (cm) | 47-97 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| head section adjustment | Gas spring-assisted |
| Head section tilt | +85° -35° |
| Wheels diameter (mm) | 6,5 |
| braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 76 to 83 depending on model |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0083** ADDITIONAL CONTROL
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**

**AC0031** PAPER ROLL HOLDER F
**AC0699** PAPER ROLL HOLDER H
**AC0032** PAPER ROLL HOLDER G
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET

**ADDITIONAL SUPPORTS:**

**AC0018.W?** LATERAL ARMRESTS
**AC0021** RPG BAR FOR COUCH


**CUSHIONS FOR POSTURE::**

Refer to the first pages


upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

## Pos. 3 - 4 - 5 Type of sections

☐ 113 THER NAR




☐ 123 THER PLUS NAR




## Pos. 6 Height adjustment

- ☐ A Electric, with foot switch
- ☐ B Electric, with perimeter foot switch
- ☐ C Hydraulic, with double foot switch
- ☐ D Electric, with hand control, magnetized
- ☐ G Electric, with dual control

## Pos. 7 Other options

- ☐ 1 No options
- ☐ 2 With wheels

## Pos. 8 Synthetic leather design

- ☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.

Configuration example for a treatment table from the VISIT range.

VIDEO

For further information on options and accessories, please refer to the first pages.



| L | H | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - CODE LH 123 B2 WR



| TECHNICAL FEATURES | |
|---|---|
| Number of sections | 3 / 5 |
| Max safety load (kg) | 200 |
| height adjustment | Electric/hydraulic |
| Minimum/maximum table height (cm) | 47-97 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| head section adjustment | Gas spring-assisted |
| Head section tilt | +85° -35° |
| Wheels diameter (mm) | 6,5 |
| braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 76 to 83 depending on model |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0083** ADDITIONAL CONTROL
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**

**AC0031** PAPER ROLL HOLDER F
**AC0699** PAPER ROLL HOLDER H
**AC0032** PAPER ROLL HOLDER G
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET

**PADDED SUPPORTS AND ELEMENTS:**

**AC0018.W?** LATERAL ARMRESTS
**AC0021** RPG BAR FOR COUCH

**CUSHIONS FOR POSTURE:**


Refer to the first pages

upholstery color code


| A | N | 8 | 7 | K | S | B | 4 | T | 1 | 6 | E | Z | G | F | H | 9 | Q | R | 2 | 3 | L | M | P |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

## Pos. 3 - 4 - 5 Type of sections

☐ 114 THER FLEXION




☐ 124 THER PLUS FLEXION







Model shown - code LH 124 B2 WR

## Pos. 6 Height adjustment

- ☐ A Electric, with foot switch
- ☐ B Electric, with perimeter foot switch
- ☐ C Hydraulic, with double foot switch
- ☐ D Electric, with hand control, magnetized
- ☐ G Electric, with dual control

## Pos. 7 Other options

- ☐ 1 No options
- ☐ 2 With wheels

## Pos. 8 Synthetic leather design

- ☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.

Configuration example for a treatment table from the VISIT range.

VIDEO

For further information on options and accessories, please refer to the first pages.



| TECHNICAL FEATURES | |
|---|---|
| Number of sections | 4 / 6 |
| Max safety load (kg) | 200 |
| height adjustment | Electric/hydraulic |
| Minimum/maximum table height (cm) | 47-97 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| head section adjustment | Gas spring-assisted |
| Head section tilt | +85° -35° |
| Wheels diameter (mm) | 6,5 |
| braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 76 to 83 depending on model |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0083** ADDITIONAL CONTROL
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**

**AC0031** PAPER ROLL HOLDER F
**AC0699** PAPER ROLL HOLDER H
**AC0032** PAPER ROLL HOLDER G
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET

**PADDED SUPPORTS AND ELEMENTS:**

**AC0018.W?** LATERAL ARMRESTS
**AC0021** RPG BAR FOR COUCH


**CUSHIONS FOR POSTURE:**


Refer to the first pages

upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

## Pos. 3 - 4 - 5 Type of sections

☐ 118 THER GYN




## Pos. 6 Height adjustment

- ☐ A Electric, with foot switch
- ☐ B Electric, with perimeter foot switch
- ☐ C Hydraulic, with double foot switch
- ☐ D Electric, with hand control, magnetized
- ☐ G Electric, with dual control

## Pos. 7 Other options

- ☐ 1 No options
- ☐ 2 With wheels

## Pos. 8 Synthetic leather design

- ☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.

Configuration example for a treatment table from the VISIT range.

VIDEO

For further information on options and accessories, please refer to the first pages.



| L | H | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - CODE LH 118 B2 WR





Sitting position with accessory headrest code AC0023.W

## TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 3 |
| Max safety load (kg) | 200 |
| height adjustment | Electric/hydraulic |
| Minimum/maximum table height (cm) | 47-97 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| head section adjustment | Gas spring-assisted |
| Head section tilt | +85° -35° |
| Wheels diameter (mm) | 6,5 |
| braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 76 to 83 depending on model |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0083** ADDITIONAL CONTROL
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**

**AC0031** PAPER ROLL HOLDER F
**AC0032** PAPER ROLL HOLDER G
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET

**PADDED SUPPORTS AND ELEMENTS:**

**AC0018.W?** LATERAL ARMRESTS
**AC0021** RPG BAR FOR COUCH

**CUSHIONS FOR POSTURE:**


Refer to the first pages

upholstery color code


| A | N | 8 | 7 | K | S | B | 4 | T | 1 | 6 | E | Z | G | F | H | 9 | Q | R | 2 | 3 | L | M | P |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

## Pos. 3 - 4 - 5 Type of sections

☐ 117 THER MODULAR




☐ 127 THER PLUS MODULAR




## Pos. 6 Height adjustment

- ☐ A Electric, with foot switch
- ☐ B Electric, with perimeter foot switch
- ☐ C Hydraulic, with double foot
- ☐ D Electric, with hand control, magnetized
- ☐ G Electric, with dual control

## Pos. 7 Other options

- ☐ 1 No options
- ☐ 2 With wheels

## Pos. 8 Synthetic leather design

- ☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.

For further information on options and accessories, please refer to the first pages.



| L | H | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - CODE LH 127 B2 WR

Configuration example for a treatment table from the VISIT range.

VIDEO



## TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 3 / 5 |
| Max safety load (kg) | 200 |
| height adjustment | Electric/hydraulic |
| Minimum/maximum table height (cm) | 47-97 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| head section adjustment | Gas spring-assisted |
| Head section tilt | +85° -35° |
| Wheels diameter (mm) | 6,5 |
| braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 76 to 83 depending on model |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0083** ADDITIONAL CONTROL
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**

**AC0031** PAPER ROLL HOLDER F
**AC0699** PAPER ROLL HOLDER H
**AC0032** PAPER ROLL HOLDER G
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET

**PADDED SUPPORTS AND ELEMENTS:**

**AC0018.W?** LATERAL ARMRESTS
**AC0021** RPG BAR FOR COUCH


**CUSHIONS FOR POSTURE:**

Refer to the first pages


upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

## Pos. 3 - 4 - 5 Type of sections

☐ 109 THER OSTEO D




☐ 135 THER OSTEO




## Pos. 6 Height adjustment

- ☐ A Electric, with foot switch
- ☐ B Electric, with perimeter foot switch
- ☐ C Hydraulic, with double foot
- ☐ D Electric, with hand control, magnetized
- ☐ G Electric, with dual control

## Pos. 7 Other options

- ☐ 1 No options
- ☐ 2 With wheels

## Pos. 8 Synthetic leather design

- ☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.

Configuration example for a treatment table from the VISIT range.

VIDEO

For further information on options and accessories, please refer to the first pages.




Model shown - CODE LH 135 B2 WZ



The head section can be turned by up to 180°.



Load-relief armrest – Accessory code AC0019.W

| TECHNICAL FEATURES | |
|---|---|
| Number of sections | 1 / 2 |
| Max safety load (kg) | 200 |
| Height adjustment | Electric/hydraulic |
| Minimum/maximum table height (cm) | 47-97 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| Head section adjustment | Gas spring-assisted (only LH135) |
| Head section tilt | +85° -35° |
| Wheels diameter (mm) | 6,5 |
| Braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 76 to 83 depending on model |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0083** ADDITIONAL CONTROL
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**

**AC0031** PAPER ROLL HOLDER F
**AC0699** PAPER ROLL HOLDER H (only LH135)
**AC0032** PAPER ROLL HOLDER G
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET

**PADDED SUPPORTS AND ELEMENTS:**

**AC0019.W?** CROSS ARMREST
**AC0021** RPG BAR FOR COUCH

**CUSHIONS FOR POSTURE:**


Refer to the first pages

upholstery color code



## Pos. 3 - 4 - 5 Type of sections

☐ 126 THER PLUS GLOBAL




## Pos. 6 Height adjustment

- ☐ A Electric, with foot switch
- ☐ B Electric, with perimeter foot switch
- ☐ C Hydraulic, with double foot switch
- ☐ D Electric, with hand control, magnetized
- ☐ G Electric, with dual control

## Pos. 7 Other options

- ☐ 1 No options
- ☐ 2 With wheels

## Pos. 8 Synthetic leather design

- ☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.

Configuration example for a treatment table from the VISIT range.

VIDEO

For further information on options and accessories, please refer to the first pages.



| L | H | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - CODE LH 126 B2 WZ





The two lateral armrests can be turned by up to 180° and moved by 12 cm.

## TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 6 |
| Max safety load (kg) | 200 |
| Height adjustment | Electric/hydraulic |
| Minimum/maximum table height (cm) | 47-97 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| Head section adjustment | Gas spring-assisted |
| Head section tilt | +85° -35° |
| Wheels diameter (mm) | 6,5 |
| Braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 76 to 83 depending on model |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0083** ADDITIONAL CONTROL
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**

**AC0031** PAPER ROLL HOLDER F
**AC0699** PAPER ROLL HOLDER H
**AC0032** PAPER ROLL HOLDER G
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET

**PADDED SUPPORTS AND ELEMENTS:**


**AC0021** RPG BAR FOR COUCH
**AC0022** RPG WALL BAR

**CUSHIONS FOR POSTURE:**

Refer to the first pages

upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

Global Postural Re-education, more frequently identified with the acronym RPG, originates from the book “Le Champ Clos” (The Closed Field) written by Professor Ph. E. Souchard in 1981. The end goal of RPG is to globally restore the body’s static and dynamic balance after it had been compromised due to spontaneous defense mechanisms that were kick-started by external aggressions. The principle of RPG is based on postures involving an active muscular stretching. These postures tend to highlight the muscle tension chains in tendons and membranes around muscles (which lock the individual in an unbalanced position). These postures create an active elongation (active participation from the individual) and a subsequent relaxation of the muscle chains that were affected by spasm and stiffness. Unlike other types of treatment, these postures need a systematic, global approach in order to be effective. Special focus needs to be placed on breathing. There are countless benefits that can be felt in many areas: motor, static, digestive, circulatory, mental and emotional. An overall balance requires the respiratory muscles, and particularly the diaphragm, to work efficiently.




***The therapy table THER PLUS GLOBAL allows us to correctly perform the various postures used in the Global Postural Re-education method. In particular, the two lateral armrests can be turned by up to 180° and moved by 12 cm.***


# uniX Line

This range is an alternative to the classic ranges called VISIT and THER used for examinations, treatments and physiotherapy. In particular, the distinguishing feature in these tables is that height adjustment occurs while the individual sections remaining completely motionless. This makes them particularly suitable for smaller environments or to make the best use of available space, as well as to maintain the position chosen for exercises once the pulley therapy system has been set up. You can opt for a simplified base frame and configure the head section with a backrest that is 68 cm long, instead of a smaller, 52 cm long section that can come with armrests. The second type of head section can have positive and  negative tilt adjustment: up to +85°/ -35°.




## Pos. 3 - 4 - 5 Type of sections

☐ 111 UNIX 1




☐ 112 UNIX 2




## Pos. 6 Height adjustment

☐ D Electric, with hand control, magnetized

## Pos. 7 Other options

☐ 1 No options

☐ 2 With wheels

## Pos. 8 Synthetic leather design

☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.

Configuration example for a treatment table from the VISIT range.

VIDEO

For further information on options and accessories, please refer to the first pages.



| L | C | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LC 111 D2 W7



## TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 2 |
| Max safety load (kg) | 170 |
| Height adjustment | Electric |
| Minimum/maximum table height (cm) | 55-93 |
| Mains supply | 230 V 50/60 Hz 1,5A |
| Actuator thrust (N) | 6000 |
| IP Protection | 44 |
| Head section adjustment | Gas spring-assisted |
| Head section tilt | +70° (Unix 1) / +85° -35° (Unix 2) |
| Wheels diameter (mm) | 6,5 |
| Braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | 70 |

### ACCESSORIES

**FOR PROTECTION AND HYGIENE:**

**AC0031** PAPER ROLL HOLDER F
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET
**AC0699** PAPER ROLL HOLDER H

**PADDED SUPPORTS AND ELEMENTS:**


**AC0020.W?** BREATHING HOLE PLUG (Unix 1 only)
Unix 2 comes with breathing hole plug as standard
**AC0021** RPG BAR FOR COUCH (Unix 2 only)
**AC0022** RPG WALL BAR

**CUSHIONS FOR POSTURE:**
Refer to the first pages

upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

## Pos. 3 - 4 - 5 Type of sections

☐ 121 EVO UNIX 1




## Pos. 6 Height adjustment

- ☐ A Electric, with foot switch
- ☐ B Electric, with perimeter foot switch
- ☐ C Hydraulic, with double foot switch

## Pos. 7 Other options

- ☐ 1 No options
- ☐ 2 With wheels

## Pos. 8 Synthetic leather design

- ☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.

Configuration example for a treatment table from the VISIT range.

VIDEO

For further information on options and accessories, please refer to the first pages.



| L | C | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LC 121 B2 W7



## TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 2 |
| Max safety load (kg) | 250 (200 in the hydraulic version) |
| Height adjustment | Electric/hydraulic |
| Minimum/maximum table height (cm) | 50-97 |
| Mains supply | 230 V 50/60 Hz 2A |
| Actuator thrust (N) | 8000 |
| IP Protection | 54 |
| Head section adjustment | Gas spring-assisted |
| Head section tilt | +70° |
| Wheels diameter (mm) | 6,5 |
| Braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | 85 |

### ACCESSORIES

**FOR PROTECTION AND HYGIENE:**

**AC0031** PAPER ROLL HOLDER F
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET
**AC0699** PAPER ROLL HOLDER H

**PADDED SUPPORTS AND ELEMENTS:**

**AC0020.W?** BREATHING HOLE PLUG
**AC0022** RPG WALL BAR


**CUSHIONS FOR POSTURE:**

Refer to the first pages


upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

## Pos. 3 - 4 - 5 Type of sections


☐ 122 EVO UNIX 2





☐ 123 EVO UNIX PLUS




☐ 124 EVO UNIX 2 TREND




☐ 125 EVO UNIX PLUS TREND




## Pos. 6 Height adjustment

☐ A Electric, with foot switch

☐ B Electric, with perimeter foot switch

☐ C Hydraulic, with double foot switch

## Pos. 7 Other options

☐ 1 No options

☐ 2 With wheels

## Pos. 8 Synthetic leather design

☐ W Seamless rounded edges

## Pos. 9 Section upholstery color


24 options available.

For further information on options and accessories, please refer to the first pages.



| L | C | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LC123B2W7



## TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 2 / 4 |
| Max safety load (kg) | 250 - (200 for the hydraulic version) |
| Height adjustment | Electric/hydraulic |
| Minimum/maximum table height (cm) | 50-97 |
| Mains supply | 230 V 50/60 Hz 2A |
| Actuator thrust (N) | 8000 |
| IP Protection | 54 |
| Head section adjustment | Gas spring-assisted |
| Head section tilt | +70° (only Evo Unix 1) / +85° -35° |
| Wheels diameter (mm) | 6,5 |
| Braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | 85 (LC122; LC123) 90 (LC124; LC125) |

### ACCESSORIES

**FOR PROTECTION AND HYGIENE:**

**AC0031** PAPER ROLL HOLDER F
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET
**AC0699** PAPER ROLL HOLDER H

**PADDED SUPPORTS AND ELEMENTS:**

**AC0021** RPG BAR FOR COUCH
**AC0022** RPG WALL BAR

**CUSHIONS FOR POSTURE:**

Refer to the first pages

upholstery color code

| A | N | 8 | 7 | K | S | B | 4 | T | 1 | 6 | E | Z | G | F | H | 9 | Q | R | 2 | 3 | L | M | P |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

# Sinthesi



Our Sinthesi couches allow therapists to effortlessly place patients in countless myofascial stretching postures that can be easily maintained for longer periods of time and without strain. In this relaxed position, various techniques can be applied to facilitate recovery in myofascial elongation, increase joint movement range and achieve an antalgic posture as a relief from acute pain. Also, Sinthesi tables provide the ideal starting position for exercises to stimulate central activation and for isometric muscular work.


3 YEARS GUARANTEE • 3 ANNI DI GARANZIA •

PATENTED
MODELLO
COMUNITARIO
DEPOSITATO


CE

## Pos. 3 - 4 - 5 Type of sections

☐ 371 SINTHESI SINGLE




☐ 381 SINTHESI PLUS SINGLE




## Pos. 6 Height adjustment

- ☐ A Electric, with foot switch
- ☐ B Electric, with perimeter foot switch
- ☐ E Electric, with foot switch - 2 motors
- ☐ F Electric, with hand control, magnetized 2
- ☐ G Electric, with dual control

## Pos. 7 Other options

- ☐ 1 No options
- ☐ 2 With wheels
- ☐ 5 Additional lateral armrests
- ☐ 6 Wheels and lateral armrests

## Pos. 8 Synthetic leather design

- ☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.


For further information on options and accessories, please refer to the first pages.



VIDEO

| L | S | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LS 371 B2 WR





Additional control panel for electric adjustments as standard.

| TECHNICAL FEATURES | |
|---|---|
| Number of sections | 3 / 5 |
| Max safety load (kg) | 180 |
| Height adjustment | Electric |
| Minimum/maximum table height (cm) | 48-100 |
| Mains supply | 220V 50/60 Hz - 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| Head section adjustment | Gas spring-assisted |
| Backrest adjustment | Electric |
| Head section tilt | +54° -52° |
| Wheels diameter (mm) | 6,5 |
| Braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 95 to 103 depending on model |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0038** ADDITIONAL FOOT PEDAL 2
**AC0039** ADDITIONAL HAND CONTROL 1
**AC0040** ADDITIONAL HAND CONTROL 2
**AC0083** ADDITIONAL CONTROL
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**

**AC0032** PAPER ROLL HOLDER G
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET

**PADDED SUPPORTS AND ELEMENTS:**

**AC0022** RPG WALL BAR


**CUSHIONS FOR POSTURE:**

Refer to the first pages


upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

## Pos. 3 - 4 - 5 Type of sections

☐ 375 SINTHESI NAR




☐ 385 SINTHESI PLUS NAR




## Pos. 6 Height adjustment

- ☐ A Electric, with foot switch
- ☐ B Electric, with perimeter foot switch
- ☐ E Electric, with foot switch - 2 motors
- ☐ F Electric, with hand control, magnetized 2
- ☐ G Electric, with dual control

## Pos. 7 Other options

- ☐ 1 No options
- ☐ 2 With wheels
- ☐ 5 Additional lateral armrests
- ☐ 6 Wheels and lateral armrests

## Pos. 8 Synthetic leather design

- ☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.

For further information on options and accessories, please refer to the first pages.



VIDEO

| L | S | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LS 375 B2 WR





Additional control panel for electric adjustments as standard.

## TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 3 / 5 |
| Max safety load (kg) | 180 |
| Height adjustment | Electric |
| Minimum/maximum table height (cm) | 48-100 |
| Mains supply | 220V 50/60Hz - 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| Head section adjustment | Gas spring-assisted |
| Backrest adjustment | Electric |
| Head section tilt | +54° -52° |
| Wheels diameter (mm) | 6,5 |
| Braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 95 to 103 depending on model |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0038** ADDITIONAL FOOT PEDAL 2
**AC0039** ADDITIONAL HAND CONTROL 1
**AC0040** ADDITIONAL HAND CONTROL 2
**AC0083** ADDITIONAL CONTROL
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**

**AC0032** PAPER ROLL HOLDER G
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET

**PADDED SUPPORTS AND ELEMENTS:**

**AC0022** RPG WALL BAR


**CUSHIONS FOR POSTURE:**

Refer to the first pages


upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

## Pos. 3 - 4 - 5 Type of sections

☐ **372** SINTHESI DOUBLE




☐ **382** SINTHESI PLUS DOUBLE




## Pos. 6 Height adjustment

- ☐ **A** Electric, with foot switch
- ☐ **B** Electric, with perimeter foot switch
- ☐ **E** Electric, with foot switch - 2 motors
- ☐ **F** Electric, with hand control, magnetized 2
- ☐ **G** Electric, with dual control

## Pos. 7 Other options

- ☐ **1** No options
- ☐ **2** With wheels
- ☐ **5** Additional lateral armrests
- ☐ **6** Wheels and lateral armrests

## Pos. 8 Synthetic leather design

- ☐ **W** Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.

For further information on options and accessories, please refer to the first pages.



VIDEO

| L | S | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LS 372 B2 WR





Additional control panel for electric adjustments as standard.

## TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 4 / 6 |
| Max safety load (kg) | 180 |
| Height adjustment | Electric |
| Minimum/maximum table height (cm) | 48-100 |
| Mains supply | 220V 50/60 Hz - 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| Head section adjustment | Gas spring-assisted |
| Backrest adjustment | Electric |
| Head section tilt | +54° -52° |
| Wheels diameter (mm) | 6,5 |
| Braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 95 to 103 depending on model |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0038** ADDITIONAL FOOT PEDAL 2
**AC0039** ADDITIONAL HAND CONTROL 1
**AC0040** ADDITIONAL HAND CONTROL 2
**AC0083** ADDITIONAL CONTROL
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**

**AC0032** PAPER ROLL HOLDER G
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET

**PADDED SUPPORTS AND ELEMENTS:**

**AC0022** RPG WALL BAR


**CUSHIONS FOR POSTURE:**

Refer to the first pages


upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

## Pos. 3 - 4 - 5 Type of sections

☐ **373** SINTHESI SPLIT




☐ **383** SINTHESI PLUS SPLIT




## Pos. 6 Height adjustment

- ☐ **A** Electric, with foot switch
- ☐ **B** Electric, with perimeter foot switch
- ☐ **E** Electric, with foot switch - 2 motors
- ☐ **F** Electric, with hand control, magnetized 2
- ☐ **G** Electric, with dual control

## Pos. 7 Other options

- ☐ **1** No options
- ☐ **2** With wheels
- ☐ **5** Additional lateral armrests
- ☐ **6** Wheels and lateral armrests

## Pos. 8 Synthetic leather design

- ☐ **W** Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.

For further information on options and accessories, please refer to the first pages.



VIDEO

| L | S | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LS 383 B2 WR





Additional control panel for electric adjustments as standard.

| TECHNICAL FEATURES | |
|---|---|
| Number of sections | 4 / 6 |
| Max safety load (kg) | 180 |
| Height adjustment | Electric |
| Minimum/maximum table height (cm) | 48-100 |
| Mains supply | 220V 50/60Hz - 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| Head section adjustment | Gas spring-assisted |
| Backrest adjustment | Electric |
| Head section tilt | +54° -52° |
| Wheels diameter (mm) | 6,5 |
| Braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 95 to 103 depending on model |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0038** ADDITIONAL FOOT PEDAL 2
**AC0039** ADDITIONAL HAND CONTROL 1
**AC0040** ADDITIONAL HAND CONTROL 2
**AC0083** ADDITIONAL CONTROL
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**

**AC0032** PAPER ROLL HOLDER G
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET

**PADDED SUPPORTS AND ELEMENTS:**

**AC0022** RPG WALL BAR


**CUSHIONS FOR POSTURE:**

Refer to the first pages


upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

## Pos. 3 - 4 - 5 Type of sections

☐ **374** SINTHESI MITO




☐ **384** SINTHESI PLUS MITO




## Pos. 6 Height adjustment

- ☐ **A** Electric, with foot switch
- ☐ **B** Electric, with perimeter foot switch
- ☐ **E** Electric, with foot switch - 2 motors
- ☐ **F** Electric, with hand control, magnetized 2
- ☐ **G** Electric, with dual control

## Pos. 7 Other options

- ☐ **1** No options
- ☐ **2** With wheels
- ☐ **5** Additional lateral armrests
- ☐ **6** Wheels and lateral armrests

## Pos. 8 Synthetic leather design

- ☐ **W** Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.

For further information on options and accessories, please refer to the first pages.



VIDEO

| L | S | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LS 374 A2 WR





Additional control panel for electric adjustments as standard

| TECHNICAL FEATURES | |
|---|---|
| Number of sections | 6 / 8 |
| Max safety load (kg) | 180 |
| Height adjustment | Electric |
| Minimum/maximum table height (cm) | 48-100 |
| Mains supply | 220V 50/60 Hz - 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| Head section adjustment | Gas spring-assisted |
| Backrest adjustment | Electric |
| Head section tilt | +54° -52° |
| Wheels diameter (mm) | 6,5 |
| Braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 95 to 103 depending on model |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0038** ADDITIONAL FOOT PEDAL 2
**AC0039** ADDITIONAL HAND CONTROL 1
**AC0040** ADDITIONAL HAND CONTROL 2
**AC0083** ADDITIONAL CONTROL
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**

**AC0032** PAPER ROLL HOLDER G
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET

**PADDED SUPPORTS AND ELEMENTS:**

**AC0022** RPG WALL BAR

**CUSHIONS FOR POSTURE:**

Refer to the first pages

upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

# Foundation course on myofascial release techniques using Sinthesi therapy tables and global postural analysis.

## Learning objectives:

Participants shall learn how myofascial structures adapt to poor postures in order to economize on movements and avoid pain in the joint movement range. A global postural analysis through GPS enables therapists to identify which groups are requiring treatment in order to regain appropriate posture and movement.

This course shall demonstrate how Sinthesi treatment tables have become an integral part of postural training and treatment for many therapists. With 8 independently mobile sections and uninterrupted, noiseless functions of movement control, therapists can offer a new and unique range of myofascial treatments that provide an efficient and effective treatment for many disorders.

Our Sinthesi tables allow therapists to effortlessly place patients in countless myofascial stretching postures that can be easily maintained for longer periods of time and without strain. In this relaxed position, various techniques can be applied to facilitate recovery in myofascial elongation, increase joint movement range and achieve an antalgic posture as a relief from acute pain. Also, Sinthesi tables provide the ideal starting position for exercises to stimulate central activation and for isometric muscular work.

The myofascial release techniques course is now available worldwide from Chinesport. It is the ideal starting point for trainee practitioners striving to improve their skills. Participants will learn how to use the unique MITO - Sinthesi therapy table within a global approach towards myofascial therapy, with the aim to restore the natural myofascial length and improve posture and movement.








This video shows our postural treatment table MiTo PLUS, with an introduction to how it can be adjusted and the positions that can be achieved. (excerpt from Dr. Francesco Mignani's introductory DVD course)




**01778**

**MANUAL FOR MI.TO. TREATMENT TABLE**

This document was developed by its author with the aim to offer useful therapeutic indications through the use of a special therapy table for active and passive treatments via postural exercises. Special emphasis is given to respiratory training, awareness of the vertebral column function, mobilization exercises, muscle stretching, decompression of discs and tractions, strengthening and stabilization of the rachis, manual treatment for conditions (e.g. spondylolisthesis, lumbosciatica due to hernia, painful scoliosis, hyperkyphosis) and application in sporting activities. Author Dr. Francesco Mignani; in Italian/ English; Size 15 x 21; Pages 30

***"Interpreting and understanding any dysfunctional mechanisms caused by a change in the balance of the body unit leads us to consider how important it is to regain such balance, by working on restoring harmony in muscle chains, on the principles of their functional system and their potential correlations (ascending, descending or mixed). …."***

***"If one or more elements, whether internal or external, interfere with this harmony, our body tries to maintain balance by putting the lack of pain first. In order not to suffer pain, our body bends, extends, tilts, reduces its mobility and tries to seek comfort through these defensive adaptations that are certainly less economical. Unfortunately, this leads to significant energy loss particularly for myofascial structures." (excerpt from manual)***

# FEEDBACK ON MI.TO. THERAPY TABLES



Prof. **Benedetto Toso**, Posturology Lecturer at the Faculty of Motor Sciences of the Università Cattolica del Sacro Cuore in Milan, Founder and President of the Back School Association.

*"The MITO therapy table is a useful tool for professionals so muscle stretching exercises can be performed effectively and by each muscle group, avoiding any potential compensation. Also, in the event of acute lumbago, it enables the patient to passively get into an antalgic posture that helps to re-balance the rachis group and reduce pain. All these features make it a precious tool to have both in physical therapy practices and gyms. The only limitation (which is not in fact a limitation but an advantage) is that you will need to have more than one therapy table in your gym as it helps patients to perform numerous exercises in the most appropriate way".*



Dr. **Francesco Mignani,** with a degree in Physiotherapy, specialized in Osteopathy, Motor Sciences teacher, massage therapist and physiotherapist, Director of the Centro Fisioprogect in Santa Maria degli Angeli (Assisi), Italy

- *Our MiTo postural table is a multi-functional tool both for direct manual treatments and within a wider postural rehabilitation approach.*
- *Manipulation and posture, posture and manipulation - this interaction is now possible with our MiTo postural table.*
- *Our MiTo postural table facilitates the therapist's work by giving continuity to manual treatments, as it also provides great help to perform postural exercises.*
- *When there is a disorder, the body's overall organization needs a combination of strategies that our MiTo postural table is able to address with its multiple functions.*
- *Caring for the individual as a whole and addressing any complex issues now has an additional tool: the MiTo postural table.*




**01945.DVD**

## POSTURAL EXERCISES WITH THE MI.TO. THERAPY TABLE.

This video offers a theory and practice training course that offers an overview of the possible manual treatments combined with a wider approach involving postural exercises. Our MI.TO. therapy table can also be used to perform passive treatments on the patient, as well as for passive/active and active work. The aim is to regain flexibility and combat stiffness and aging. The course covers all the topics already dealt with in the study manual - code 01778. The MI.TO. therapy table is part of the national education syllabus on the "Mignani Postural Method" and of the Milanino Back School Association - Italy.
In Italian and English; Duration: over 90 minutes



# Bobath Line




Large physical therapy tables that are up to two meters long and have a surface area measuring four square meters. The size and stability characteristics mean they are suitable for neurological treatments, as patients can be guided through a wide range of exercises and sensory experiences, as well as postural adjustments. This range also includes the models used in the unique R.I.C. - Continued Intensive Rehabilitation method. Finally, a special version also allows for use with static supine exercises without having to move a patient to a rehabilitation gym.

GUARANTEE YEARS • ANNI DI GARANZIA • 3


PATENTED
MODELLO
COMUNITARIO
DEPOSITATO

## Pos. 3 - 4 - 5 Type of sections


☐ 311 BOBATH ECO D100




☐ 411 BOBATH SD100




☐ 412 BOBATH SD120




## Pos. 6 Height adjustment

☐ A Electric, with foot switch

☐ C Hydraulic (LB412 only) safety load 150 kg

☐ D Electric, with hand control, magnetized

☐ G Electric, with dual control

## Pos. 7 Other options

☐ 1 No options (LB311 only)

☐ 2 With wheels

☐ 3 Safety siderails (LB311 only)

☐ 4 Wheels and siderails

## Pos. 8 Synthetic leather design

☐ W Seamless rounded edges

## Pos. 9 Section upholstery color


24 options available.

For further information on options and accessories, please refer to the first pages.



| L | B | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LB 412 A2 W3



Accessible up to cm 18

| TECHNICAL FEATURES | |
|---|---|
| Number of sections | 1 |
| Max safety load (kg) | 150 (LB311)/250 (LB411-LB412 - electric) |
| Height adjustment | Electric/hydraulic (LB412 only) |
| Minimum/maximum table height (cm) | 47-97 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 (LB311); 10000 (LB411 - LB412) |
| IP Protection | 54 |
| Wheels diameter (mm) | 6,5 |
| Braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 30 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 90 to 95 / 98 (only LB412) |



**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**
**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0039** ADDITIONAL HAND CONTROL 1
**AC0083** ADDITIONAL CONTROL
**AC0575** HAND CONTROL HOLDER
**AC0578** SAFETY DEVICE


**FOR PROTECTION AND HYGIENE:**
**AC0035** MAXI PAPER ROLL SET

**CUSHIONS FOR POSTURE:**
Refer to the first pages


upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

### Pos. 3 - 4 - 5 Type of sections

☐ 413 BOBATH SD150




☐ 414 BOBATH SD200




### Pos. 6 Height adjustment

- ☐ A Electric, with foot switch
- ☐ D Electric, with hand control, magnetized
- ☐ G Electric, with dual control

### Pos. 7 Other options

- ☐ 2 With wheels
- ☐ 4 Wheels and siderails

### Pos. 8 Synthetic leather design

- ☐ W Seamless rounded edges

### Pos. 9 Section upholstery color

24 options available.

Configuration example for a treatment table from the VISIT range.

VIDEO

For further information on options and accessories, please refer to the first pages.



| L | B | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LB 414 A2 W3



## TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 2 |
| Max safety load (kg) | 250 |
| Height adjustment | Electric |
| Minimum/maximum table height (cm) | 47-97 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 10000 |
| IP Protection | 54 |
| Wheels diameter (mm) | 6,5 |
| Braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 30 |
| Density (kg/m³) | 30 |
| Weight (kg) | 140 / 146 |



**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0039** ADDITIONAL HAND CONTROL 1
**AC0083** ADDITIONAL CONTROL
**AC0578** SAFETY DEVICE

**FOR PROTECTION AND HYGIENE:**

**AC0035** MAXI PAPER ROLL SET

**CUSHIONS FOR POSTURE:**


Refer to the first pages

upholstery color code


A | N | 8 | 7 | K | S | B | 4 | T | 1 | 6 | E | Z | G | F | H | 9 | Q | R | 2 | 3 | L | M | P

## Pos. 3 - 4 - 5 Type of sections


☐ 321 BOBATH ECO T100




☐ 421 BOBATH S T100




☐ 422 BOBATH S T120




## Pos. 6 Height adjustment

- ☐ A Electric, with foot switch
- ☐ C Hydraulic (LB422 only) safety load 150 kg
- ☐ D Electric, with hand control, magnetized
- ☐ G Electric, with dual control

## Pos. 7 Other options

- ☐ 1 No options (LB321 only)
- ☐ 2 With wheels
- ☐ 3 Safety siderails (LB321 only)
- ☐ 4 Wheels and siderails

## Pos. 8 Synthetic leather design

- ☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.

For further information on options and accessories, please refer to the first pages.




Model shown - code LB 422 A1 W3



Rapid and silent electric adjustment cm 47-97

| TECHNICAL FEATURES | |
|---|---|
| Number of sections | 2 |
| Max safety load (kg) | 150 (LB321) / 250 (LB421 - LB422) |
| Height adjustment | Electric/hydraulic (only LB422) |
| Minimum/maximum table height (cm) | 47-97 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 (LB321); 10000 (LB421 - LB422) |
| IP Protection | 54 |
| Head section adjustment | Gas spring-assisted |
| Head section tilt | 75° |
| Wheels diameter (mm) | 6,5 |
| Braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 30 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 90 to 95 / 98 (only LB422) |



**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0039** ADDITIONAL HAND CONTROL 1
**AC0083** ADDITIONAL CONTROL
**AC0575** HAND CONTROL HOLDER
**AC0578** SAFETY DEVICE

**FOR PROTECTION AND HYGIENE:**

**AC0035** MAXI PAPER ROLL SET


**CUSHIONS FOR POSTURE:**

Refer to the first pages


upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

## Pos. 3 - 4 - 5 Type of sections

☐ **432** BOBATH S RIC 120




☐ **472** BOBATH S RIC TREND 120




## Pos. 6 Height adjustment

☐ **A** Electric, with foot switch

☐ **D** Electric, with hand control, magnetized (LB432 only)

☐ **G** Electric, with dual control

## Pos. 7 Other options

☐ **2** With wheels

☐ **4** Wheels and siderails

## Pos. 8 Synthetic leather design

☐ **W** Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.

Configuration example for a treatment table from the VISIT range.

VIDEO

**For further information on options and accessories, please refer to the first pages and the Pulley Therapy chapter.**



| L | B | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LB 432 A2 W3

Suitable for the MetodicaRIC *Riabilitazione Intensa Continua*



## TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 4 |
| Max safety load (kg) | 250 |
| Height adjustment | Electric |
| Minimum/maximum table height (cm) | 47-97 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 10000 |
| IP Protection | 54 |
| Head section adjustment | Gas spring-assisted |
| Head section tilt | 90° |
| Wheels diameter (mm) | 6,5 |
| Braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 30 |
| Density (kg/m³) | 30 |
| Weight (kg) | from 98 to 103 |

(*) Accessories AC0038 and AC0040 are only available for model LB 472



**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0038** ADDITIONAL FOOT PEDAL 2 (*)
**AC0039** ADDITIONAL HAND CONTROL 1
**AC0040** ADDITIONAL HAND CONTROL 2 (*)
**AC0083** ADDITIONAL CONTROL
**AC0575** HAND CONTROL HOLDER
**AC0578** SAFETY DEVICE

**FOR PROTECTION AND HYGIENE:**

**AC0035** MAXI PAPER ROLL SET


**CUSHIONS FOR POSTURE:**

Refer to the first pages


upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

## Pos. 3 - 4 - 5 Type of sections


☐ 341 BOBATH TN100




☐ 351 BOBATH FLEX 100




☐ 361 BOBATH TREND 100




## Pos. 6 Height adjustment

***For model LB341***

☐ A Electric, with foot switch

☐ D Electric, with hand control, magnetized

☐ G Electric, with dual control

***For models LB351, LB361***

☐ F Electric, with hand control, magnetized 2

## Pos. 7 Other options

☐ 1 No options

☐ 2 With wheels

## Pos. 8 Synthetic leather design

☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.




| L | B | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LB 351 F2 W3

Configuration example for a treatment table from the VISIT range.

VIDEO



## TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 2 / 4 |
| Max safety load (kg) | 150 |
| Height adjustment | Electric |
| Minimum/maximum table height (cm) | 47-97 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| Head section adjustment | Gas spring-assisted |
| Head section tilt | -20° +75° |
| Wheels diameter (mm) | 6,5 |
| braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 30 |
| Density (kg/m) | 30 |
| Weight (kg) | from 90 to 95 |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0038** ADDITIONAL FOOT PEDAL 2
**AC0039** ADDITIONAL HAND CONTROL 1
**AC0040** ADDITIONAL HAND CONTROL 2
**AC0575** HAND CONTROL HOLDER
**AC0578** SAFETY DEVICE

**FOR PROTECTION AND HYGIENE:**

**AC0035** MAXI PAPER ROLL SET


**CUSHIONS FOR POSTURE:**


Refer to the first pages

upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

## Pos. 3 - 4 - 5 Type of sections

☐ 492 BOBATH S TILT TABLE 2ET




lettino statica

## Pos. 6 Height adjustment

☐ F Electric, with hand control, magnetized 2

## Pos. 7 Other options

☐ 2 With wheels

## Pos. 8 Synthetic leather design

☐ X Squared edges

## Pos. 9 Section upholstery color

24 options available.



Removable footplate assembly

For further information on options and accessories, please refer to the dedicated "Tilt Tables" chapter.



| L | B | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LB 492 F2 X3

Configuration example for a treatment table from the VISIT range.

VIDEO



### TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 6 |
| Max safety load (kg) | 250 hoisting / 190 tilt table |
| Height adjustment | Electric |
| Minimum/maximum table height (cm) | 55-105 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 10000 |
| IP Protection | 54 |
| Head section adjustment | Gas spring-assisted |
| Head section tilt | -20° +75° |
| Wheels diameter (mm) | 6,5 |
| braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m$^3$) | 30 |
| Weight (kg) | 170 |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0083** ADDITIONAL CONTROL
**AC0575** HAND CONTROL HOLDER
**AC0578** SAFETY DEVICE

**FOR PROTECTION AND HYGIENE:**

**AC0035** MAXI PAPER ROLL SET

**PADDED SUPPORTS AND ELEMENTS:**

**AC0002** INTRA-EXTRA SANDALS
**AC0003** TRUNK SUPPORTS
**AC0004** FOREARM SUPPORTS
**AC0005** FASTENING STRAP
**AC0006** STRAP CUSHION
**AC0308** BOBATH TILT TABLE
**AC0311** LEG SPREADER
**AC0312** STRAP GUIDE

**CUSHIONS FOR POSTURE:**

Refer to the first pages

upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

# Bobath Line for supine positions and treatments





Fitting the footplate assembly for use in supine standers

1) Note: A special safety device is available for a different height or tilt adjustment.


2) Note: An additional safety system is available to lower the table manually in the event of power failure.

This model was designed to help professionals and patients in gym rehabilitation programs, avoiding any waste of time and discomfort during transfers from one type of treatment table to the other.


## EXAMPLES OF ACCESSORY APPLICATIONS




Foot restraining sandals
accessory AC0002 (2 pieces)




Strap guide
accessory AC0312 (single piece)




Leg separator
accessory AC0311 (single piece)



Lateral trunk supports
accessory AC0003 (2 pieces)



Forearm supports
accessory AC0004 (2 pieces)



Work table for static exercises in supine position
accessory AC0308 (single piece)

# TestLine

This is a range of multi-functional tables for examination and for specific treatments. In particular, they can be used in podiatry, gynecology, urology, cardiology, geriatrics, beauty, phlebotomy or even to transport patients within care facilities. The table height can be adjusted electrically or via hydraulic piston, while the moving sections are servo-assisted by gas spring. In some versions, the seating section is tilt-adjustable via another motor. As a result, these tables can easily change into a seated, relaxation, Trendelenburg and anti-Trendelenburg position even with the patient lying on the table.
A series of accessories is also available for specified uses.

3 YEARS GUARANTEE • 3 ANNI DI GARANZIA

PATENTED
MODELLO COMUNITARIO DEPOSITATO




For example, this picture shows one configuration that includes the following accessories:

AC0026 FASTENING DEVICE N. 2 PIECES
AC0028 ARMCHAIR ARMREST N. 2 PIECES

CE

# Test Line Multi-functional tables

For all Test Series examination, treatment or postural tables, the possible configurations can be integrated by special accessories that are designed for particular uses. The key component for attaching these accessories is a chromed steel fastening device that can be fitted in various positions on both sides of the seat section. Each fastening device code AC0026 allows for attaching one single accessory at a time, which can then be adjusted in height, rotation and tilt.







**AC0026**
**FASTENING DEVICE**
Made from chromed steel (can be supplied individually)



**AC0028 ARMCHAIR ARMREST**
Made from polyurethane, can be supplied individually.



**EXAMPLE 1**
with the addition of:
- n. 2 fastening devices
- n. 2 armchair armrests



**AC0710.W? PADDED ARMREST**
Made from polyurethane, can be supplied individually.



**EXAMPLE 2**
with the addition of:
- n. 1 fastening device
- n. 1 padded armrest



**AC0029 PHLEBOTOMY ARMREST**
Made from polyurethane, can be supplied individually.



**EXAMPLE 3**
with the addition of:
- n. 2 fastening devices
- n. 1 armchair armrest
- n. 1 phlebotomy armrest



**AC0027 DRIP STAND**
Made from chromed steel.



**EXAMPLE 4**
with the addition of:
- n. 2 fastening devices
- n. 1 armchair armrest
- n. 1 drip stand

**For further information on options and accessories, please refer to the first pages.**

**? CHOICE OF UPHOLSTERY COLOR** - important: always specify the upholstery code along with the chosen item when this option is available.

A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

## Phlebotomy Couch

This model has two motors; height is adjusted electrically by means of a hand control fitted with a magnet. The backrest and leg rest sections can be adjusted via a system that is servo-assisted by gas springs and convenient levers, while the seat section is easily adjusted by means of another motor. This couch has several positions: seated, relaxation, Trendelenburg and anti-Trendelenburg. Includes wheels.

The configuration can also include the following accessories when used for phlebotomy:

AC0026 FASTENING DEVICE N. 3 PIECES
AC0028 ARMCHAIR ARMREST N. 1 PIECE
AC0029 PHLEBOTOMY ARMREST N. 1 PIECE
AC0027 DRIP STAND N. 1 PIECE



Model shown is LE 311 D2 W6

## Armchair/Couch and Transport Couch

This multifunctional couch is identified by code LE 311 D2W6.
This model has two motors; height is adjusted electrically by means of a hand control fitted with a magnet.
The backrest and leg rest sections can be adjusted via a system that is servo-assisted by gas springs and convenient levers, while the seat section is easily adjusted by means of another motor. This couch has several positions: seated, relaxation, Trendelenburg and anti-Trendelenburg. Includes wheels. It is useful for patients who cannot stand up and move by themselves, who require long-term care, are bedridden for a long period of time or live in care homes, as it can help them reach the desired height to be then transferred horizontally and come to a seated position while the patient is still lying on the table, and finally be helped to move by a carer.

AC0026 FASTENING DEVICE N. 2 PIECES
AC0028 ARMCHAIR ARMREST N. 2 PIECES
AC0698 PUSH HANDLE N. 1 PIECE



Model shown is LE 211 D1 W4

## Gynecological examination table


Our gynecological and urological examination table has three mobile sections and can have one or two motors for height adjustment and, if required, to adjust the seat section and adjust the tilt angle, with the patient lying on the table and without any strain. This examination table can be adjusted into several positions, starting from sitting at a lower height which makes it easier for the patient to climb on. The sections are adjusted by gas springs and ergonomic levers. These models come with two thigh supports that can be height-adjusted and rotated, and a stainless steel, removable pan.




Model shown is LE 351 F2 W6

## Pos. 3 - 4 - 5 Type of sections


☐ 111 TEST




☐ 121 TEST LARGE




☐ 311 TEST PLUS




## Pos. 6 Height adjustment

***For models LE111, LE121***

☐ A Electric, with foot switch

☐ C Hydraulic, with double foot switch

☐ D Electric, with hand control, magnetized

☐ G Electric, with dual control

***For model LE311***

☐ E Electric, with foot switch 2

☐ F Electric, with hand control 2

## Pos. 7 Other options

☐ 1 No options

☐ 2 With wheels

## Pos. 8 Synthetic leather design

☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.



| L | E | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LE 111 A1 WT





## TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 3 |
| Max safety load (kg) | 200 |
| Height adjustment | Electric / hydraulic |
| Minimum/maximum table height (cm) | 60-110 / 65-115 (only for LE311) |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| Head section adjustment | Gas spring-assisted |
| Head section tilt | +54° -52° |
| Wheels diameter (mm) | 6,5 |
| Braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | 82 / 88 LE311 |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0039** ADDITIONAL HAND CONTROL 1
**AC0083** ADDITIONAL CONTROL
**AC0575** HAND CONTROL HOLDER
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**

**AC0031** PAPER ROLL HOLDER F
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET

**SPECIALIST ACCESSORIES– TEST SERIES:**

**AC0023.W?** CERVICAL CUSHION
**AC0026** FASTENING DEVICE (*)
**AC0027** DRIP STAND (*)
**AC0028** ARMCHAIR ARMREST (*)
**AC0029** PHLEBOTOMY ARMREST (*)
**AC0710.W?** ARMCHAIR ARMREST 2 (*)


(*) Accessories AC0026, AC0027, AC0028, AC0029, AC0710.W? are only available for models LE111 e LE311

upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

THERAPY TABLES

## Pos. 3 - 4 - 5 Type of sections

☐ 211 TEST MOBIL




## Pos. 6 Height adjustment

- ☐ C Hydraulic, with double foot switch
- ☐ D Electric, with hand control, magnetized
- ☐ G Electric, with dual control

## Pos. 7 Other options

- ☐ 1 No options

## Pos. 8 Synthetic leather design

- ☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.

Configuration example for a treatment table from the VISIT range.

VIDEO

For further information on options and accessories, please refer to the first pages.



| L | E | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LE 211 D1 WT





## TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 3 |
| Max safety load (kg) | 200 |
| Height adjustment | Electric / hydraulic |
| Minimum/maximum table height (cm) | 60-110 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| Head section adjustment | Gas spring-assisted |
| Head section tilt | +54° -52° |
| Wheels diameter (mm) | 15 |
| Braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | 82 |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0039** ADDITIONAL HAND CONTROL 1
**AC0083** ADDITIONAL CONTROL
**AC0575** HAND CONTROL HOLDER
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**

**AC0031** PAPER ROLL HOLDER F
**AC0699** SUPPORTO LENZUOLINO H
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET

**SPECIALIST ACCESSORIES– TEST SERIES:**


**AC0023.W?** CERVICAL CUSHION
**AC0026** FASTENING DEVICE
**AC0027** DRIP STAND
**AC0028** ARMCHAIR ARMREST
**AC0029** PHLEBOTOMY ARMREST
**AC0710.W?** ARMCHAIR ARMREST 2
**AC0698** PUSH HANDLE (*)

(*) If you wish to use item AC0698 with paper roll holder, this is only possible with item code AC0699.


upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

## Pos. 3 - 4 - 5 Type of sections

☐ 141 TEST PODO




☐ 341 TEST PLUS PODO




## Pos. 6 Height adjustment

***For model LE141***

☐ A Electric, with foot switch

☐ C Hydraulic, with double foot switch

☐ D Electric, with hand control, magnetized

☐ G Electric, with dual control

***For model LE341***

☐ E Electric, with foot switch 2

☐ F Electric, with hand control 2

## Pos. 7 Other options

☐ 1 No options

☐ 2 With wheels

## Pos. 8 Synthetic leather design

☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.

For further information on options and accessories, please refer to the first pages.



| L | E | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LE 341 F1 W6





Configuration example for a treatment table from the VISIT range.

VIDEO

### TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 4 |
| Max safety load (kg) | 200 |
| Height adjustment | Electric |
| Minimum/maximum table height (cm) | 60-110 / 65-115 (solo per LE341) |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| Head section adjustment | Gas spring-assisted |
| Head section tilt | +54 -52 |
| Wheels diameter (mm) | 6,5 |
| Braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | 82 / 88 LE341 |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0038** ADDITIONAL FOOT PEDAL 2
**AC0040** ADDITIONAL HAND CONTROL 2
**AC0083** ADDITIONAL CONTROL
**AC0575** HAND CONTROL HOLDER
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**

**AC0031** PAPER ROLL HOLDER F
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET


**PADDED SUPPORTS AND ELEMENTS:**

**AC0023.W?** CERVICAL CUSHION
**AC0026** FASTENING DEVICE
**AC0027** DRIP STAND
**AC0028** ARMCHAIR ARMREST
**AC0029** PHLEBOTOMY ARMREST
**AC0710.W?** ARMCHAIR ARMREST 2


upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

## Pos. 3 - 4 - 5 Type of sections

☐ 151 TEST UROGYN




☐ 351 TEST PLUS UROGYN




## Pos. 6 Height adjustment

***For model LE151***

☐ A Electric, with foot switch

☐ C Hydraulic, with double foot switch

☐ D Electric, with hand control, magnetized

☐ G Electric, with dual control

***For model LE351***

☐ E Electric, with foot switch 2

☐ F Electric, with hand control 2

## Pos. 7 Other options

☐ 1 No options

☐ 2 With wheels


## Pos. 8 Synthetic leather design

☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.

For further information on options and accessories, please refer to the first pages.





Accessory AC0545
plug for gynecological examination table

| L | E | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LE 351 F1 W6





Configuration example for a treatment table from the VISIT range.

VIDEO

### TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 3 |
| Max safety load (kg) | 200 |
| Height adjustment | Electric |
| Minimum/maximum table height (cm) | 60-110 / 65-115 (only for LE351) |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| Head section adjustment | Gas spring-assisted |
| Head section tilt | +75° |
| Wheels diameter (mm) | 6,5 |
| Braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | 82 / 88 LE351 |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0038** ADDITIONAL FOOT PEDAL 2
**AC0040** ADDITIONAL HAND CONTROL 2
**AC0083** ADDITIONAL CONTROL
**AC0575** HAND CONTROL HOLDER
**AC0578** SAFETY DEVICE
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**

**AC0031** PAPER ROLL HOLDER F
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET

**SPECIALIST ACCESSORIES– TEST SERIES:**


**AC0023.W?** CERVICAL CUSHION
**AC0026** FASTENING DEVICE
**AC0027** DRIP STAND
**AC0028** ARMCHAIR ARMREST
**AC0029** PHLEBOTOMY ARMREST
**AC0710.W?** ARMCHAIR ARMREST 2
**AC0545.W?** PLUG FOR EXAMINATION TABLE

upholstery color code

A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

## Pos. 3 - 4 - 5 Type of sections

☐ 131 TEST ECODOP




## Pos. 6 Height adjustment

- ☐ A Electric, with foot switch
- ☐ C Hydraulic, with double foot switch
- ☐ D Electric, with hand control, magnetized
- ☐ G Multifunctional ergonomic control

## Pos. 7 Other options

- ☐ 1 No options
- ☐ 2 With wheels

## Pos. 8 Synthetic leather design

- ☐ W Seamless rounded edges

## Pos. 9 Section upholstery color

24 options available.

Configuration example for a treatment table from the VISIT range.

VIDEO

For further information on options and accessories, please refer to the first pages.



| L | E | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown - code LE 131 A1 WT





## TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 4 |
| Max safety load (kg) | 200 |
| Height adjustment | Electric/hydraulic |
| Minimum/maximum table height (cm) | 60-110 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 54 |
| Head section adjustment | Gas spring-assisted |
| Head section tilt | +75° |
| Wheels diameter (mm) | 6,5 |
| Braking system | Central |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 40 |
| Density (kg/m³) | 30 |
| Weight (kg) | 82 |

**ACCESSORIES:**

**ELECTRICAL ACCESSORIES:**

**AC0037** ADDITIONAL FOOT SWITCH 1
**AC0039** ADDITIONAL HAND CONTROL 1
**AC0083** ADDITIONAL CONTROL
**AC0575** HAND CONTROL HOLDER
**AC0017** AUXILIARY BATTERY

**FOR PROTECTION AND HYGIENE:**

**AC0031** PAPER ROLL HOLDER F
**AC0034** STANDARD PAPER ROLL SET
**AC0035** MAXI PAPER ROLL SET
**AC0036** PROTECTIVE SHEET SET

**SPECIALIST ACCESSORIES– TEST SERIES:**

**AC0023.W?** CERVICAL CUSHION
**AC0545.W?** PLUG FOR EXAMINATION TABLE

upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

# aluX Line

With this range, Chinesport is branching out into beauty, spa and massage tables for the first time, and introduces some additional optional features such as the sections heated at two different temperatures and the synthetic leather upholstery that covers the sides to produce a softer padding effect on the contact surface.
Among other noteworthy options, there is a possibility to choose a more elaborate base design. This is why this model comes with more identification codes than any other height-adjustable table, and even when there is only one option of section width or padding density/ thickness clients can request personalized features and options.
These tables have two motors, so they can achieve the Trendelenburg and anti-Trendelenburg position via a dual telescopic column system.



This video shows an example of configuration of height-adjustable table from the VISIT series achieved following the relevant product sheet from our catalog and adding the appropriate accessories for that model.

## POSITION 6

### Height adjustment and type of control



**F** **Electric, with hand control**

The hand control is only used in tables fitted with two motors. The additional motor is to adjust the seat section tilt.




**M** **Electric with hand control and keypad**


This option is available for the ALUX Line series, with two motors. There is a keypad on both sides.

## POSITION 7

### Table base



**1** **Standard base**



**8** **Base with cover**

Made from plastic material to match the design.

## POSITION 8 - 9 - 10


### Section width




**0 7 5** Standard width is 75 cm

## POSITION 11

### Padding density and thickness



**1** Height - 40 mm; density - 30 Kg / m³

Our Upholstery Department is able to deal with particular non-standard requests. In such cases, an additional charge may be applied.

## POSITION 12

### Heating




**A** Padded sections without heating.



**B** Padded sections with heating, different temperatures can be chosen.

## POSITION 13

### Nose / mouth breathing hole



**1** Backrest section without breathing hole



**2** Backrest section with breathing hole

## POSITION 14

### Type of synthetic leather design



**W** Seamless rounded edges



**X** Squared edges

## POSITION 15

### Type of upholstery and section color


**Giotto range**

Giotto has a leather effect surface and shiny finish, and comes in a wide array of colors. Giotto contains Vinyzene, an anti-microbial that is added during the processing stages to create a protective barrier against dust mites, bacteria and fungi, preventing bad odors and allergies.

**Available in 24 standard colors, as per next page.**

## Pos. 3 - 4 - 5 Type of sections

☐ 111 ALUX 1




## Pos. 6 Height adjustment

- ☐ F Electric, two motors with hand control
- ☐ M Electric, two motors and control panel on the base frame, both sides

## Pos. 7 Table base

- ☐ 1 No options
- ☐ 8 Base finish

## Pos. 8 - 9 - 10 Section width

- ☐ 0 7 5 width 75 cm

## Pos. 11 Density / Thickness

- ☐ 2 Density 30 kg/m³ Height 40 mm

## Pos. 12 Heating

- ☐ A Not heated
- ☐ B With heating

## Pos. 13 Nose / mouth breathing hole

- ☐ 1 No breathing hole
- ☐ 2 Long breathing hole

## Pos. 14 Type of synthetic leather design

- ☐ W Seamless rounded edges
- ☐ X Covered edges

## Pos. 15 Section upholstery color

24 options available.

For further information on options and accessories, please refer to the first pages.



| L | A | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |

Model shown - code LE 111 M8 075 2A2 XR




Model shown LE 111 F1 075 2B2 WA

| TECHNICAL FEATURES | |
|---|---|
| Number of sections | 2 |
| Max safety load (kg) | 180 |
| Height adjustment | Electric (dual telescopic column) |
| Minimum/maximum table height (cm) | 55-93 |
| Mains supply | 220 V 50/60 Hz 24V 70 VA |
| Head section adjustment | Gas spring-assisted |
| Head section tilt | +70° |
| Wheels diameter (mm) | ND |
| Braking system | ND |
| Upholstery safety rating | 1IM |
| Padding thickness (mm) / Density (kg/m) | 40 / 30 (W across the whole section) - 50 / 30 (X covered) |
| Weight (kg) | 70 (LA110F1) - 72 (LA110M8) |



Detail of the standard control panel on the base frame with option M.

**ACCESSORIES:**

**AC0020.W?** NOSE/MOUTH BREATHING HOLE PLUG
**AC0020.X?** NOSE/MOUTH BREATHING HOLE PLUG
**AC0024.W?** F-ACE CUSHION
**AC0034** 2-PLY PAPER ROLL
**AC0035** LARGE SHEET
**AC0036** PROTECTIVE SHEET
**AC0287** CLASSIC PAPER ROLL HOLDER

upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

## FOR PROTECTION AND HYGIENE



**AC0034** STANDARD PAPER ROLL SET
The set includes 6 x 60 cm wide rolls.
Each roll is 85 meters long.



**AC0035** MAXI PAPER ROLL SET
The set includes 2 x 90 cm wide rolls. Each roll is 100 meters long.



**AC0036** PROTECTIVE SHEET SET
This set contains 10 synthetic fabric sheets with elasticated border. This sheet can be used on any examination and treatment table.



**AC0020.W ?** BREATHING HOLE PLUG FOR HEAD SECTION
For any examination, massage and treatment tables that provide for the option of a standard nose/mouth breathing hole, with panels having rounded edges. (can be ordered as a single item)



**AC0020.X ?** BREATHING HOLE PLUG FOR HEAD SECTION
For any examination, massage and treatment tables that provide for the option of a standard nose/mouth breathing hole, with panels having covered edges. (can be ordered as a single item)



**AC0024.W ?** FACE CUSHION
Dimensions: L 31 x P 23 x H 6



**AC0287** CLASSIC PAPER ROLL HOLDER
This holder can only be attached to the head section of ALUX and MINITOP models and can only be used with paper rolls that are up to 61 cm wide.



**XCAT0020131**
UPHOLSTERY COLOR BOOK
Upon request from design companies or individual professionals who would like to check the actual synthetic leather color before making a purchase, we are happy to send our samples.

**? CHOICE OF UPHOLSTERY COLOR** - important: always specify the upholstery code along with the chosen item when this option is available

A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

# Basic tables

Examination or treatment tables with a sturdy metal or wooden frame; dimensions and number of segments vary but typically have fixed height. However, some models can be height-adjusted manually to pre-determined positions, while others can be folded.
The section upholstery has rounded edges, which allows patients to come closer, while the head section can be ordered in the version with nose & mouth breathing hole. These tables can be used in doctor's surgeries, for example.
The MINITOP range is a recent addition to this group and is a basic model for examinations only, with two sections that can be adjusted electrically and a very simplified design.



# Accessories *for basic tables*

## FOR PROTECTION AND HYGIENE



**AC0031 PAPER ROLL HOLDER F**
A metal support with adjustable width from 50 cm to 65 cm that is attached to the upper part of a couch. Recommended for use with paper rolls from set AC0034. This holder can be attached to basic tables on either side, head or foot.



**AC0287 CLASSIC PAPER ROLL HOLDER**
This holder can only be attached to the head section of ALUX and MINITOP models and can only be used with paper rolls that are up to 61 cm wide.



**Y740 ROLL HOLDER**
This metal frame holds the paper rolls used on examination, massage and treatment tables and can be easily moved.



**AC0034 STANDARD PAPER ROLL SET**
The set includes 6 x 60 cm wide rolls.
Each roll is 85 meters long.



**AC0035 MAXI PAPER ROLL SET**
The set includes 2 x 90 cm wide rolls. Each roll is 100 meters long.



**AC0036 PROTECTIVE SHEET SET**
This set contains 10 synthetic fabric sheets with elasticated border. This sheet can be used on any examination and treatment table. Not compatible with couches larger than cm 100 or more.

## SUPPORTS AND UPHOLSTERY



**AC0020.W NOSE/MOUTH BREATHING HOLE PLUG**
For treatment tables that provide for the option of a standard nose/mouth breathing hole.



**12269 HEADREST**
Tilt-adjustable cervical cushion that can be fitted on all basic treatment tables using a special frame. Available only in gray. Not compatible with couches larger than cm 100 or more.



**12270 ARMREST**
This support helps to release the load from arms and can be ordered together with the headrest code 12269. Available only in gray. Not compatible with couches larger than cm 100 or more.




# Basic tables *MiniTOP Range*

Made in Italy



## Pos. 3 - 4 - 5 Type of table top

☐ E11 MINI TOP




## Pos. 6 Height adjustment

☐ A Electric, with foot switch

☐ D Electric, with hand control, magnetized

## Pos. 7 Other options


☐ 2 With wheels

## Pos. 8 Synthetic leather design

☐ W Seamless rounded edges

## Pos. 9 Upholstery color

24 options available.



For further information on options and accessories, please refer to the first pages.



| L | V | E | 1 | 1 | | 2 | W | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Model shown LV 111 D2 WR



## TECHNICAL FEATURES

| | |
|---|---|
| Number of sections | 2 |
| Max safety load (kg) | 150 |
| Height adjustment | Electric |
| Minimum/maximum table height (cm) | 60-90 |
| Mains supply | 220V 50-60Hz / 24V 70VA |
| Actuator thrust (N) | 6000 |
| IP Protection | 66 |
| Head section adjustment | Gas spring-assisted |
| Head section tilt | 0° +75° |
| Wheels diameter (mm) | 5 |
| Braking system | not applicable |
| Upholstery safety rating | 1 IM |
| Padding thickness (mm) | 30 |
| Density (kg/m³) | 30 |
| Weight (kg) | 50 |



With wheels for transportation.

**ACCESSORIES**

**AC0020** NOSE/MOUTH BREATHING HOLE PLUG
**AC0034** 2-PLY PAPER ROLL
**AC0031** PAPER ROLL HOLDER
**AC0287** CLASSIC PAPER ROLL HOLDER

**? CHOICE OF UPHOLSTERY COLOR** - important: always specify the upholstery code along with the chosen item when this option is available

A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P


# Basic tables *metal frame*



## 01250.W ?

**METAL 1**


An examination and treatment table with two sections and fixed height at 78 cm. The standard section width is 68 cm, while the head section can have manual positive tilt adjustment up to +45°. The head section in this model has a nose/mouth breathing hole. A breathing plug hole can be ordered separately as an accessory. Max safety load: 200 kg; Weight: 40 kg




## 01650.W ?

**METAL 1 BASIC**

This model is similar to item code 01250.W, the only difference being that the head section does not have a nose/mouth breathing hole.







## 01252.W ?

**METAL LARGE**


An examination and treatment table with two sections and fixed height at 78 cm. Sections have a larger width of 80 cm, while the head section can have manual positive tilt adjustment up to +45°. The head section in this model has a nose/mouth breathing hole. A breathing plug hole can be ordered separately as an accessory.
Max safety load: 200 kg; Weight: 43 kg




## 01652.W ?

**METAL LARGE BASIC**

This model is similar to item code 01252.W, the only difference being that the head section does not have a nose/mouth breathing hole.







## 01251.W ?

**METAL 3**


An examination and treatment table with four sections and fixed height at 78 cm. The standard section width is 68 cm, while the mobile sections can be adjusted manually. The head section in this model has a nose/mouth breathing hole.
A breathing plug hole can be ordered separately as an accessory. Max safety load: 200 kg;
Weight: 43 kg




## 01651.W ?

**METAL 3 BASIC**

This model is similar to item code 01251.W, the only difference being that the head section does not have a nose/mouth breathing hole.




Please refer to the introduction page of this section for further details on our accessories.

**? CHOICE OF UPHOLSTERY COLOR** - important: always specify the upholstery code along with the chosen item when this option is available.

A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

# Basic tables *metal frame*


Made in Italy



## 01256.W ?

**METAL H100**


An examination and treatment table with one single section and fixed height at 78 cm. Larger dimensions for a total surface area that is 100 x 200 cm.
Max safety load: 250 kg; Weight: 58 kg




## 01257.W ?

**METAL HT100**

An examination and treatment table with two sections and fixed height at 78 cm. Larger dimensions for a total surface area that is 100 x 200 cm. The head section can have manual positive tilt adjustment up to +55°. Max safety load: 250 kg;
Weight: 60 kg







## 01253.W ?

**METAL L100**


An examination and treatment table with one single section and fixed height at 50 cm. Larger dimensions for a total surface area that is 100 x 200 cm.
Max safety load: 250 kg;
Weight: 53 kg




## 01254.W ?

**METAL LT100**

An examination and treatment table with two sections and fixed height at 50 cm. Larger dimensions for a total surface area that is 100 x 200 cm. The head section can have manual positive tilt adjustment up to +55°. Max safety load: 250 kg; Weight: 55 kg







## 01423.W ?

**METAL L200**

Metal examination and treatment table with two connected sections, for a total surface area that is 200 x 200 cm.
Fixed table height at 50 cm.
Max safety load: 250 kg;
Weight: 106 kg




Please refer to the introduction page of this section for further details on our accessories.

**? CHOICE OF UPHOLSTERY COLOR** - important: always specify the upholstery code along with the chosen item when this option is available.

A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P


# Basic tables *wooden frame*



## 01258.W ?

**RAMIN 1**


Wooden examination and treatment table with two sections and fixed height at 78 cm. The standard section width is 68 cm, while the head section can have manual positive tilt adjustment up to +45°. The head section in this model has a nose/mouth breathing hole. A breathing plug hole can be ordered separately as an accessory. Max safety load: 200 kg; Weight: 40 kg




## 01658.W ?

**RAMIN 1 BASIC**

This model is similar to item code 01258.W, the only difference being that the head section does not have a nose/mouth breathing hole.







## 01260.W ?

**RAMIN LARGE**


Wooden examination and treatment table with two sections and fixed height at 78 cm. The standard section width is 80 cm, while the head section can have manual positive tilt adjustment up to +45°. The head section in this model has a nose/mouth breathing hole. A breathing plug hole can be ordered separately as an accessory. Max safety load: 200 kg; Weight: 45 kg




## 01660.W ?

**RAMIN LARGE BASIC**

This model is similar to item code 01260.W, the only difference being that the head section does not have a nose/mouth breathing hole.







## 01259.W ?

**RAMIN 3**


Wooden examination and treatment table with four sections and fixed height at 78 cm. The standard section width is 68 cm, while the mobile sections can be adjusted manually. The head section in this model has a nose/mouth breathing hole. A breathing plug hole can be ordered separately as an accessory. Max safety load: 200 kg; Weight: 43 kg




## 01659.W ?

**RAMIN 3 BASIC**

This model is similar to item code 01259.W, the only difference being that the head section does not have a nose/mouth breathing hole.




Please refer to the introduction page of this section for further details on our accessories.

**? CHOICE OF UPHOLSTERY COLOR** - important: always specify the upholstery code along with the chosen item when this option is available.

A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

# Basic tables *wooden frame*


Made in Italy



## 01263.W ?

**RAMIN H100**


Wooden examination and treatment table with one single section and fixed height at 78 cm. Larger dimensions for a total surface area that is 100 x 200 cm. Max safety load: 250 kg; Weight: 58 kg




## 01264.W ?

**RAMIN HT100**

Wooden examination and treatment table with two sections and fixed height at 78 cm. Larger dimensions for a total surface area that is 100 x 200 cm. The head section can have manual positive tilt adjustment up to +55°. Max safety load: 250 kg; Weight: 60 kg







## 01261.W ?

**RAMIN L100**


Wooden examination and treatment table with one single section and fixed height 50 cm. Larger dimensions for a total surface area that is 100 x 200 cm. Max safety load: 250 kg; Weight: 53 kg




## 01262.W ?

**RAMIN LT100**

Wooden examination and treatment table with two sections and fixed height at 50 cm. Larger dimensions for a total surface area that is 100 x 200 cm. The head section can have manual positive tilt adjustment up to +55°. Max safety load: 250 kg; Weight: 55 kg








Please refer to the introduction page of this section for further details on our accessories.

**? CHOICE OF UPHOLSTERY COLOR** - important: always specify the upholstery code along with the chosen item when this option is available.

A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P


# Basic tables *wooden frame*



## 01265.W ?

**VOJTA**


Wooden examination and treatment table with one mobile section, head section with manual adjustment system. The head section has a nose/mouth breathing hole. With a convenient storage shelving underneath.
Fixed height 78 cm
Max safety load: 200 kg; Weight: 50 kg




## 01653.W ?

**VOJTA BASIC**

This model is similar to item code 01265.W, the only difference being that the head section does not have a nose/mouth breathing hole.








## 02988.W ?

**VOJTA 1R**


Height-adjustable, wooden examination and treatment table with one mobile section. Head section with manual adjustment system and nose/mouth breathing hole with plug. With a convenient storage shelving underneath.
Min/max height 63 ÷ 87 cm.
Max safety load: 200 kg; Weight: 47 kg




## 01654.W ?

**VOJTA 1R BASIC**

This model is similar to item code 02988.W, the only difference being that the head section does not have a nose/mouth breathing hole.








## 02989.W ?

**VOJTA 3R**


Height-adjustable, wooden examination and treatment table with three mobile sections. Head and leg sections with manual adjustment system. The head section has a nose/mouth breathing hole with plug. With a convenient storage shelving underneath. Min/max height 63 ÷ 87 cm.
Safety load 200 kg; Weight: 52 kg




## 01655.W ?

**VOJTA 3R BASIC**

This model is similar to item code 02989.W, the only difference being that the head section does not have a nose/mouth breathing hole.




Please refer to the introduction page of this section for further details on our accessories.

**? CHOICE OF UPHOLSTERY COLOR** - important: always specify the upholstery code along with the chosen item when this option is available.

A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

# Basic folding tables

Made in Italy









## 11975

### CHIROPRACTIC TABLE

Chiropractic treatment table with folding, height-adjustable leg supports. Min/max height 61 - 68 - 74 cm. The elbow support section can be extended. Washable, synthetic leather upholstery, only available in blue W2. Weight: 34 kg







## 11970

### CERDO THERAPY TABLE

Treatment table with folding, height-adjustable leg supports.
Min/max height 60 ÷ 80 cm.
High density foam padded top upholstered with washable synthetic leather, only available in blue W2.
Weight: 34 kg







## 11861

### PORTABLE THERAPY TABLE

Aluminum treatment table, with two sections, folds into a suitcase. Fixed height 75 cm. This treatment table is only available with black synthetic leather upholstery. Safety load 150 kg; Weight: 16 kg







## 11860

### PORTABLE THERAPY TABLE A

Aluminum treatment table, with three sections, folds into a suitcase. Fixed height 75 cm. Headrest with manual adjustment system (+ 80°) and nose/mouth breathing hole. This treatment table is only available with black synthetic leather upholstery.
Safety load 150 kg; Weight: 17 kg



# Basic tables

## CUSHIONS FOR POSTURE

Postural cushions are available in various shapes and sizes to meet the professional's varied requirements to position a patient correctly. Our cushions are made from variable density foam and have a synthetic leather cover which is fire-resistant and anti-bacterial, easy to clean and durable. Standard density is 21 kg/m$^3$. Cushion covers have a zip for easy removal, and come in a choice of upholstery from an assortment of 24 color options.





Please refer to the first pages of this section for further details.

# Other furniture

We have a range of padded stools in various shapes that can be chosen by the professional among several options.
Our stools can also be made in the same upholstery color as the Chinesport therapy tables, so there are 24 colors to choose from.
Below is an interior design solution for medical and physical therapy practices including a series of items and accessories such as wooden stools, chairs, office chairs, screens, medical equipment trolleys. The step plates with one or two steps make it easier for patients to be transferred onto fixed height therapy tables.





## CUSTOM STOOLS

**Series of swivel stools with five swivel wheels and 60 cm diameter base. Height is adjusted by means of a gas spring mechanism and lever. Models come with two different height adjustment mechanisms. Our stools are manufactured using materials that ensure excellent seat stability over time. Bushings are also used to attach the seat to the frame, which allows for parts to be easily replaced when worn out or if the padding gets damaged, or even if you just want a new upholstery color. A wide choice of upholstery colors is available. 3-year guarantee.**

### Pos. 4 Synthetic leather design



**1** Across the whole section




**2** Covered

### Pos. 5 Backrest



**1** Without backrest



**2** With backrest

### Pos. 6 Height adjustment



**L** from 46 to 60 cm



**H** from 60 to 90 cm

### Pos. 7 Type of frame



**1** Black plastic



**2** Chromed



**MADE-TO-MEASURE SEAT**

**We can personalize the seat height, density and shape. Feel free to send us your request by e-mail to our address: export@chinesport.it**

**Pos. 3 Basic model**

- ☐ 1 Miguel
- ☐ 2 Ines
- ☐ 3 Saddle stool
- ☐ 4 Ronaldo

**Pos. 4 Synthetic leather design**

- ☐ 1 Across the whole section
- ☐ 2 Covered

**Pos. 5 Backrest**

- ☐ 1 Without backrest
- ☐ 2 With backrest

**Pos. 6 Height adjustment**

- ☐ L from 46 ÷ 60 cm
- ☐ H from 60 ÷ 90 cm

**Pos. 7 Type of frame**

- ☐ 1 Black plastic
- ☐ 2 Chromed

**Pos. 8 Type of synthetic leather**

- ☐ W Giotto Collection

**Pos. 9 Upholstery color**

24 options available.

For further information on upholstery characteristics, please refer to the first pages.



Model shown - code CS1 11L1 WE

**MIGUEL**

| C | S | 1 | | 1 | | | W | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |



Model shown - code CS2 21H1 W3

**INES**

| C | S | 2 | 2 | | | | W | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |



Model shown - code CS3 11H1 WT

**SADDLE STOOL**

| C | S | 3 | 1 | 1 | | | W | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |



Model shown - code CS4 11L1 WQ

**RONALDO**

| C | S | 4 | 1 | 1 | | | W | |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

upholstery color code: A N 8 7 K S B 4 T 1 6 E Z G F H 9 Q R 2 3 L M P

# Other furniture





## 11815
**FIXED STOOL**
Chromed steel with beechwood seat.
SEAT Ø 35 X 48H CM



## 11765
**SWIVEL STOOL**
Chromed steel with beechwood seat.
Height adjustable with screw mechanism.
Ø cm 32 x 52 ÷ 62h



## 11785
**SWIVEL STOOL**
Chromed steel with beechwood seat and 5 swivel wheels. Height adjustable with screw mechanism.
Base Ø cm 60 x 50 ÷ 60h



## XEC001
**RONDO' STOOL**
A stool on a chromed base fitted with 5 casters. The backrest is designed for use as armrest as well. Height adjustable 62 - 82 cm.



## 02077
**CHAIR WITHOUT ARMRESTS**
Natural painted beechwood.
52 x 50 x 83 h cm
Weight 7 kg



## 02076
**CHAIR WITH ARMRESTS**
Natural painted beechwood.
52 x 50 x 83 h cm
Weight 9 kg



## 12880
**WOODEN STOOL**
50 x 36 x 47h cm



## 12855
**WOODEN FOOTREST**
Solid beechwood.
32 X 22 X 16H CM

# Other furniture





## 11810
### SQUARE STOOL
Made from section tube, which offers maximum stability.
40 x 40 x 45h cm



## XP851
### STEP PLATE 1
Made from chromed steel tube.
1 plastic step, 38 x 20 cm.
25 x 38 x 23h cm
Capacity 150 kg



## XP852
### STEP PLATE 2
Made from chromed steel tube.
2 plastic steps, 38 x 20 cm.
50 x 38 x 44h cm
Capacity 150 kg



## 34630
### WAITING ROOM CHAIR 1
Frame made from coated, oval steel; padded seat and backrest but no armrests.
58 x 53 x 80h cm



## 01283
### WAITING ROOM CHAIR 2
Frame made from coated, oval steel; padded seat and backrest with removable armrests.
58 x 64 x 80h cm



## 34650
### 3-SEAT CHAIR
Side-by-side frame made from coated, oval steel; padded seat and backrest.
160 x 60 x 80h cm



## 34620
### OFFICE CHAIR WITHOUT ARMRESTS
Height-adjustable with swivel base and 5 swivel wheels. Adjustable backrest that can be used to rest on at all times.
Base Ø 60 x 44÷57h cm



## 34610
### OFFICE CHAIR WITH ARMRESTS
Height-adjustable with swivel base and 5 swivel wheels. Adjustable backrest that can be used to rest on at all times.
Base Ø 60 x 44÷57h cm

Upholstery color

P53



## Y766.P53
### VERONICA
Ergonomic chair complete with knee support and adjustable armrests.
Tilting backrest. Gas lift mechanism.
Base Ø 60 x 53÷66h cm

# Other furniture





## 02040
**OLMO CABINET**
The doors at the bottom have locks and metal handles.
45 x 90 x 170h cm



## 02041
**OLMO DESK**
80 x 140 x 73h cm



## 02042
**OLMO CHEST OF DRAWERS**
Three drawers with lock, wheels and metal handles. 45 x 45 x 58h cm



## XM2520
**TROLLEY 2**
White-coated steel tube frame that can be disassembled. Fitted with 4 swivel wheels. 2 white bilaminate shelvings with rounded edges. 65 x 37 x 83h cm



## XM2530
**TROLLEY 3**
White-coated steel tube frame that can be disassembled. Fitted with 4 swivel wheels. 3 white bilaminate shelvings with rounded edges. 65 x 37 x 90h cm



## 02045
**SPIRAL BOX 2**
Wall-mounted paper roll dispenser. Only for tear-off paper.



## 34030
**RUBBISH BIN**
12-liter container, plastic on the inside. Ø 25 x 38h cm




## 13190
**PAPER 1**
2-ply pure cellulose, tear-off, 180 m. Pack contains 6 rolls.

# Other furniture

Made in Italy







## XM16506
MOBILE SCREEN
Screen with 6 folding laminate panels plus one support panel. The wheels on the base allow for it to be moved to the desired location as required.
Aluminum frame. Braking casters.
Screen useful length 180 cm.
Overall height 165 cm.

## XM18506
WALL-MOUNTED SCREEN
Screen with 6 folding laminate panels that attaches to the wall using a special mounting rail. Aluminum frame. Braking wheels.
Screen useful length 180 cm.
Overall height 185 cm.

## XM16508
MOBILE SCREEN
Same as item XM16506 but with 8 folding panels, reaching a useful length of 240 cm.

## XM18509
WALL-MOUNTED SCREEN
Same as item XM18506 but with 8 folding panels, reaching a useful length of 270 cm.



## 34070
METAL COAT HANGER
Made from coated steel tube.
With umbrella stand.
Base 58 x 175h cm



## 02034
3-SECTION SCREEN
Chromed steel tube frame.
Ø 2.2 cm with cotton fabric.
3 sections x 50 cm x 168h


# Other furniture *Medical equipment trolleys*




## XM2703

### 3-DRAWER TROLLEY

Storage trolley with an aluminum and ABS frame. It has 2 drawers that are 8 cm tall, 1 drawer that is 16 cm tall, and one open shelving. Four swivel wheels, two of which with braking mechanism. Central locking system with key.
Dimensions 76x50x87 h cm.










## XM2704


### 4-DRAWER TROLLEY

Storage trolley with an aluminum and ABS frame. It has 2 drawers that are 8 cm tall, 1 drawer that is 16 cm tall, and 1 drawer that is 24 cm tall. Four swivel wheels, two of which with braking mechanism. Central locking system with key.
Dimensions 76x50x87 h cm.








Examples of accessories. To be attached on the short sides of a trolley using a height-adjustable bar



**XM0004**
SHARPS CONTAINER



**XM0005**
CLOSED RUBBISH BIN



**XM0006**
GLOVES DISPENSER

**ACCESSORIES**

**XM0004** SHARPS CONTAINER
**XM0005** CLOSED RUBBISH BIN
**XM0006** GLOVES DISPENSER
**XM0007** BOTTLES HOLDER
**XM0008** MULTIFUNCTIONAL STORAGE
**XM0009** DOCUMENT HOLDER
**XM0010** MEDICAL RECORDS HOLDER
**XM0011** OPEN RUBBISH BIN
**XM0012** CATHETER HOLDER
**XM0013** SUCTION TUBE HOLDER


# Chinesport, just a click away

Chinesport's website has now also been designed and set up for those using mobile phones or IPads, not necessarily because they are out-and-about or travelling, but because they wish to know more about it while using our catalogue or other documentation. We are constantly involved in publishing new detailed information, photos (now even bigger), videos and multimedia files that are worth sharing. Finally, the website also provides a guide to putting the code together fora product made up of a number of parts.



**Point, and explore the video!**






CHINESPORT®
ITALIA
REHABILITATION and MEDICAL EQUIPMENT

CHINESPORT spa
Via Croazia, 2
33100 Udine - Italy
Tel. 0432 621 621

**www.chinesport.com**