Q-NRG +

Metabolic Monitor









Introducing The New Generation of Metabolic Monitors for Indirect Calorimetry in Clinical and Critical Care Practice

COSMED
The Metabolic Company

Individual

Gold Standard

Quick

Easy

Compact

Affordable



Introduced by COSMED, worldwide leader in the design of metabolic systems for clinical and human performance applications, Q-NRG is the first Indirect Calorimeter specifically intended for the measurement of Resting Energy Expenditure (REE) in patients who are mechanically ventilated or spontaneously breathing and for healthy subjects.

Indirect calorimetry remains the Gold Standard in measuring energy expenditure in clinical settings, proven to have enormous advantages compared to Predictive Equations[2].

In fact, this measuring technology provides an individual and dynamic metabolic assessment based on the actual physical status of the subject rather than estimating it on anthropometric data.

Q-NRG is a unique product, the result of COSMED's collaboration with world-class institutes in the field of nutrition support in intensive care units. Product concept and specifications have been designed together with the ICALIC Trial study group[3].

This collaboration made possible the development of an accurate metabolic system simple to use and able to solve all typical pitfalls of Indirect Calorimetry technology.

Individual Metabolic Assessment

Q-NRG uses the Gold Standard Indirect Calorimetry technique to measure metabolic parameters. The technique itself guarantees that the results reflect the metabolic alterations during illness and repeated measurements may correspond with disease progression or resolution[4]. QNRG is the ultimate tool to develop individual nutrition support plans and optimize them to prevent over/underfeeding, to reduce length of stay and, ultimately, to decrease costs in ICU.

Indirect Calorimetry, a Gold Standard

Q-NRG is the result of more than 30 years of experience in the design of metabolic systems. The new calorimeter has been validated in-vitro by international multicentre study showing the greatest accuracy with excellent agreement vs. mass spectrometer measurements[5,6].

Quick to operate, clean and maintain

Q-NRG has been designed to reduce operations and measurement time[7]. System does not require warm-up time nor user-assisted calibrations, all operations can be performed with a few taps on the screen and cleaning procedures are simplified thanks to rounded surfaces and single-use accessories.

Designed for Clinical Practice

Q-NRG usability has been designed according to best clinical practice. An intuitive workflow supports the user through all operations with main instructions prompted along the procedures and test information always accessible. Designed to be portable, the device can be easily transported between rooms.

Latest Technologies in a Compact Device

Q-NRG is a compact, lightweight, battery operating device. The 10" inches LCD touchscreen simplify access to all operations. Bluetooth, USB, RS-232 and LAN interfaces allow to connect the system to any hub (PC, printers, etc.).

Affordable

Q-NRG has been designed to compete with conventional metabolic system, at a fraction of the cost.

1 ESPEN guidelines on clinical nutrition in the intensive care unit. Singer P, et al. Clin Nutr. 2018

2 Resting energy expenditure in malnourished older patients at hospital admission and three months after discharge: predictive equations versus measurements. Neelemaat F, van Bokhorst-de van der Schueren MA, Thijs A, Seidell JC, Weijs PJ. Clin Nutr. 2012

3 Indirect calorimetry in nutritional therapy. A position paper by the ICALIC study group. Oshima T, et al. Clin Nutr. 2017

4 Indirect calorimetry as point of care testing. Singer P, Rattanachaiwong S. Clin Nutr. 2019

5 In vitro validation of indirect calorimetry device developed for the ICALIC project against mass spectrometry. Oshima T, et al. Clin Nutr ESPEN 2019

6 Evaluation of the accuracy and precision of a new generation indirect calorimeter in canopy dilution mode. Delsoglio M, et al. Clin Nutr 2020

7 The clinical evaluation of the new indirect calorimeter developed by the ICALIC project. Oshima T, et al. Clin Nutr 2020

One tool for many applications

Q-NRG provides flexibility in a variety of clinical settings, assessing different patient's conditions (mechanically ventilated or spontaneous breathing) and with different techniques (Canopy Hood and/or Face Mask), from pediatric to adult.




Ventilator Mode. Q-NRG can measure REE in mechanically ventilated patients (FiO_2 up to 75%). A single-use flowmeter is placed in series in the patient circuit to measure ventilatory parameters. Two sampling lines are connected to patient circuit and ventilator outlet for the measurement of inspired/expired gases.



Canopy Mode. Indirect Calorimetry through Canopy Hood is the "Gold Standard" technique to measure REE in spontaneously breathing subjects. Exhaled gases are diluted within a "Canopy Hood" (small or large size). Measurement of dilution flow and O_2/CO_2 concentrations allow the calculation of VO_2 and VCO_2.



Face Mask Mode. REE measurements can be performed using an oronasal face mask on spontaneously breathing subjects whenever Canopy Hood cannot be used (special subjects, claustrophobic, etc.). A flowmeter and a sampling line are connected to the mask (5 sizes) for VO_2 and VCO_2 measurement



Real Time dashboard of Ventilator test shows metabolic and ventilatory data as well as widgets to verify Quality Control and understand whenever test is completed.



The Ventilator patient circuit requires the use of a single-use flowmeter and HME or standard filter




Canopy Hood (small or large size) utilizes a single-use veil to avoid cross contamination



COSMED single-use pneumotach flowmeter (Flow-REE)

Accessories & Options

- **Canopy Hood kit.** Available in two sizes (large or small), includes hood w/ adapter and corrugated tube.
- **Face Mask kit.** Includes two oronasal masks in silicone (S/M sizes), 1 head cap, and external flowmeter.
- **Gas Calibration kit.** Required for the monthly gas calibration. It includes a 3,6 Liter cylinder with certified gas mix (16% O2, 5% CO2, N2 bal) and pressure regulator.
- **Flow/Volume Calibration kit.** Required for the monthly calibration, includes a 3L certified calibration syringe and adapters.
- **Cart.** Compact Cart with medical grade wheels, includes gas cylinder holder and accessory basket, perfect for moving the system between beds or hospital departments.
- **Clamp.** Pole/rail clamp with 100 mm VESA mounting plate to be used for securing Q-NRG on any Pole or Rail setting within an hospital setting.



PDF printout of Ventilator test shows test results in a comprehensive format to facilitate metabolic assessment. Tabular data may also be included.

ITALY - Headquarters

COSMED Srl
Rome
+39 06 931-5492
info@cosmed.com

ITALY

COSMED Srl
Milan
+39 02 99765-920
milano@cosmed.com

GERMANY

COSMED Deutschland GmbH
Schweinfurt
+49 (0)9735 81390 00
DE@cosmed.com

FRANCE

COSMED France SASU
Brignais
+33 (0)4 478628053
FR@cosmed.com

THE NETHERLANDS

COSMED Benelux BV
Nieuwegein
+31 (0) 88 10 50 500
BNL@cosmed.com

DENMARK

COSMED Nordic ApS
Odense
+45 6595 9100
DK@cosmed.com

SWITZERLAND

COSMED Switzerland GmbH
Fehraltorf
+41 (0)43 50 869 83
CH@cosmed.com

USA

COSMED USA, Inc.
Concord, Chicago
+1 800 4263763 Toll Free
USA@cosmed.com

AUSTRALIA


COSMED Asia-Pacific Pty Ltd
Artarmon
+61 449 971 170
ANZ@cosmed.com

HONG KONG

COSMED HK Ltd
Kowloon
+852 3708 3126
HK@cosmed.com

CHINA

COSMED Guangzhou Medical Technology Co. Ltd.
Guangzhou
CHINA@cosmed.com



© COSMED

E & OE. Subject to alterations without prior notice.

Products may not be available in your region as depending on countries and certifications.

All trademarks, registered trademarks and logos are the property of their respective owners.

COSMED

COSMED Srl

Via dei Piani di Monte Savello 37
Albano Laziale - Rome 00041
Italy
+39 (06) 931-5492 Phone
+39 (06) 931-4580 Fax

cosmed.com

Distributed by

To know more:

COSMED Q-NRG+ is a medical device

© 2025/01-a | REF C04672-22-93