
PRODUCT CATALOGUE

Animal Health



EDAN animal health



LEAD THE VETERINARY CARE

animal health

Ultrasound	04
Laboratory	20
Monitoring	28
ECG	32



Acclarix™ AX9 VET

Veterinary Diagnostic Ultrasound System

Tap the Full Potential in an Exclusive Touch



NEW

Acclarix™ AX9 VET

Veterinary Diagnostic Ultrasound System



Always Ready

- 15.6" high resolution LED monitor, 0°–180° tilt design
- 12.3" touch screen, large and responsive
- Interactive back–lighting control panel for darkroom operation
- 8 hours continuous scanning with ePower
- Compact multiple transducers connection, 3 probes connected maximum
- Configurable Cart with semi–auto height adjustment
- Flexible high–capacity storage tank & placing table

Simple but Reliable

- Magnalium alloy body aims high standard durability
- 4.8 kg light weight, compact and easy–to–go
- 2 batteries effectively extend scanning time
- About 35 seconds fast cold start and 7 seconds boot–up from sleep
- Large storage capacity for daily diagnostics

LinSync Smart Solutions

- Cardiovasscular
  - Automatic cardiac measurement tools (Auto EF/Strain/WMSI)
  - Physiological Unit Signal(ECG & Respiratory Wave)

Acclarix™ AX3 VET

Veterinary Diagnostic Ultrasound System

"

Veterinarian Ultrasound Within a Touch







Acclarix™ AX3 VET

Veterinary Diagnostic Ultrasound System

Distinctive Design

- 15" Wide angle HD monitor in 180° rotation
- Humanized dual–sockets design
- Two removable built–in lithium–ion battery providing ultra–long continuous scanning
- Magnesium alloy body with unexpected light weight about 4.5 KG
- Integrated trolley with semi–automatic height adjustment

Definitive Image Quality

- High fidelity, high channel count architecture
- Tissue Adaptive Imaging (TAI) continuously and automatically optimizes imaging to allow more focus on the patient
  - B–mode: TAI fine tunes multiple parameters for optimal imaging
  - Doppler: TAI adjusts for flow state providing improved continuity, border detection and fill–in

Intelligent Workflow

- Customizable, gesture–control 10" touch screen to personalize workflow
- One–touch auto optimization for all modes
- Smart EIS platform empowering efficient diagnosis with mighty inner core





Acclarix™ AX2 VET

Veterinary Diagnostic Ultrasound System

”

Veterinarian Ultrasound Within a Touch



Acclarix™ AX2 VET

Veterinary Diagnostic Ultrasound System

- 15" Wide angle HD monitor in 180° rotation
- Humanized single–sockets design
- Dual built–in batteries design support ultra–long scanning
- Magnesium alloy body with unexpected light weight about 4.5 KG
- Integrated trolley with semi–automatic height Adjustment
- High fidelity, high channel count architecture
- Tissue Adaptive Imaging (TAI) continuously and automatically optimizes imaging to allow more focus on the patient
- Customizable, gesture–control 10” touch screen to personalize workflow
- One–touch auto optimization for all modes
- Smart EIS platform empowering efficient diagnosis with mighty inner core





Acclarix™ LX9 VET

Veterinary Diagnostic Ultrasound System

"

Empowering Definitive Diagnosis



Acclarix™ LX9 VET

Veterinary Diagnostic Ultrasound System

Distinctive Design

- 21.5" High resolution LCD monitor with "Z" arm
- 14" High sensitive touch screen with gesture control
- Super slim body with light weight
- Rotatable user panel with automatic lifting
- 5 Activated transducers sockets
- Dual built–in batteries design support ultra–long scanning time
- Detachable gel warmer

Definitive Image Quality

- eTAI (Tissue Adaptive Imaging)
- eSRI (Spackle Reduction & Edge Enhancement Imaging)
- eView (Adaptive Spatial Compound Imaging & Frequency Compound Imaging)
- eBeam (Digital Multi–Beam Beamforming)
- ePIH (Pulse Inversion Harmonic Imaging)

Intelligent Workflow

- Customizable, gesture–control touch screen to personalize workflow
- One–touch auto optimization for all modes (B/Color/PW)
- Smart EIS platform empowering efficient diagnosis with mighty inner core
- Automatic measurement tools with intelligent algorithm in versatile veterinary application





Acclarix™ LX6 VET

Veterinary Diagnostic Ultrasound System

”

Empowering Definitive Diagnosis

NEW



Acclarix™ LX6 VET

Veterinary Diagnostic Ultrasound System

Distinctive Design

- 21.5”/23.8“ High resolution LCD monitor with “Z” arm
- 14” High sensitive touch screen with gesture control
- Dedicated LinSync button for quick activation
- Rotatable user panel with automatic lifting
- 5 Activated transducers sockets
- Detachable gel warmer

Advanced Features

- SynSight Platform (Synthetic Focused Sonography)
- eSilken Flow Imaging
- HRFI (High–Resolution Flow Imaging)
- Elastography Imaging (Strain, Shear wave)
- MFI (Micro Flow Imaging)
- Contrast Imaging
- MVI (Microvascular Imaging)
- eWorks (Smart workflow protocol)
- AMM (Anatomical M Mode)

LinSync Smart Solutions

- Cardiovasscular
  - – Automatic cardiac measurement tools (Auto EF/Strain/WMSI)
  - – Physiological Unit Signal (ECG & Respiratory Wave)

Acclarix™ LX3 VET/LX2 VET

Veterinary Diagnostic Ultrasound System

Flexible and Available at Fingertips





Acclarix™ LX3 VET/LX2 VET

Veterinary Diagnostic Ultrasound System

- 21.5" High resolution LCD monitor with "C" arm
- 14" High sensitive touch screen with gesture control
- Rotatable user panel with automatic lifting
- 3&5 Activated transducers sockets
- Dual built–in batteries design support ultra–long scanning
- Detachable gel warmer
- High fidelity, high channel count architecture
- Tissue Adaptive Imaging (TAI) continuously and automatically optimizes imaging to allow more focus on the patient
- Customizable, gesture–control touch screen to personalize workflow
- One–touch auto optimization for all modes
- Smart EIS platform empowering efficient diagnosis with mighty inner core

U60 VET

Veterinary Diagnostic Ultrasound System

Clear. Compact. Comprehensive

- 15" High resolution LCD screen
- Light–weight design for excellent mobility
- Color Doppler Imaging
- Pulsed wave Doppler
- Directional Power Doppler Imaging
- Continuous wave Doppler
- Multi–beam technology
- Harmonic imaging
- Speckle reduction technology
- Spatial compound imaging
- Multi–frequency transducer technology
- Multi–language software packages
- Built–in rechargeable Li–ion battery (optional)
- DICOM 3.0 (optional)
- Large capacity data storage (optional)
- Footswitch (optional)
- Mobile trolley (optional)
- Carrying case (optional)
- Needle–guide brackets (optional)



U50 VET

Veterinary Diagnostic Ultrasound System

- High resolution LCD screen
- Light–weight design for excellent mobility
- Color Doppler Imaging
- Pulsed wave Doppler
- Directional Power Doppler Imaging
- Continuous wave Doppler
- Multi–beam technology
- Harmonic imaging
- Speckle reduction technology
- Spatial compound imaging
- Multi–frequency transducer technology
- Multi–language software packages
- Built–in rechargeable Li–ion battery (optional)
- DICOM 3.0 (optional)
- Large capacity data storage (optional)
- Footswitch (optional)
- Mobile trolley (optional)
- Carrying case (optional)
- Needle–guide brackets (optional)



DUS60 VET

Veterinary Diagnostic Ultrasound System

Mobile. Durable. Reliable

- 12.1" TFT–LCD screen
- Net weight 7.1kg
- Two transducer connectors
- Multi–frequency transducer technology
- Pulsed wave Doppler
- Multiple–pseudo–color options
- Multi–beam technology
- Harmonic imaging
- IP (Image Processing) function
- 256–frame cine loop memory
- Multi–language function
- Two USB ports
- Built–in rechargeable Li–ion battery (optional)
- DICOM 3.0 (optional)
- Large capacity data storage (optional)
- Footswitch (optional)
- Mobile trolley (optional)
- Carrying case (optional)
- Needle–guide brackets (optional)



U2 VET

Veterinary Diagnostic Ultrasound System

- 15" High resolution LCD screen (19" LCD monitor is optional)
- Light–weight design for excellent mobility
- Color Doppler Imaging
- Pulsed wave Doppler
- Continuous wave Doppler
- Directional Power Doppler Imaging
- Multi–beam technology
- Harmonic imaging
- Speckle reduction technology
- Spatial compound imaging
- Multi–frequency transducer technology
- Multi–language software packages
- DVD R/W driver
- Built–in rechargeable Li–ion battery (optional)
- DICOM 3.0 (optional)
- Footswitch (optional)
- Needle–guide brackets (optional)





i15 Vet

Blood Gas and Chemistry Analysis System

Provides Critical Testing Anytime, Anywhere





i15 Vet

Blood Gas and Chemistry Analysis System

As a brand new POCT device specially designed for critical cares, i15 Vet is portable, easy to use and performs flexible tests on a single disposable cartridge.
i15 Vet brings new era of blood gas and chemistry analysis, and it enables you to more quickly and effectively monitor and manage your patients.

- Small size and light weight with build–in rechargeable battery
- 3–step operation procedure to increase efficiency
- Complete maintenance free
- Standby at any time without reagent consumption
- Auto sample aspiration and calibration to ensure accuracy and reliability
- Seamless integration with LIS/HIS through wired and wireless networking
- 10,000 patient data storage and USB data transfer
- Friendly user interface with color LCD touch screen and "traffic light" indicator
- Build–in multimedia tutorials
- Flexible tests combination on single cartridge
- Long cartridge storage life at room temperature, ready to use at any time

Variety of test Cartridges

	pH	pCO_2	pO_2	Na	K	Cl	Ca	Hct	Glu	Lac
BG3	▬	▬	▬							
BG8	▬	▬	▬	▬	▬	▬	▬	▬		
BG4	▬	▬	▬							▬
BG9	▬	▬	▬	▬	▬	▬	▬	▬	▬	
BG10	▬	▬	▬	▬	▬	▬	▬	▬	▬	▬
BC4				▬	▬	▬	▬	▬		

Calculated values: cH+, HCO_3–act, HCO_3–std, BE(ecf), BE(B), BB(B), $ctCO_2$, sO_2(est), Ca++(7.4), AnGap, tHb(est), pO_2(A–a), pO_2(a/A), RI, pO_2/FIO_2, cH+(T), pH(T), pCO_2(T), pO_2(T), pO_2(A–a)(T), pO_2(a/A)(T), RI(T), pO_2(T)/FIO_2, mOsm

Future menu in development: BUN/Urea & Creatinine, Coagulation test (ACT, APTT, PT), Immunoassay panels

H90X Vet

6–Part Veterinary Hematology Analyzer

”

Illuminate RET potential with fluorescence technology






NEW

H90X Vet 6–Part Veterinary Hematology Analyzer

EDAN adheres to technological innovation and is oriented towards customer needs. Now, we have developed a new generation of veterinary hematology analyzers to provide better diagnostic solutions.

- Fluorescence for WBC and RET counting
- Sheath impedance method for RBC and PLT counting
- 33 reportable parameters and 13 RUO parameters
- 16 on–board species and unlimited customized species
- 3 histograms and 10 scattergrams
- Numeric optical platelet(PLT–O) and NRBC parameters
- Optional RET detection
- 60 tests per hour for CD mode, 40 tests per hour for CDR mode
- Test–quantity–based maintenance



Reticulocyte Analysis

- The important indicator reflecting hematopoietic function.
- 7 RET–related parameters mirroring more anemia information

H60 Vet

5–Part Veterinary Hematology Analyzer

”

Assist Animal Healthcare in EDAN Way





H60 Vet 5–Part Veterinary Hematology Analyzer

Animals cannot speak, all diagnostics are dependent on instruments. It's necessary to have reliable analyzers for vet hospitals and clinics. With high technology of laser, flow cytometry, impedance and colorimetric, H60 Vet can provide rapid and reliable test results.

H60 Vet is dedicated to solving the pain points in veterinary diagnosis. With the user–oriented, intuitive operation system, it brings simple operating process that ease the vets' workload. Exclusive reagents and minimum maintenance effectively control the budget.

- 25 reportable parameters and 6 RUO parameters
- LIC and ALY flagging information
- Android–based operation system
- Two routine reagents with longer shelf life
- 15 on–board species and unlimited customized species
- Historical result display
- 60 samples per hour
- Test–quantity–based maintenance
- 100,000 data storage capability

H30 Vet

3–Part Veterinary Hematology Analyzer

”

Assist Animal Blood Test with Strong Clinical Capability





H30 Vet

3–Part Veterinary Hematology Analyzer

- 6.5 μL test volume
- Two reagents with longer shelf life
- Android–based operating system
- Dual systems detect the remaining reagent
- Independent animal algorithm and adaptive threshold
- 15 on–board species and unlimited customized species
- Test–quantity–based maintenance

Efficiency

Digitization

Accuracy

Norm





X12 VET/X10 VET/X8 VET

Veterinary Monitor





X12 VET/X10 VET/X8 VET

Veterinary Monitor

- 12.1"/ 10.1"/8" color TFT–LCD display
- Ultra–slim design with no fan inside
- Optional full touch screen and waterproof silicon buttons
- Basic parameters monitoring with optional capnograph and IBP monitoring
- Specialized esophageal probes for ECG and core body temperature monitoring
- Unique breath tone indicates real–time changes of respiratory system
- Powerful data storage and long battery life



iM70 VET/iM60 VET

Veterinary Monitor

”

Reliable Monitoring for General Veterinary Cares



iM70 VET

iM60 VET



Masimo PHASEIN AG/O_2
(iM70 VET only)

EDAN G2 $EtCO_2$





Respironics $EtCO_2$

iM70 VET/iM60 VET

Veterinary Monitor

- 12.1"/10.4" color TFT–LCD display
- Bedrail hook handle design
- Optional full touch screen and waterproof silicon buttons
- Optional capnograph, IBP and AG monitoring
- Specialized esophageal probes for ECG and core body temperature monitoring
- Unique breath tone indicates real–time changes of respiratory system
- Powerful data storage and long battery life



iM70 VET



iM60 VET



VE-1200 Pro Series

Veterinary Electrocardiograph

Precision Care for Pets



VE–1200 Pro

VE–1201 Pro



NEW

VE–1200 Pro

VE–1201 Pro

VE-1200 Pro Series

Veterinary Electrocardiograph

The state–of–the–art VE–1200 Pro Series are designed specifically for veterinary use. Equipped with VE–SEMIP automatic diagnostics algorithm, these devices ensures accurate and efficient cardiac assessments for pets. Its user–friendly interface allows veterinarians to quickly obtain precise readings, facilitating timely and effective treatment. Trust our technology to enhance your veterinary practice, providing the highest standard of care for your patients with unparalleled ease.

- Glass frontal panel, easy for cleaning and disinfection
- Full touchscreen with gesture operation
- Industrial–top hardware for accurate signal acquisition
- Advanced vet ECG algorithms for timely disease diagnostic advice



VE-300

Three–channel Veterinary ECG

Be Ready at All Times

- Compact and lightweight design
- AHA/IEC 5–lead veterinary ECG cable
- Three–in–one reusable alligator clip and flat clip electrodes
- Well–designed membrane keyboard
- Complete digital filters, resisting baseline drift, AC and EMG interference
- Automatic baseline adjustment
- Built–in rechargeable Li–ion battery, AC/DC power supply

In addition to the features of VE–300 has extra functions as follows.

- 500 ECGs internal memory
- Built–in transmission ports: RS232, Ethernet
- External printer and data transmission support via USB port



VE-H100B Veterinary Oximeter

- LCD display with backlight control
- Dual working modes: monitoring & spot check
- Numeric and plethysmogram display
- Trend review and pulse tone modulation
- Data management together with Patient Careviewer software
- Optional battery charger stand
- Automatic power–off



LEAD THE VETERINARY CARE

ENG-Animal Health-Product Catalogue-V1.0-20260309

Edan Instruments, Inc. | 15 Jinhui Road, Pingshan District, Shenzhen
518122 P.R. China | +86.755.26898326 | www.edan.com | info@edan.com

© Edan Instruments, Inc. All rights reserved. Features and specifications are subject to change without prior notice. No reproduction, copy or transmission may be made without written permission. Not all products or features are available in all countries, contact Edan for local availability.