JBMEDICO



PRODUCT CATALOGUE 2026

Made by necessity. Built to last.

Mounting, hygiene and supply solutions for healthcare. Every part number is a link — to the webshop, or to an email enquiry.

200	48	27
Part numbers	MDR class I	Panel variants

Contents

01 Mounting solutions 4
02 Medical rails 12
03 Pill crushers 15
04 Flat screen arms 18
05 Soap & sanitiser dispensers 21
06 Glove, wipe & face mask holders 24
07 IV & infusion stands 26
08 Gas cylinder & sharps container holders 31
09 Wire goods & hospital cables 33
10 Mobile power towers 40
11 Electrical panels — new range, 27 variants 41
12 Capri bed-head units 44
13 MZ Liberec — exclusive distribution 46
14 Trading terms 50
15 How to order 51

An interactive catalogue

All 200 part numbers are links. 192 lead straight to the product page in the webshop, where the item can be added to the basket. The other 8 open an email to info@jbmedico.com with the part number and product name in the subject line. The 27 panel variants and the MZ Liberec ranges are ordered the same way. Read in a browser or in Acrobat, both work with a single click.

MDR class I

Products marked **MDR class I** are registered in EUDAMED as class I medical devices under MDR (EU) 2017/745. The UDI-DI is given with each product. JB-Medico ApS, SRN DK-MF-000053546.

Languages and prices

The catalogue is published in Danish, English and Spanish. Prices are shown in the webshop and quoted on request; all dimensions and weights are net figures for the individual part number.

Contact

Jesper A. Berg, CEO & Owner
jb@jbmedico.com · +45 2868 5826

Carsten Hernvig, COO
che@jbmedico.com · +45 2889 9987

info@jbmedico.com · +45 7020 5826
JB-Medico ApS, Nydamsvej 43, DK-8362 Hørning

Finding the right rail clamp

Rail clamps are not interchangeable. Measure the rail on the wall or the bed-head panel before ordering — the profile decides which series fits.

Scandinavian 10×30 mm	The Danish and Nordic standard rail. Series JB 88, 103, 104, 120, 121, 206, 207, 216, 217.
EU DIN 10×25 mm	German and European standard. Series JB 143, 144, 145, 146, 147, 045.
Multi clamps Ø16–41 mm	For round tubes and columns rather than a rail — IV stands, beds, trolleys. Series JB 158.
GCX rail	For GCX rails. Series JB 820-625.
Suffix	**-03-** adapter bracket · **-18** Ø18 mm hole · **-20** Ø20 mm brass bush · **-163** T-slot

Products

The complete JB-Medico range in 10 groups. Part numbers link to the webshop. Products marked "MDR class I" are registered in EUDAMED.

THE SECTIONS IN THIS CATALOGUE



01 Mounting solutions

60 part numbers



02 Medical rails

12 part numbers



03 Pill crushers

8 part numbers



04 Flat screen arms

18 part numbers



05 Soap & sanitiser dispensers

17 part numbers




06 Glove, wipe & face mask holders

10 part numbers



07 IV & infusion stands

24 part numbers



08 Gas cylinder & sharps container holders

14 part numbers



09 Wire goods & hospital cables

34 part numbers



10 Mobile power towers

3 part numbers

FROM REAL INSTALLATIONS



Wall rail with power panel, catheter holder and pull cord



Stainless steel monitor arm at the workstation



JB-Medico equipment rail mounted on the wall



Sharps container bracket and wire basket on the same rail



Wall rail with lamp, rail clamp and handle



Sharps container bracket and wall mount on a rail

01

Mounting solutions

The rail clamp is what connects the rail to the equipment. JB-Medico makes clamps for both European rail standards — Scandinavian 10×30 mm and EU DIN 10×25 mm — in wide, narrow and extra-wide models, locked with a ball clasp or grub screws. Choose by the rail profile and by what the clamp has to carry: adapter bracket with a Ø18 or Ø20 mm hole, T-slot guide or clearance holes.

60 part numbers 40 × MDR class I

COMMON TO THIS SECTION

Country of origin Denmark

THE RANGE

Rail Clamp	Adjustable handle M10X32 mm	Adjustable handle M6X20 mm
Slide clamp half model	Pom bushings	Multibracket
Slide clamp	Brass bush	Double Multibracket



Bracket mounted on the medicine trolley's tube profile



Rail clamp with lamp arm and suction regulator on a wall rail



JB 103-00-00 MDR class I

Rail Clamp, wide model, locked with one ball lock.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 110 × 25 mm
Weight	295 g
Min. order	5 pcs
UDI-DI	05740026001173

Buy online ↗ Email enquiry ✉



JB 104-00-00 MDR class I

Rail Clamp, wide model, locked with two ball locks.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 110 × 25 mm
Weight	304 g
Min. order	5 pcs
UDI-DI	05740026001203

Buy online ↗ Email enquiry ✉



JB 207-00-00 MDR class I

Rail Clamp, wide model, locked with two ball locks.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 110 × 25 mm
Weight	299 g
Min. order	5 pcs
UDI-DI	05740026001197

Buy online ↗ Email enquiry ✉



JB 88-00-00 MDR class I

Rail Clamp, wide model, locked using two grub screws.

Material	(Ceramic Coating) · Stainless steel (AISI 304)
Colour	H-151 satin aluminium
H×W×D	61.5 × 90 × 25 mm
Weight	280 g
Min. order	5 pcs
UDI-DI	05740026001180

Buy online ↗ Email enquiry ✉



JB 120-00-00 MDR class I

Slide clamp half model, locked with one ball clasp, and a T-slot track.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 64 × 25 mm
Weight	118 g
Min. order	5 pcs
UDI-DI	05740026001241

Buy online ↗ Email enquiry ✉



JB 121-00-00 MDR class I

Slide clamp half model, locked with one ball clasp.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 64 × 25 mm
Weight	155 g
Min. order	5 pcs
UDI-DI	05740026001258

Buy online ↗ Email enquiry ✉



JB 206-00-00 MDR class I

Rail Clamp, wide model, locked using two socket screws.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 90 × 25 mm
Weight	275 g
Min. order	5 pcs
UDI-DI	05740026001210

Buy online ↗ Email enquiry ✉



JB 217-00-00 MDR class I

Rail Clamp, wide model, locked with one ball lock.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 110 × 25 mm
Weight	293 g
Min. order	5 pcs
UDI-DI	05740026001166

Buy online ↗ Email enquiry ✉



JBL 120-00-00 MDR class I

Slide clamp half model, locked with 1 ball and T-slot lock. Items can be locked in the slot with a small grub screw. Fits Scandinavian 10×30 mm rails only.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 64 × 25 mm
Weight	118 g
Min. order	5 pcs
Standard	Scandinavian / UNI Flex 10×30 mm
Width without arm	45 mm
Slot	approx. 30 mm wide × 5 mm deep
UDI-DI	05740026001296

Buy online ↗ Email enquiry ✉



JB 121-03-00 MDR class I

Slide clamp half model, locked with one ball clasp.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 64 × 25 mm
Weight	150 g
Min. order	5 pcs
UDI-DI	05740026001234

Buy online ↗ Email enquiry ✉



JB 121-03-18 MDR class I

Rail clamp, narrow model, with 1 ball lock and an adapter bracket with a Ø18 mm hole. For Scandinavian standard 10×30 mm rails.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
Size	—
Weight	—
Min. order	—
Standard	Scandinavian 10×30 mm
Dimensions and weight	Available on request
UDI-DI	05740026001272

Not in the webshop yet Email enquiry ✉



JB 176-00-180

Rail Clamp, an extra-wide model, is locked using four grub screws.

Material	(Ceramic Coating) · Stainless steel (AISI 304)
Colour	H-151 satin aluminium
H×W×D	61.5 × 180 × 25 mm
Weight	560 g
Min. order	4 pcs

Buy online ↗ Email enquiry ✉



JB 216-03-00 MDR class I

Rail Clamp, half model, locked with two socket screws.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 45 × 25 mm
Weight	132 g
Min. order	5 pcs
UDI-DI	05740026001265

Buy online ↗ Email enquiry ✉



JB 206-03-18 MDR class I

Rail Clamp, wide model, locked using two socket screws, Ø18 mm hole. *Three bushing sizes available separately. Handle available separately (JB 94-00-00).*

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 90 × 60.6 mm
Weight	468 g
Min. order	2 pcs
UDI-DI	05740026001135

Buy online ↗ Email enquiry ✉



JB 207-03-18 MDR class I

Slide clamp, a wide model with a two-ball clasp with fixing device, Ø18 mm. hole. *Three bushing sizes available separately. Handle available separately (JB 94-00-00).*

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 110 × 60.6 mm
Weight	482 g
Min. order	2 pcs
UDI-DI	05740026001142

Buy online ↗ Email enquiry ✉



JB 216-03-18 MDR class I

Rail Clamp, half model, locked using two socket screws with fixing device, Ø18 mm. hole. *Three bushing sizes available separately. Handle available separately (JB 94-00-00).*

Material	Aluminium (natural anodised)
Colour	H-151 satin aluminium
H×W×D	61.5 × 45 × 60.6 mm
Weight	316 g
Min. order	4 pcs
UDI-DI	05740026001289

Buy online ↗ Email enquiry ✉



JB 217-03-18 MDR class I

Rail Clamp, wide model with one-ball clasp and fixing device, Ø18 mm. hole. *Three bushing sizes available separately. Handle available separately (JB 94-00-00).*

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 110 × 60.6 mm
Weight	475 g
Min. order	2 pcs
UDI-DI	05740026001128

Buy online ↗ Email enquiry ✉



JB 206-03-20 MDR class I

Rail Clamp, wide model, locked using two socket screws, Ø20 mm. hole. *Handle available separately (JB 94-00-00).*

Material	Aluminium (ceramic coating) · brass bushing
H×W×D	61.5 × 90 × 60.6 mm
Weight	507 g
Min. order	2 pcs
UDI-DI	05740026001074

Buy online ↗ Email enquiry ✉



JB 121-03-20 MDR class I

Rail Clamp, half model, locked using one-ball clasp, Ø20 mm. hole. *Handle available separately (JB 94-00-00).*

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 64 × 60.6 mm
Weight	383 g
Min. order	4 pcs
UDI-DI	05740026001081

Buy online ↗ Email enquiry ✉



JB 207-03-20 MDR class I

Rail Clamp, wide model with two-ball clasp with fixing device and brass bush, Ø20 mm. hole. *Handle available separately (JB 94-00-00).*

Material	Aluminium (ceramic coating) · brass bushing
Colour	H-151 satin aluminium
H×W×D	61.5 × 110 × 60.6 mm
Weight	537 g
Min. order	2 pcs
UDI-DI	05740026001159

Buy online ↗ Email enquiry ✉



JB 216-03-20 MDR class I

Slide clamp half model, locked using two socket screws, Ø20 mm. hole. *Handle available separately (JB 94-00-00).*

Material	Aluminium (Anodised) · Brass bushing Stainless steel (AISI 304)
Colour	H-151 satin aluminium
H×W×D	61.5 × 45 × 60.6 mm
Weight	368 g
Min. order	4 pcs
UDI-DI	05740026001098

Buy online ↗ Email enquiry ✉



JB 217-03-20 MDR class I

Rail Clamp, wide model, locked using one-ball clasp, Ø20 mm. hole. *Handle available separately (JB 94-00-00).*

Material	Aluminium (ceramic coating) · brass bushing
Colour	H-151 satin aluminium
H×W×D	61.5 × 110 × 60.6 mm
Weight	530 g
Min. order	2 pcs
UDI-DI	05740026001111

Buy online ↗ Email enquiry ✉



JB 143-00-00 MDR class I

Rail Clamp, wide model, locked using two socket screws.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 90 × 28.6 mm
Weight	308 g
Min. order	5 pcs
UDI-DI	05740026000268

Buy online ↗ Email enquiry ✉



JB 146-00-00 MDR class I

Slide clamp half model, with one ball clasp and T-slot track.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 64 × 28.6 mm
Weight	132 g
Min. order	5 pcs
UDI-DI	05740026000381

Buy online ↗ Email enquiry ✉



JB 147-00-00 MDR class I

Slide clamp half model, with one ball clasp.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 64 × 28.6 mm
Weight	168 g
Min. order	5 pcs
UDI-DI	05740026000398

Buy online ↗ Email enquiry ✉



JB 147-03-00 MDR class I

Slide clamp half model, with one ball clasp three holes.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 64 × 28.6 mm
Weight	161 g
Min. order	5 pcs
UDI-DI	05740026000404

Buy online ↗ Email enquiry ✉



JB 143-03-00 MDR class I

Rail Clamp, wide model, with 2 socket screws & 3 countersunk Ø6.6 mm holes.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 90 × 28.6 mm
Weight	303 g
Min. order	5 pcs
UDI-DI	05740026000275

Buy online ↗ Email enquiry ✉



JB 144-00-00 MDR class I

Rail Clamp, wide model with two ball clasp.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 110 × 28.6 mm
Weight	328 g
Min. order	5 pcs
UDI-DI	05740026000305

Buy online ↗ Email enquiry ✉



JB 144-03-00 MDR class I

Rail Clamp, wide model, two-ball clasp, three holes.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 110 × 28.6 mm
Weight	318 g
Min. order	5 pcs
UDI-DI	05740026000312

Buy online ↗ Email enquiry ✉



JB 145-00-00 MDR class I

Rail Clamp, wide model with one ball clasp.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 110 × 28.6 mm
Weight	325 g
Min. order	5 pcs
UDI-DI	05740026000343

Buy online ↗ Email enquiry ✉



JB 045-03-00 MDR class I

Rail Clamp, half model, w/2 socket screws, 3 countersunk Ø6.6 mm holes.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 45 × 28.6 mm
Weight	151 g
Min. order	5 pcs
UDI-DI	05740026000435

Buy online ↗ Email enquiry ✉



JB 143-03-18 MDR class I

Rail Clamp, wide model, locked using two socket screws, Ø18 mm. hole. *Three bushing sizes available separately. Handle available separately (JB 94-00-00).*

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 90 × 64.2 mm
Weight	468 g
Min. order	2 pcs
UDI-DI	05740026000282

Buy online ↗ Email enquiry ✉



JB 145-03-00 MDR class I

Rail Clamp, wide model, one-ball clasp, three holes.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 110 × 28.6 mm
Weight	317 g
Min. order	5 pcs
UDI-DI	05740026000350

Buy online ↗ Email enquiry ✉



JB 145-03-18 MDR class I

Rail Clamp, wide model with one-ball clasp and fixing device, Ø18 mm. hole. *Three bushing sizes available separately. Handle available separately (JB 94-00-00).*

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 110 × 64.2 mm
Weight	501 g
Min. order	2 pcs
UDI-DI	05740026000367

Buy online ↗ Email enquiry ✉



JB 143-03-20 MDR class I

Rail Clamp, wide model, locked using two socket screws, Ø20 mm.hole. *Handle available separately (JB 94-00-00).*

Material	Aluminium (ceramic coating) · brass bushing
Colour	H-151 satin aluminium
H×W×D	61.5 × 90 × 60.6 mm
Weight	536 g
Min. order	4 pcs
UDI-DI	05740026000299

Buy online ↗ Email enquiry ✉



JB 144-03-18 MDR class I

Slide clamp, a wide model with a two-ball clasp with fixing device, Ø18 mm. hole. *Three bushing sizes available separately. Handle available separately (JB 94-00-00).*

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 110 × 64.2 mm
Weight	502 g
Min. order	2 pcs
UDI-DI	05740026000329

Buy online ↗ Email enquiry ✉



JB 145-03-20 MDR class I

Rail clamp, a wide model, a one-ball clasp, Ø20 mm. hole. *Handle available separately (JB 94-00-00).*

Material	Aluminium (ceramic coating) · brass bushing
Colour	H-151 satin aluminium
H×W×D	61.5 × 110 × 64.2 mm
Weight	550 g
Min. order	2 pcs
UDI-DI	05740026000374

Buy online ↗ Email enquiry ✉



JB 147-03-18 MDR class I

Slide clamp half model, locked using one ball claps, Ø18 mm hole. *Three bushing sizes available separately. Handle available separately (JB 94-00-00).*

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 64 × 64.2 mm
Weight	343 g
Min. order	4 pcs
UDI-DI	05740026000411

Buy online ↗ Email enquiry ✉



JB 045-03-20 MDR class I

Slide clamp half model, locked using two socket screws, Ø20 mm hole. *Handle available separately (JB 94-00-00).*

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 45 × 64.2 mm
Weight	384 g
Min. order	4 pcs
UDI-DI	05740026000442

Buy online ↗ Email enquiry ✉



JB 144-03-20 MDR class I

Slide clamp, a wide model, a two-ball clasp, Ø20 mm. hole hole. *Handle available separately (JB 94-00-00).*

Material	Aluminium (ceramic coating) · brass bushing
Colour	H-151 satin aluminium
H×W×D	61.5 × 110 × 64.2 mm
Weight	551 g
Min. order	2 pcs
UDI-DI	05740026000336

Buy online ↗ Email enquiry ✉



JB 147-03-20 MDR class I

Slide clamp, half model, one-ball claps , Ø20 mm. hole. *Handle available separately (JB 94-00-00).*

Material	Aluminium (ceramic coating) · brass bushing
Colour	H-151 satin aluminium
H×W×D	61.5 × 64 × 64.2 mm
Weight	395 g
Min. order	2 pcs
UDI-DI	05740026000428

Buy online ↗ Email enquiry ✉



JB 10-32-00

Adjustable handle M10X32 mm, stainless steel.

Material	Stainless steel (AISI 304)
Size	32 mm.
Weight	170 g
Min. order	2 pcs
Country of origin	Germany

Buy online ↗ Email enquiry ✉



JB 127-00-01

Pom bushings, hole size Ø16 mm.

Material	Polyoxymethylene (POM)
Colour	White
Length	46.5 mm
Weight	3.6 g
Min. order	10 pcs

Buy online ↗ Email enquiry ✉



JB 128-00-01

Pom bushings, hole size Ø13 mm.

Material	Polyoxymethylene (POM)
Colour	White
Length	46.5 mm
Weight	8.0 g
Min. order	10 pcs

Buy online ↗ Email enquiry ✉



JB 128-00-09

Pom bushings, hole size Ø9.6 mm.

Material	Polyoxymethylene (POM)
Colour	White
Length	46.5 mm
Weight	12 g
Min. order	10 pcs

Buy online ↗ Email enquiry ✉



JB 22-00-05

Brass bush, Ø20 mm. hole.

Material	Messing
Length	61.4 mm
Weight	88 g
Min. order	10 pcs

Buy online ↗ Email enquiry ✉



JB 94-00-00

Adjustable handle M6X20 mm, stainless steel.

Material	Stainless steel (AISI 304)
Height	88.6 mm
Weight	42 g
Min. order	5 pcs
Country of origin	Germany

Buy online ↗ Email enquiry ✉



JB 158-00-00

Multibracket, aluminium, fits from 16-41 mm.

Material	Polyoxymethylene (POM) · aluminium (natural anodised) · nylon (PGA) · stainless steel (AISI 304)
Colour	Natural anodised
H×W×D	36 × 51 × 96 mm
Weight	209 g
Min. order	4 pcs

Buy online ↗ Email enquiry ✉



JB 158-00-05

Multibracket with 2XØ6 clearance holes, fits from 16-41 mm.

Material	Polyoxymethylene (POM) · aluminium (natural anodised) · nylon (PGA) · stainless steel (AISI 304)
Colour	Natural anodised
H×W×D	36 × 51 × 96 mm
Weight	204 g
Min. order	4 pcs

Buy online ↗ Email enquiry ✉



JB 158-00-163

Multibracket with a T-slot bracket, fits from 16-41 mm.

Material	Polyoxymethylene (POM) · aluminium (natural anodised) · nylon (PGA) · stainless steel (AISI 304)
Colour	Natural anodised
H×W×D	61.5 × 64 × 60.5 mm
Weight	245 g
Min. order	4 pcs

Buy online ↗ Email enquiry ✉



JB 158-06-05

Double Multibracket for mounting, e.g. bed IV pole.

Material	Polyoxymethylene (POM) · aluminium (natural anodised) · nylon (PGA) · stainless steel (AISI 304)
W×H	51 × 36 mm
Weight	421 g
Min. order	2 pcs

Buy online ↗ Email enquiry ✉



JB 158-03-18

Multibracket with a fixing device, Ø18 mm. hole.
Three bushing sizes available separately.

Material	Polyoxymethylene (POM) · aluminium (natural anodised) · nylon (PGA) · stainless steel (AISI 304)
Colour	Natural anodised
H×W×D	36 × 51 × 96 mm
Weight	388 g
Min. order	2 pcs

Buy online ↗ Email enquiry ✉



JB 158-03-20

Multibracket with fixing device and brass bush Ø20 mm. hole.

Material	Aluminium (natural anodised)
Colour	Natural anodised
H×W×D	36 × 51 × 96 mm
Weight	440 g
Min. order	2 pcs

Buy online ↗ Email enquiry ✉



JB 163-00-01

T-slot bracket for multi-bracket.

Material	Aluminium (natural anodised)
Colour	Natural anodised
Ø hole × length	Ø6.4 × 60 mm
Weight	36 g
Min. order	20 pcs

Buy online ↗ Email enquiry ✉



JB 205-00-00

Fixing device, slide clamps & multi-brackets, Ø25 mm. hole.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 36 × 35.6 mm
Weight	133 g
Min. order	2 pcs

Buy online ↗ Email enquiry ✉



JB 205-00-18

FIXING DEVICE FOR RAIL CLAMPS AND MULTI BRACKETS, Ø18 mm. HOLE.

Material	Aluminium (ceramic coating)
Colour	H-151 satin aluminium
H×W×D	61.5 × 36 × 35.6 mm
Weight	171 g
Min. order	2 pcs

Buy online ↗ Email enquiry ✉



JB 820-625-06

GCX-Accessory Mounts, rail bracket in aluminium.

Material	Aluminium (natural anodised)
Colour	Natural
H×W×D	82 × 63 × 6 mm
Weight	83 g
Min. order	4 pcs

Buy online ↗ Email enquiry ✉



JB 820-625-163

GCX-rail bracket with a T-slot.

Material	Aluminium (natural anodised)
Colour	Natural anodised
H×W×D	82 × 63 × 18.5 mm
Weight	123 g
Min. order	4 pcs

Buy online ↗ Email enquiry ✉



JB 820-625-18

GCX-rail bracket with FIXING DEVICE, Ø18 mm. bushing hole, JB 820-625-18.

Material	Aluminium (natural anodised)
Colour	Natural anodised
H×W×D	82 × 63 × 42 mm
Weight	270 g
Min. order	2 pcs

Buy online ↗ Email enquiry ✉



JB 820-625-20

GCX-rail bracket with FIXING DEVICE, Ø20 mm bushing hole.

Material	Aluminium (Anodised) · Messing
Colour	Natural anodised
H×W×D	82 × 63 × 42 mm
Weight	313 g
Min. order	2 pcs

Buy online ↗ Email enquiry ✉

02

Medical rails

The rail is the foundation of the whole mounting programme. JB-Medico supplies solid aluminium rails in both standard profiles, in fixed lengths and cut to size, with matching wall brackets, end caps and screw-hole covers. The JBM rail is drawn with a hygienic profile so it can be cleaned without traps.

12 part numbers 3 × MDR class I

COMMON TO THIS SECTION


Country of origin Denmark

THE RANGE

- JBM Equipment Rail
- Medical Equipment Rail
- End Caps
- Cover plugs
- Wall or equipment fittings
- Spacer
- Bracket



Wall rail with sharps container bracket, wire basket and catheter holder



Wall bracket and equipment rail above the bed space



JBM 100-01-06 MDR class I

JBM Equipment Rail, hygienic design 10x30 mm. Scandinavian Standard. With increased depth to avoid collision with cable trays. This allows mounting of medical equipment.

Material	Aluminium (natural anodised)
Colour	Natural anodised
Size	81 × 93 mm
Weight	3.8 kg
Min. order	—
End caps	Plastic, fitted with wet-room silicone or screws
Screw holes	Closed with cover plugs
UDI-DI	05740026001326

Buy online ↗ Email enquiry ✉



JB 234-00-01 MDR class I

Medical Equipment Rail, Scandinavian Standard 10x30 mm.

Material	Aluminium (natural anodised)
Colour	Natural anodised
H×D	30 × 10 mm
Weight	800 g
Min. order	—
Cut to length	Price on request
Drilling clearance holes	Price on request
UDI-DI	05740026001319

Buy online ↗ Email enquiry ✉



JB 248-00-00

End Caps for Medical Equipment Rails, Scandinavian Standard 10x30 mm.

Material	Plastic PE (LLDPE Soft Polyethylene)
Colour	Grey
Size	30 × 10 mm
Weight	3.3 g
Min. order	50 pcs

Buy online ↗ Email enquiry ✉



JB 249-00-00

End caps for Medical equipment rails EU DIN standard 10x25 mm.

Material	Plastic PE (LLDPE Soft Polyethylene)
Colour	Grey
Size	25 × 10 mm
Weight	2.9 g
Min. order	50 pcs

Buy online ↗ Email enquiry ✉



JB 252-00-00 MDR class I

Medical Equipment Rail, ALU DIN EU Standard 10x25 mm.

Material	Aluminium (natural anodised)
Colour	Natural anodised
H×D	25 × 10 mm
Weight	700 g
Min. order	—
Cut to length	Price on request
Drilling clearance holes	Price on request
UDI-DI	05740026001302

Buy online ↗ Email enquiry ✉



JBM 100-01-07

End caps for JBM Medical Equipment Rails, right side.

Material	ABS plastic
Colour	Grey
Size	93 × 81 mm
Weight	8.0 g
Min. order	10 pcs

Buy online ↗ Email enquiry ✉



JBM 100-01-10

Cover plugs for screw holes for JBM Medical Equipment Rails.

Material	ABS plastic
Colour	Grey
Diameter	12 mm
Weight	—
Min. order	50 pcs

Buy online ↗ Email enquiry ✉



JB 286-00-00

Wall or equipment fittings for medical rails, stainless steel.

Material	Stainless steel (AISI 304)
Size	Ø50 × 10 mm
Weight	137 g
Min. order	10 pcs

Buy online ↗ Email enquiry ✉



JB 286-00-18

Spacer for two types of wall rails, length 18 mm. Stainless Steel (AISI 304). Fits two rail types. Also available in 36 mm as JB 286-00-36.

Material	Electropolished stainless steel (AISI 304)
Size	18 × Ø15 × Ø6.5 mm
Weight	20 g
Min. order	20 pcs

Buy online ↗ Email enquiry ✉



JB 400-00-00

Wall or equipment fittings for medical rails, ALUMINUM.

Material	Aluminium (natural anodised)
Colour	Natural anodised
Size	Ø50 × 10 mm
Weight	48 g
Min. order	10 pcs

Buy online ↗ Email enquiry ✉



JB 400-00-18

Spacer to two types of wall rails, length 18 mm.

Material	Aluminium (natural anodised)
Colour	Natural anodised
Size	18 × Ø15 × Ø6.5 mm
Weight	7.0 g
Min. order	20 pcs

Buy online ↗ Email enquiry ✉



JB 180-02-02

Bracket for the protection of medical equipment rails.

Material	Shot-peened stainless steel (AISI 304)
Size	40 × 338 × 145 mm
Weight	1.0 kg
Min. order	4 pcs

Buy online ↗ Email enquiry ✉

03

Pill crushers

Closed crushing keeps medicine dust away from staff. The EasyCrush 2026 grinds 1–8 tablets in about eight seconds directly in the single-use cup the medication is then dispensed in. The range covers cups in two sizes, lids, rondels and stainless steel grinding heads.

8 part numbers

THE RANGE

- EasyCrush electric pill crusher
- EasyCrush large medicine cup
- EasyCrush small medicine cup
- EasyCrush large lid
- EasyCrush small lid
- EasyCrush rondels
- EasyCrush grinding head



EasyCrush pill crusher with rondels on the medicine trolley



EC-EEPG

EasyCrush electric pill crusher v2026. Grinds 1–8 tablets to a fine powder in about 8 seconds inside a closed cup system, so staff are not exposed to medicine dust. The rechargeable lithium battery lasts more than 600 crushes. The machine is supplied with a small selection of consumables, 2 grinding heads and a charger.

Data sheet: easycrush.eu

Material	—
H×W×D	240 × 70 × 110 mm
Weight	1.5 kg
Min. order	—
Country of origin	Denmark
Crushing time	approx. 8 s
Capacity	1–8 tablets
Motor	72 W
Battery	Li-ion 12 V / 3 Ah, 4 h charge
Noise level	52 dB
Warranty	2 years (battery 1 year)
CE	Machinery Directive 2006/42/EC
GTIN	5745001384005

Not in the webshop yet · Email enquiry ✉



EC-MCL-2100

EasyCrush large medicine cup, 2,100 pcs, transparent, for electric pill crushers. Single-use rigid plastic cup — the medication is crushed and dispensed in the same cup.

Data sheet: easycrush.eu

Material	Polycarbonate (food grade)
Size	Ø57 × 28 mm
Weight	2.7 g
Min. order	2100 pcs
Country of origin	China
Volume	ca. 47 ml
Box	2.100 pcs
GTIN	5745001384029

Not in the webshop yet · Email enquiry ✉



EC-MCS-2100

EasyCrush small medicine cup, 2,100 pcs, transparent, for the EasyCrush 2026 and Severo electric pill crushers. Single-use rigid plastic cup — the medication is crushed and dispensed in the same cup.

Data sheet: easycrush.eu

Material	Polycarbonate (food grade)
Size	Ø46 × 28 mm
Weight	1.8 g
Min. order	2100 pcs
Country of origin	China
Volume	ca. 30 ml
Box	2.100 pcs
GTIN	5745001384043

Not in the webshop yet · Email enquiry ✉



EC-MCLL-2000

EasyCrush large lid, 2,000 pcs, for the EasyCrush large medicine cup. Closes the cup for storage and transport.
Data sheet: easycrush.eu

Material	LDPE
Size	Ø60 × 4 mm
Weight	1.7 g
Min. order	2000 pcs
Country of origin	—
Box	2.000 pcs

Not in the webshop yet · Email enquiry ✉



EC-MCLS-2000

EasyCrush small lid, 2,000 pcs, for the EasyCrush and Severo small medicine cups. Closes the cup for storage and transport.
Data sheet: easycrush.eu

Material	LDPE
Size	—
Weight	—
Min. order	2000 pcs
Country of origin	—
Box	2.000 pcs


Not in the webshop yet · Email enquiry ✉

EC-R2100

EasyCrush rondels for pill crushers, 2,100 pcs per box. Placed between the cup and the grinding head so the head never touches the medication and does not need cleaning between patients.

Material	Polypropylene (PP)
Size	Ø100 mm × 50 µm
Weight	—
Min. order	2100 pcs
Country of origin	—
Box	2.100 pcs

Buy online ↗ · Email enquiry ✉



EC-GHL

EasyCrush grinding head, large. For the large medicine cup. Stainless steel.
Data sheet: easycrush.eu

Material	Stainless steel (AISI 304)
Size	Ø68 × 30.5 mm
Weight	89 g
Min. order	1 pcs
Country of origin	China
GTIN	5745001384098

Not in the webshop yet · Email enquiry ✉



EC-GHS

EasyCrush grinding head, small. Fits both the EasyCrush and the Severo small medicine cup. Stainless steel.
Data sheet: easycrush.eu

Material	Stainless steel (AISI 304)
Size	—
Weight	—
Min. order	1 pcs
Country of origin	China

Not in the webshop yet · Email enquiry ✉

04

Flat screen arms

The screen has to move to where the staff stand, not the other way round. JB-Medico makes flat screen arms, mounting plates and extension arms in stainless steel for medical rails or a Ø20 mm column, with a VESA hole pattern for monitors and medical equipment.

18 part numbers

COMMON TO THIS SECTION

Country of origin Denmark

THE RANGE

Adjustable Arm	Wall Bracket	Suspension Tray
Adjustable Arm 8-18 kg	Monitor Bracket	Keyboard Tray
Manuel extension monitor arm	Suspension	Bracket



Ceiling-mounted monitor arm in a trauma centre (purpose-built for Rigshospitalet)



JB 21-00-00

Adjustable Arm, 2-8 kg. Stainless steel, with an outer lock. Mounting on wall, table, ceiling, rails, equipment etc. All arms can be equipotential bonded. Supplied with all necessary accessories.

Material	Messing Stainless Shot Peening Steel (AISI 304)
Colour	Grey
Size	382 mm
Weight	2.3 kg
Min. order	—
Reach	334 mm

Buy online ↗ Email enquiry ✉



JB 21-00-15

Adjustable Arm 8-18 kg. Stainless steel, with an outer lock. Mounting on wall, table, ceiling, rails, equipment etc. All arms can be equipotential bonded. Supplied with all necessary accessories.

Material	Messing Stainless Shot Peening Steel (AISI 304)
Colour	Grey
Size	382 mm
Weight	2.3 kg
Min. order	—
Reach	334 mm

Buy online ↗ Email enquiry ✉



JB 22-00-00

Manuel extension monitor arm, stainless steel. Mounting on wall, table, rail, equipment etc. Can be equipotential bonded. Hex socket bolt is standard.

Material	Shot-peened stainless steel (AISI 304) · brass bushing
Colour	Grey
Size	255 mm
Weight	1.1 kg
Min. order	—
Reach	220 mm

Buy online ↗ Email enquiry ✉



JB 241-00-00

Wall Bracket, Circular, Extended, Stainless Steel, 20 mm. Hole. Hex socket bolt is standard.

Material	Shot-peened stainless steel (AISI 304)
Colour	Grey
Size	120 × 123 × 130 mm
Weight	1.1 kg
Min. order	—

Buy online ↗ Email enquiry ✉



JB 27-00-00

Monitor Bracket, Ø20 mm, Stainless Steel, VESA 100X100 mm / 75X75 mm.

Material	Shot-peened stainless steel (AISI 304)
Colour	Grey
Size	95 × 159 × 114 mm
Weight	1.0 kg
Min. order	—
VESA	75 mm. x 75 mm

Buy online ↗ Email enquiry ✉



JB 31-00-00

Wall bracket, Circular, Stainless Steel, 20 mm. Hole. Hex socket bolt is standard.

Material	Shot-peened stainless steel (AISI 304)
Colour	Grey
Size	58 × 123 × 132 mm
Weight	688 g
Min. order	—

Buy online ↗ Email enquiry ✉



JB 209-00-00

Suspension for laptops with Ø20 mm. shaft.

Material	Shot-peened stainless steel (AISI 304)
Colour	Grey
Size	392 × 560 mm
Weight	3.8 kg
Min. order	—

Buy online ↗ Email enquiry ✉



JB 253-00-00

Suspension Tray for medical equipment, Stainless Steel, Ø20 mm.

Material	Glass-blasted stainless steel (AISI 304)
Colour	Grey
Size	274 × 142 × 370 mm
Weight	2.4 kg
Min. order	—

Buy online ↗ Email enquiry ✉



JB 43-01-00

Keyboard Tray, Hand Support, Stainless Steel, Ø20 mm.

Material	Shot-peened stainless steel (AISI 304)
Colour	Grey
Size	277 × 119 × 579 mm
Weight	3.0 kg
Min. order	—

Buy online ↗ Email enquiry ✉



JB 49-00-00

Bracket for attaching LCD Arm on anesthesia trolley or a wall, JB 49-00-00. Different models for various equipment makes, e.g. Dräger and Dameca.

Material	Shot-peened stainless steel (AISI 304) · brass bushing
Size	122 × 162 × 73 mm
Weight	1.0 kg
Min. order	—
Bushing material	Brass

Buy online ↗ Email enquiry ✉



JB 90-00-00

Standard Clamp Desk Mount, Ø20 mm. shaft, Stainless Steel. Mounting on the edge of the table top. Table thickness 19-51 mm. Hex socket bolt is standard.

Material	Shot-peened stainless steel (AISI 304)
Size	80 × 186.5 × 60 mm
Weight	2.5 kg
Min. order	—
Bushing	Ø20 mm

Buy online ↗ Email enquiry ✉



JB 91-00-00

Through-hole mount, Ø20 mm. shaft, Stainless Steel. Mounting in the table top. Table thickness 0-41 mm. Hex socket bolt is standard.

Material	Shot-peened stainless steel (AISI 304) · brass bushing
Colour	Grey
Size	80 × 135.5 × 60 mm
Weight	2.0 kg
Min. order	—
Bushing	Ø20 mm

Buy online ↗ Email enquiry ✉



JB 62-00-00

Pole Clamp Mount for LCD Monitors, double Ø20x30x20 mm.

Material	Shot-peened stainless steel (AISI 304) · brass bushing
Colour	Grey
Size	44 × 62 × 235 mm
Weight	1.4 kg
Min. order	—

Buy online ↗ Email enquiry ✉



JB 63-00-00

Pole Clamp Mount for LCD Monitors Ø20x20 mm.

Material	Brass bushing Stainless steel (AISI 304)
Size	44 × 62 × 135 mm
Weight	800 g
Min. order	—

Buy online ↗ Email enquiry ✉



JB 64-00-00

Pole Clamp, Ø30x20mm for mounting LCD Monitors on pipe or column.

Material	Shot-peened stainless steel (AISI 304)
Size	44 × 62 × 140 mm
Weight	900 g
Min. order	—

Buy online ↗ Email enquiry ✉



JB 65-00-00

Pole Clamp Mount for LCD Monitors, double Ø20x20x20 mm.

Material	Shot-peened stainless steel (AISI 304) · brass bushing
Size	44 × 62 × 235 mm
Weight	1.3 kg
Min. order	—

Buy online ↗ Email enquiry ✉



JB 29-00-00

Column tube, Stainless Steel, Ø20 X 600 mm. JB 29-00-00.

Material	Electropolished stainless steel (AISI 304)
Size	20 × 600 mm
Weight	700 g
Min. order	—

Buy online ↗ Email enquiry ✉



JB 29-05-00

Column tube, Stainless Steel, Ø20 X 500 mm.

Material	Electropolished stainless steel (AISI 304)
Size	20 × 500 mm
Weight	600 g
Min. order	—

Buy online ↗ Email enquiry ✉

05

Soap & sanitiser dispensers

Hand hygiene only works if the dispenser is where the hands are. JB-Medico makes wire and steel dispensers in stainless steel for bottles and bags from 500 to 1,000 ml, with arm lengths from 6 to 14 cm, a drip tray and brackets for a medical rail, T-slot or wall. Suitable for soap, sanitiser and alcohol gel.

17 part numbers

COMMON TO THIS SECTION

Material Electropolished stainless steel (AISI 304)

Country of origin Denmark

THE RANGE

- Soap and alcohol dispenser
- Alcohol & Soap Dispenser
- Spacer mount
- Drip Tray
- Adapter T-Slot Bracket
- Hand Sanitizer Dispenser
- Dispenser



JB 06-21-30



JB 06-21-40



JB 06-21-50



JB 42-79-00



Cabinet with glove holders, soap and sanitiser dispensers



JB 06-21-30

Soap and alcohol dispenser for bottles, 14 cm arm, Elbow attendant.

Size	149 × 175 × 90 mm
Weight	165 g
Min. order	12 pcs

Buy online ↗ Email enquiry ✉



JB 06-21-40

Soap and alcohol dispenser for bottles, 10 cm arm, Elbow attendant.

Size	145 × 175 × 90 mm
Weight	160 g
Min. order	12 pcs

Buy online ↗ Email enquiry ✉



JB 06-21-50

Soap and alcohol dispenser for bottles, 6 cm arm, Stainless Steel.

Size	141 × 175 × 90 mm
Weight	150 g
Min. order	12 pcs

Buy online ↗ Email enquiry ✉



JB 42-79-00

Alcohol & Soap Dispenser, 1-litre Bags, 14 cm. arm, Elbow attendant.

Size	165 × 240 × 100 mm
Weight	165 g
Min. order	12 pcs

Buy online ↗ Email enquiry ✉



JB 42-90-03

Alcohol & Soap Dispenser, 1-litre Bags, 10 cm Arm, Elbow attendant.

Size	161 × 240 × 100 mm
Weight	145 g
Min. order	12 pcs

Buy online ↗ Email enquiry ✉



JB 42-98-03

Alcohol & Soap Dispenser, 1-litre Bags, 6 cm Arm.

Size	157 × 240 × 100 mm
Weight	144 g
Min. order	12 pcs

Buy online ↗ Email enquiry ✉



JB 728-87-67

Spacer mount, 85 mm, Wire Dispenser, Stainless Steel. For mounting the dispenser at a distance from the wall, e.g. above a table or sink.

Size	86 × 58 × 90 mm
Weight	132 g
Min. order	12 pcs

Buy online ↗ Email enquiry ✉



JB 102-00-01

Drip Tray, Soap & Alcohol Wire Dispensers in stainless steel. For mounting on equipment or directly on the wall. Protects floor and wall.

Size	84.5 × 189.5 × 91.5 mm
Weight	209 g
Min. order	12 pcs

Buy online ↗ Email enquiry ✉



JB 213-00-00

Adapter T-Slot Bracket, Wet Wipe Wall Mount, Drip Tray, Soap & Alcohol Dispensers. Allows dispensers to be removed and cleaned without the use of tools.

Material	Stainless steel (AISI 304)
Size	14 × 50 × 92 mm
Weight	174 g
Min. order	10 pcs

Buy online ↗ Email enquiry ✉



JB 71-72-51

Drip Tray, Soap & Alcohol Wire Dispensers Ø60 mm, in stainless steel. Protects the floor.

Size	80 × 180 × 70 mm
Weight	67 g
Min. order	12 pcs

Buy online ↗ Email enquiry ✉



JB 30-213-102

Hand Sanitizer Dispenser for bottles, 14 cm. arm, drip tray and adapter bracket, Stainless Steel.

Size	—
Weight	551 g
Min. order	2 pcs

Buy online ↗ Email enquiry ✉



JB 40-213-102

Hand sanitizer dispenser, 10 cm arm, drip tray, adapter, stainless steel, JB 40-213-102.

Size	—
Weight	547 g
Min. order	2 pcs

Buy online ↗ Email enquiry ✉



JB 50-213-102

Hand Sanitizer Dispenser for bottles, 6 cm. arm, drip tray and adapter bracket, Stainless Steel.

Size	—
Weight	537 g
Min. order	2 pcs

Buy online ↗ Email enquiry ✉



JB 79-213-102

Hand Sanitizer Dispenser for bags, 14 cm. arm, drip tray and adapter bracket, Stainless Steel.

Size	—
Weight	553 g
Min. order	2 pcs

Buy online ↗ Email enquiry ✉



JB 90-213-102

Hand Sanitizer Dispenser, 10 cm arm with drip tray & bracket – Stainless Steel.

Size	—
Weight	545 g
Min. order	2 pcs

Buy online ↗ Email enquiry ✉



JB 98-213-102

Hand Sanitizer Dispenser with 6 cm arm, drip tray & bracket – Stainless Steel.

Size	—
Weight	537 g
Min. order	2 pcs

Buy online ↗ Email enquiry ✉



JB 162-67-87

Dispenser for square and round bottles in stainless steel (AISI 304). Consists of a 5 mm wire dispenser and a table clamp. Fits square bottles 67×67 mm and round bottles Ø70 mm.

H×W×D	162.5 × 77 × 87 mm
Weight	100 g
Min. order	—

Buy online ↗ Email enquiry ✉

06

Glove, wipe & face mask holders

The glove box has to be within reach and changeable with one hand. JB-Medico makes glove box holders for one, two and three boxes in stainless steel, with a wall bracket, T-slot bracket or rail clamp, plus dispensers for wet wipes and face masks.

10 part numbers

COMMON TO THIS SECTION

Country of origin Denmark

THE RANGE

- Glove Box and Wet
- Wet Wipe Wall Mount
- T-Slot Wall brackets
- T-Slot Wall bracket
- Sliding fittings
- Triple Glove Box Dispenser
- Glove box holder



Glove box holders in three sizes on the wall



JB 800-00-00

Glove Box and Wet Wipe Holder, Stainless Spring Steel. Staff can read the sizes printed on the side of the boxes. Fits 99% of all glove boxes, large Wet Wipes (MAXI) and face mask boxes. Mounts horizontally or vertically on a wall bracket, a rail clamp with T-slot or a wall rail.

Material	Electropolished stainless steel (AISI 304)
H×W×D	240 × 150 × 108 mm
Weight	362 g
Min. order	4 pcs

Buy online ↗ Email enquiry ✉



JB 16-05-40-02

Wet Wipe Wall Mount, Mini, Stainless Steel (AISI 316). Stainless steel wall holder for wall mounting of Wet Wipe products.

Material	Electropolished stainless steel (AISI 304)
Size	—
Weight	180 g
Min. order	—

Buy online ↗ Email enquiry ✉



JB 16-05-41-02

Wet Wipe Wall Mount, Maxi, Stainless Steel (AISI 316). Stainless steel wall holder for wall mounting of Wet Wipe products.

Material	—
Size	—
Weight	—
Min. order	—

Buy online ↗ Email enquiry ✉



JB 47-00-00

T-Slot Wall brackets for glove box holder and dispensers etc. C-profile with 2 countersunk mounting holes and stop screw.

Material	Aluminium (natural anodised)
Colour	Natural anodised
Size	12.5 × 60 × 36 mm
Weight	36 g
Min. order	10 pcs
Hole size	Ø 6.4 mm

Buy online ↗ Email enquiry ✉



JB 47-00-02

T-Slot Wall bracket, 2 glove box holder, Aluminium. C-profile with 4 countersunk mounting holes and stop screw.

Material	Aluminium (natural anodised)
Size	12.5 × 210 × 36 mm
Weight	129 g
Min. order	5 pcs
Hole size	Ø 6.4 mm

Buy online ↗ Email enquiry ✉

JB 47-00-03

T-Slot Wall bracket, 3 glove box holders, Aluminium. C-profile with 6 countersunk mounting holes and stop screw.

Material	Aluminium (natural anodised)
Size	12.5 × 360 × 36 mm
Weight	222 g
Min. order	5 pcs
Hole size	Ø 6.4 mm

Buy online ↗ Email enquiry ✉

JB 47-00-04

T-Slot Wall bracket, 4 glove box holders, Aluminium. C-profile with 6 countersunk mounting holes and stop screw.

Material	Aluminium (natural anodised)
Size	12.5 × 520 × 36 mm
Weight	320 g
Min. order	5 pcs
Hole size	Ø 6.4 mm

Buy online ↗ Email enquiry ✉



JB 90-92-05-30

Sliding fittings in aluminium, lockable to T-track equipment rail. The hole pattern in the plate fits a range of accessories and dispensers.

Material	Aluminium (natural anodised)
Colour	Natural anodised
W×H×T	92 × 90 × 5 mm
Weight	107 g
Min. order	4 pcs

Buy online ↗ Email enquiry ✉



JB 110-00-00

Triple Glove Box Dispenser, Stainless Steel. Flexible rack for glove boxes. Fits glove boxes, facial tissues, aprons and face masks etc.

Material	Stainless steel (AISI 304)
Size	93 × 406 × 285 mm
Weight	1.9 kg
Min. order	4 pcs

Buy online ↗ Email enquiry ✉



JB 110-00-04

Glove box holder for 4 glove boxes wall mounted. Flexible rack for glove boxes. Fits glove boxes, facial tissues, aprons and face masks etc.

Material	Stainless steel (AISI 304)
Size	93 × 520 × 285 mm
Weight	2.3 kg
Min. order	4 pcs

Buy online ↗ Email enquiry ✉

07

IV & infusion stands

An IV pole has to be height-adjustable with one hand while the other holds the bag. JB-Medico makes "One Hand" stands with straight or curved legs, large castors and 2 to 6 hooks, plus IV rods and hook tops that mount straight onto a medical rail, bed or trolley.


24 part numbers 5 × MDR class I

COMMON TO THIS SECTION

Country of origin Denmark

THE RANGE

IV Pole Small	IV Pole Large	Bended
IV Pole XL	Straight long outer tube	Bottle holder
IV Pole XXL	Telescopic pole	IV 2-Hooks



IV pole with infusion pumps in the operating theatre



JB 289-00-00 transducer holder mounted on the IV pole



JB 306-2-317-190 MDR class I

IV Pole Small, "One Hand" telescopic solution, 4 hooks, in stainless steel (AISI 304).

Material	ABS plastic Electropolished stainless steel (AISI 304)
Colour	Black (plastic parts)
Height incl. castors	1.605 – 2.369 mm
Weight	15.0 kg
Min. order	—
Hooks	4 straight
Load per hook	5 kg
Max. load	40 kg
Base Ø	515 mm
UDI-DI	05740026000022

Buy online ↗ Email enquiry ✉



JB 306-2-317-211 MDR class I

IV Pole Small, "One Hand" telescopic solution.

Material	ABS plastic Electropolished stainless steel (AISI 304)
Colour	Black (plastic parts)
Height incl. castors	1.605 – 2.369 mm
Weight	15.0 kg
Min. order	—
Hooks	2 angled
Load per hook	5 kg
Max. load	40 kg
Base Ø	515 mm
UDI-DI	05740026000251

Buy online ↗ Email enquiry ✉



JB 332-2-320-190 MDR class I

IV Pole XL, "One Hand" telescopic solution, 4 hooks, in stainless steel (AISI 304).

Material	Electropolished stainless steel (AISI 304)
Colour	Black (plastic parts)
Height incl. castors	1.516 – 2.281 mm
Weight	15.0 kg
Min. order	—
Hooks	4 angled
Load per hook	5 kg
Max. load	50 kg
Base Ø	545 mm

Buy online ↗ Email enquiry ✉




JB 332-2-321-216 MDR class I

IV Pole XXL, "One Hand" telescopic solution, 6 hooks.

Material	Electropolished stainless steel (AISI 304)
Colour	Black (plastic parts)
Height incl. castors	1.516 – 2.281 mm
Weight	15.0 kg
Min. order	—
Hooks	6 straight
Load per hook	5 kg
Max. load	50 kg
Base Ø	545 mm
UDI-DI	05740026000015

Buy online ↗ Email enquiry ✉



JB 332-2-321-212 MDR class I

IV Pole Large, "One Hand" telescopic solution, three angled hooks. Height is adjusted with one hand.

Material	Electropolished stainless steel (AISI 304)
Diameter	545 mm
Weight	15.0 kg
Min. order	—
Hooks	3 angled
Load per hook	5 kg
Maximum load	50 kg
Base Ø	545 mm
Column	Ø32 × 1.281 mm outer tube
Castors	5 × Ø100 mm Tente (2 with brake, 1 antistatic)
Electrical conductivity	Yes
UDI-DI	05740026000961

Buy online ↗ Email enquiry ✉



JB 317-00-06

Straight long outer tube, 1.259 mm. in stainless steel (AISI 304).

Material	Electropolished stainless steel (AISI 304)
Size	1259 × Ø32 mm
Weight	1.8 kg
Min. order	—

Buy online ↗ Email enquiry ✉



JB 317-00-13

Telescopic pole, drop and infusion stands, in stainless steel.

Material	Electropolished stainless steel (AISI 304)
L×D	940 x Ø20 mm
Weight	1.0 kg
Min. order	—

Buy online ↗ Email enquiry ✉



JB 320-00-02

Bended, long outer tube, 1.281 mm. in stainless steel (AISI 304).

Material	Electropolished stainless steel (AISI 304)
L×D	1281 × 32 mm
Weight	2.0 kg
Min. order	—

Buy online ↗ Email enquiry ✉



JB 190-00-08

Bottle holder, quadruple for IV Pole, in stainless steel.

Material	Electropolished stainless steel (AISI 304)
Size	84 × 248 mm
Weight	448 g
Min. order	—
Hook spacing	126 mm
Load per hook	5 kg

Buy online ↗ Email enquiry ✉



JB 204-00-00

Bottle holder, straight, double for IV Pole, in stainless steel.

Material	Stainless steel (AISI 304)
Size	84 × 248 mm
Weight	248 g
Min. order	—
Hook spacing	252 mm
Load per hook	5 kg

Buy online ↗ Email enquiry ✉



JB 211-00-00

Bottle holder, angled, double for IV Pole, in stainless steel.

Material	Electropolished stainless steel (AISI 304)
Size	84 × 216 mm
Weight	248 g
Min. order	—
Hook spacing	204 mm
Load per hook	5 kg

Buy online ↗ Email enquiry ✉



JB 212-00-00

Bottle holder, three angled hooks for IV Pole, in stainless steel.

Material	Electropolished stainless steel (AISI 304)
Size	84 × 234 mm
Weight	363 g
Min. order	—
Hook spacing	120 mm
Load per hook	5 kg

Buy online ↗ Email enquiry ✉



JB 170-02-10

IV 2-Hooks for infusion bags, AISI 304.

Material	Electropolished stainless steel (AISI 304)
Size	105 × 175 mm
Weight	299 g
Min. order	—
Load capacity per hook	2 kg
Total load capacity	4 kg
Hook spacing	110 mm

Buy online ↗ Email enquiry ✉




JB 216-00-00

Bottle holder, 6 hooks for IV Pole, in stainless steel.

Material	Electropolished stainless steel (AISI 304)
Size	91 × 595 mm
Weight	596 g
Min. order	—
Hook spacing	120 mm
Load per hook	5 kg

Buy online ↗ Email enquiry ✉




JB 280-03-10

IV 3-Hooks for infusion bags, AISI 304.

Material	Electropolished stainless steel (AISI 304)
Size	105 × 285 mm
Weight	331 g
Min. order	—
Load capacity per hook	2 kg
Total load capacity	6 kg
Hook spacing	110 mm

Buy online ↗ Email enquiry ✉



JB 390-04-10

IV 4-Hooks for infusion bags, AISI 304.

Material	Electropolished stainless steel (AISI 304)
Size	105 × 390 mm
Weight	433 g
Min. order	—
Load capacity per hook	2 kg
Total load capacity	8 kg
Hook spacing	110 mm

Buy online ↗ Email enquiry ✉



5380PJC100P30-13

Swivel castors 100 mm. Stainless steel, (Levina) Grey, Tente.

Material	—
Colour	Grey
Size	137 mm
Weight	420 g
Min. order	20 pcs
Country of origin	Germany
Centre hole Ø	Ø13 mm
Load	100 kg (dynamic)
Standard	EN 12530
Stainless ball bearing	Ja

Buy online ↗ Email enquiry ✉



5380XSC100P30-13

Swivel castors 100 mm. Stainless steel, Electrically conductive, Tente.

Material	—
Colour	Grey
Size	137 mm
Weight	466 g
Min. order	20 pcs
Country of origin	Germany
Centre hole Ø	Ø13 mm
Load	100 kg (dynamic)
Standard	EN 12530
Stainless ball bearing	Ja

Buy online ↗ Email enquiry ✉



5387PJC100P30-13

Swivel Castors with total lock 100 mm Stainless, Levina, Tente.

Material	—
Size	137 mm
Weight	469 g
Min. order	18 pcs
Country of origin	—
Centre hole Ø	Ø13 mm
Load	100 kg (dynamic)
Standard	EN 12530
Stainless ball bearing	Ja

Buy online ↗ Email enquiry ✉



JB 332-00-00

Wheelbase, curved legs, IV-stands, in stainless steel (AISI 304). (Tente castors included)

Material	Electropolished stainless steel (AISI 304)
Size	Ø545 × Ø25 mm
Weight	12.3 kg
Min. order	—

Buy online ↗ Email enquiry ✉



JB 190-00-05

Telescopic pole, 940X20 mm, fits, e.g. rail clamps, in stainless steel. Several combinations. (The photo shows the hook top. Must be ordered separately)

Material	Electropolished stainless steel (AISI 304)
L	940 mm
Weight	795 g
Min. order	—

Buy online ↗ Email enquiry ✉



JB 205-08-05

IV Hook for infusion bags, in stainless steel. Fits all our products with a T-slot guide.

Material	Electropolished stainless steel (AISI 304)
Size	50 × 205 mm
Weight	135 g
Min. order	4 pcs
Load capacity	5–6 IV bags

Buy online ↗ Email enquiry ✉



JB 289-00-00

4-Position Transducer Mount, with a guide for a T-track, aluminium. A-cannulas made of aluminium. Washable, fits most transducers.

Material	Aluminium (natural anodised)
Colour	Natural anodised
Size	90 × 185 × 19.5 mm
Weight	241 g
Min. order	2 pcs

Buy online ↗ Email enquiry ✉



JB 294-00-05

Pushing handle, IV stand/IV pole, ergonomic grip, Aluminum, RF steel and plastic. Easy to fit and adjustable, so it can be set relative to other equipment or the user's height.

Material	ABS plastic Aluminium (Anodised) · Stainless steel (AISI 304)
Size	36 × 194 × 280 mm
Weight	733 g
Min. order	—

Buy online ↗ Email enquiry ✉

08

Gas cylinder & sharps container holders

The sharps container has to sit firmly and be changed without tools. JB-Medico makes stainless steel brackets for round, oval and square containers from 0.5 to 21 litres — including USON, Sharpsafe, AP Medical and Safe Boks — plus oxygen and gas cylinder holders for medical rails and beds.

14 part numbers

COMMON TO THIS SECTION

Material Electropolished stainless steel (AISI 304)

Country of origin Denmark

Min. order 5 pcs

THE RANGE

Sharps Container Brackets

Sharps container bracket

Wall brackets CO2 bottles



Sharps container bracket with a 2-litre container on the column



JB 151-00-00

Sharps Container Brackets, round, Ø89 mm. hole, Stainless Steel. Fits e.g. Multisafe 1 l. and USON 500 ml.

Size	Ø 89 mm
Weight	171 g

Buy online ↗ Email enquiry ✉



JB 170-00-00

Sharps Container Brackets, square, 96x96 mm. hole 1 litre, Stainless Steel.

Size	96 × 96 mm
Weight	200 g

Buy online ↗ Email enquiry ✉



JB 150-00-00

Sharps Container Brackets, round, Ø73 mm. hole, Stainless Steel. Fits e.g. the Dispo 0.5 litre container from Grathwol.

Size	Ø 73 mm
Weight	150 g

Buy online ↗ Email enquiry ✉



JB 255-00-00

Sharps container bracket, 0.7–1.5 L, Ø100 mm hole, stainless steel.

Size	Ca. Ø 100 mm
Weight	189 g

Buy online ↗ Email enquiry ✉



JB 149-00-00

Sharps Container Brackets, round, Ø134 mm. hole, Stainless Steel. Fits perfectly the Klinion EasyCare Mediq / UDSON 1.3 and 2L and the 2 litre AP Medical DISPO Line containers.

Size	Ø 134 mm
Weight	220 g

Buy online ↗ Email enquiry ✉



JB 169-00-00

Sharps Container Brackets, Oval, 142X143 mm. hole, Stainless Steel.

Material	Stainless steel (AISI 304)
Size	143 × 143 mm
Weight	319 g

Buy online ↗ Email enquiry ✉



JB 159-00-00

Sharps Container Brackets, Oval, 133X133 mm. hole, Stainless Steel. Fits perfectly the Klinion EasyCare Mediq / UDSON AP Medical DISPO Line containers.

Size	133 × 133 mm
Weight	248 g

Buy online ↗ Email enquiry ✉



JB 154-00-00

Sharps Container Brackets, square, 156x156 mm. hole, Stainless Steel.

Size	156 × 156 mm
Weight	280 g

Buy online ↗ Email enquiry ✉



JB 264-00-00

Sharps Container Brackets, round, Ø200 mm. hole, Stainless Steel.

Size	Ø 200 mm
Weight	286 g

Buy online ↗ Email enquiry ✉



JB 165-00-00

Sharps container bracket, square, for 5 and 7 litre green boxes such as Sharpsafe. T-track guide, fits without tools. *Internal size 143 × 176 mm. Withstands instrument washers.*

Material	Electropolished Ø8 mm stainless round bar (AISI 304)
Size	159 × 192 × 50 mm
Weight	302 g

Buy online ↗ Email enquiry ✉



JB 166-00-00

Sharps Container Brackets, square, 252x157 mm. hole, Stainless Steel.

Size	252 × 157 mm
Weight	368 g

Buy online ↗ Email enquiry ✉



JB 266-00-00

Sharps Container Brackets, round, Ø251 mm. hole, Stainless Steel.

Size	Ø 251 mm
Weight	345 g

Buy online ↗ Email enquiry ✉



JB 267-00-00

Sharps Container Brackets, round, Ø280 mm. hole, Stainless Steel.

Size	Ø 280 mm
Weight	368 g

Buy online ↗ Email enquiry ✉



JB 283-01-00

Wall brackets CO2 bottles, Ex. Air Liquide, Ø183 mm. hole, Stainless steel. Air Liquide, Ø183 mm. hole, Stainless steel. Air Liquide, Ø183 mm. hole, Stainless steel. Air Liquide, Ø183 mm. hole, Stainless steel. Air Liquide, Ø183 mm. hole, Stainless steel. Air Liquide, Ø183 mm. hole, Stainless steel. Wall cylinder holder for cylinders up to Ø183 mm internal measure.

Size	—
Weight	—
Min. order	—

Buy online ↗ Email enquiry ✉

09


Wire goods & hospital cables

It is the small parts that make a room work. JB-Medico makes conical stainless steel wire baskets from 1 to 25 litres with a T-slot hook, hooks for cables, masks and tubing, and red DK hospital power cords with an angled plug in lengths from 0.5 to 8 metres.

34 part numbers

THE RANGE

- Wire basket 1 Litre
- Wire basket 3
- Wire basket 6 Litre
- Wire basket 6
- Wire basket 7 Litre
- Wire basket 15 Litre
- Wire basket 25 Litre
- Catheter holder 400 mm
- Wall bracket



Conical stainless steel wire basket at the bedside



Wire basket and red hospital power cord on an IV pole at the bed space



Red hospital power cord to a socket box mounted on an equipment rail



JB 161-150-100

Wire basket 1 Litre, conical, hook for T-slot, Stainless Steel.

Material	Stainless steel (AISI 304)
Size	150 × 100 × 100 mm
Weight	325 g
Min. order	5 pcs
Country of origin	Denmark
Volume	1 liter

Buy online ↗ Email enquiry ✉



JB 161-235-163

Wire basket 3.5 L, conical, hook for T-slot, stainless steel.

Material	Stainless steel (AISI 304)
Size	235 × 163 × 146 mm
Weight	800 g
Min. order	5 pcs
Country of origin	Denmark
Volume	3.5 liter

Buy online ↗ Email enquiry ✉



JB 161-00-00

Wire basket 6 Litre, conical, hook for T-slot, Stainless Steel.

Material	Stainless steel (AISI 304)
Size	231 × 161 × 242 mm
Weight	853 g
Min. order	5 pcs
Country of origin	Denmark
Volume	6 liter

Buy online ↗ Email enquiry ✉



JB 161-350-150

Wire basket 6.9 L, conical, hook for T-slot, stainless steel.

Material	Electropolished stainless steel (AISI 304)
H×D	200 × 161 mm
Weight	800 g
Min. order	5 pcs
Country of origin	Denmark

Buy online ↗ Email enquiry ✉



JB 161-01-01

Wire basket 7 Litre, conical, hook for T-slot, Stainless Steel.

Material	Electropolished stainless steel (AISI 304)
Size	326 × 217 × 132 mm
Weight	667 g
Min. order	5 pcs
Country of origin	Denmark
Volume	7 liter

Buy online ↗ Email enquiry ✉



JB 161-02-01

Wire basket 15 Litre, conical, hook for T-slot, Stainless Steel.

Material	Electropolished stainless steel (AISI 304)
Size	337 × 233 × 267 mm
Weight	959 g
Min. order	5 pcs
Country of origin	Denmark
Volume	15 liter

Buy online ↗ Email enquiry ✉



JB 161-03-00

Wire basket 25 Litre, conical, Stainless Steel (AISI 304).

Material	Electropolished stainless steel (AISI 304)
Size	348 × 248 × 400 mm
Weight	1.2 kg
Min. order	5 pcs
Country of origin	Denmark
Volume	25 liter

Buy online ↗ Email enquiry ✉



JB 239-00-00

Catheter holder 400 mm, guide for T-track brackets, stainless steel.

Material	Stainless steel (AISI 304)
H	400 mm
Weight	1.0 kg
Min. order	5 pcs
Country of origin	Denmark
Volume	2 Liter

Buy online ↗ Email enquiry ✉



JB 146-45-38

Wall bracket, bed Gallows in stainless steel up to Ø38 mm.

Material	Electropolished stainless steel (AISI 304)
Size	40 × 20 × 50 × 93 mm
Weight	117 g
Min. order	10 pcs
Country of origin	Denmark
Hole size	Ø 6.4 mm

Buy online ↗ Email enquiry ✉



JB 162-00-00

Mask & tubing hook, With a guide for T-track Brackets, Stainless Steel.

Material	Electropolished stainless steel (AISI 304)
Size	30 × 76 × 100 mm
Weight	80 g
Min. order	10 pcs
Country of origin	Denmark

Buy online ↗ Email enquiry ✉




JB 281-00-00

Wall brackets, 25 Litre wire basket, Stainless Steel.

Material	Electropolished stainless steel (AISI 304)
Size	23.5 × 13.8 × 21 × 53.5 mm
Weight	27 g
Min. order	10 pcs
Country of origin	Denmark

Buy online ↗ Email enquiry ✉



JB 100-00-00

Bracket Ø100, for 2 L suction canister, Ø100 mm hole, stainless steel.

Material	Electropolished stainless steel (AISI 304)
Size	Ø100 × Ø8 mm
Weight	189 g
Min. order	5 pcs
Country of origin	Denmark

Buy online ↗ Email enquiry ✉



JB 115-00-00

Hospital Journals holder in hard frosted plastic, PP (Polypropylene). With handle for hanging on beds. Withstands instrument washing up to 90°C and fits all beds.

Material	Polypropylene (PP)
Colour	White, matt
H×W×D	372 × 282 × 56 mm
Weight	800 g
Min. order	4 pcs
Country of origin	Denmark

Buy online ↗ Email enquiry ✉



JB 15-100-240

Storage box in stainless steal with T-track bracket. Fits all our rail clamps and multi clamps. Easy to clean.

Material	Electropolished stainless steel (AISI 304)
Size	240 × 100 × 100 mm
Weight	1.2 kg
Min. order	2 pcs
Country of origin	Denmark

Buy online ↗ Email enquiry ✉



JB 92-00-00

Hygienic Universal Urinal Bottle Holder, Stainless Steel. Fits all types of hospital beds and all common bottles. Withstands machine washing and autoclaving.

Material	Electropolished stainless steel (AISI 304)
Size	123.6 × 145 × 192 mm
Weight	447 g
Min. order	5 pcs
Country of origin	Denmark

Buy online ↗ Email enquiry ✉



1190110

Danish 1,0 m. hospital power cord red, C13. Angled red DK hospital plug and straight C13 appliance connector, screened 3G1.0 mm² cable.

Material	—
Colour	Red
Length	1 m
Weight	146 g
Min. order	10 pcs
Country of origin	Austria
Sockets	DK hospital (angled) → C13 (straight)
Cable	Screened 3G1.0 mm²

Buy online ↗ Email enquiry ✉



1190111

Danish 2,0 m. hospital power cord, red, C13. Angled red DK hospital plug and straight C13 appliance connector, screened 3G1.0 mm² cable.

Material	—
Colour	Red
Length	2 m
Weight	—
Min. order	10 pcs
Country of origin	Austria
Sockets	DK hospital (angled) → C13 (straight)
Cable	Screened 3G1.0 mm²

Buy online ↗ Email enquiry ✉



1190112

Danish 3 m. hospital power cord, red, C13. Angled red DK hospital plug and straight C13 appliance connector, screened 3G1.0 mm² cable.

Material	—
Colour	Red
Length	3 m
Weight	346 g
Min. order	10 pcs
Country of origin	Austria
Sockets	DK hospital (angled) → C13 (straight)
Cable	Screened 3G1.0 mm²

Buy online ↗ Email enquiry ✉



1190113

Danish 4,5 meters. hospital power cord, red, C13. Angled red DK hospital plug and straight C13 appliance connector, screened 3G1.0 mm² cable.

Material	—
Colour	Red
Length	4.5 m
Weight	432 g
Min. order	10 pcs
Country of origin	Austria
Sockets	DK hospital (angled) → C13 (straight)
Cable	Screened 3G1.0 mm²

Buy online ↗ Email enquiry ✉



1212273

Danish 3,0 meters. hospital power cord, red C19. Angled red DK hospital plug and straight C19 appliance connector, screened 3G1.5 mm² cable.

Material	—
Colour	Red
Length	3 m
Weight	450 g
Min. order	10 pcs
Country of origin	Austria
Sockets	DK hospital (angled) → C19 (straight)
Cable	Screened 3G1.5 mm²

Buy online ↗ Email enquiry ✉



1210715

Danish 0,5 m. hospital power cord red, C13. Angled red DK hospital plug and straight C13 appliance connector, screened 3G1.0 mm² cable.

Material	—
Colour	Red
Length	0.5 m
Weight	104 g
Min. order	10 pcs
Country of origin	Austria
Sockets	DK hospital (angled) → C13 (straight)
Cable	Screened 3G1.0 mm²

Buy online ↗ Email enquiry ✉



1212274

Danish 4,5 meters. hospital power cord, red, C19. Angled red DK hospital plug and straight C19 appliance connector, screened 3G1.5 mm² cable.

Material	—
Colour	Red
Length	4.5 m
Weight	630 g
Min. order	10 pcs
Country of origin	Austria
Sockets	DK hospital (angled) → C19 (straight)
Cable	Screened 3G1.5 mm²

Buy online ↗ Email enquiry ✉



1211755

Danish 8,0 meters. hospital power cord, red, C13. Angled red DK hospital plug and straight C13 appliance connector, screened 3G1.5 mm² cable.

Material	—
Colour	Red
Length	8 m
Weight	1.0 kg
Min. order	10 pcs
Country of origin	Austria
Sockets	DK hospital (angled) → C13 (straight)
Cable	Screened 3G1.5 mm²

Buy online ↗ Email enquiry ✉



JB 292-00-00

IV Tubing Holder with a guide for T-track Brackets, Aluminium.

Material	Aluminium (natural anodised)
Colour	Natural anodised
Size	71 × 71 × 29 mm
Weight	388 g
Min. order	10 pcs
Country of origin	Denmark

Buy online ↗ Email enquiry ✉



JB 350-00-00

Toilet Brush Holder, wall-mounted, for round and oval brushes, aluminium.

Material	Aluminium (natural anodised)
Colour	Natural anodised
Size	140 × 153 mm
Weight	173 g
Min. order	5 pcs
Country of origin	Denmark

Buy online ↗ Email enquiry ✉



JB 600-00-01

Tubing holder, RED for 10X30 mm Scandinavian Medical Equipment Rails. Mounts directly on the rail. Fits DK standard rails only.

Material	Polypropylene (PP)
Colour	Red
Size	40 × 60 mm
Weight	8.7 g
Min. order	40 pcs
Country of origin	Denmark

Buy online ↗ Email enquiry ✉



JB 600-10-25

Tubing holder for 10x25 mm. for EU DIN Medical Equipment Rails. Mounts directly on the rail. Fits EU DIN standard rails only.

Material	Polyoxymethylene (POM)
Colour	Red
Size	40 × 60 mm
Weight	8.7 g
Min. order	40 pcs
Country of origin	Denmark

Buy online ↗ Email enquiry ✉



JB IP 100-RØD

Alarm Pull Cord String, Red, 100 metres, LDPE plastic. *Solid Ø1.6 mm ±0.1*

Material	Plastic PE (LLDPE soft polyethylene)
Colour	Red (RAL 3002)
Length	100 m
Weight	343 g
Min. order	—
Country of origin	Denmark

Buy online ↗ Email enquiry ✉



JB IP 1000-RØD

Alarm Pull Cord String, Red, 1,000 metres, LDPE plastic. *Solid Ø1.6 mm ±0.1*

Material	Plastic PE (LLDPE soft polyethylene)
Colour	Red (RAL 3002)
Length	1.000 m
Weight	2.3 kg
Min. order	—
Country of origin	Denmark

Buy online ↗ Email enquiry ✉



JB IP 24155

Bell for Alarm Pull Cord String, Red PP-Plastic.

Material	Polypropylene (PP)
Colour	Red
Size	15.5 × 24 mm
Weight	2.5 g
Min. order	100 pcs
Country of origin	Denmark

Buy online ↗ Email enquiry ✉



JB IP 3000-RØD

Alarm Pull Cord String, Red, 3.000 meters, LDPE plastic.

Material	—
Colour	Red (RAL 3002)
Length	3.000 m
Weight	5.6 kg
Min. order	—
Country of origin	Denmark

Buy online ↗ Email enquiry ✉



JB IP 500-RØD

Alarm Pull Cord String, Red, 500 metres, LDPE plastic. *Solid Ø1.6 mm ±0.1*

Material	Plastic PE (LLDPE soft polyethylene)
Colour	Red (RAL 3002)
Length	500 m
Weight	1.5 kg
Min. order	—
Country of origin	Denmark

Buy online ↗ Email enquiry ✉



JB IP 9004

Breakaway Clasp for Alarm Pull Cord String, in ABS-plastic.

Material	ABS plastic
Colour	Black
L	22 × 9 mm
Weight	0.5 g
Min. order	200 pcs
Country of origin	Denmark
Max. load	2.2 kg

Buy online ↗ Email enquiry ✉



JB IP 9025

Alarm Pull Cord String, 2,5 meters, LDPE soft plastic.

Material	Plastic PE (LLDPE Soft Polyethylene)
Colour	Red (RAL 3002)
Length	2.5 m
Weight	9.0 g
Min. order	25 pcs
Country of origin	Denmark
Max. load	2.2 kg

Buy online ↗ Email enquiry ✉

10

Mobile power towers

Power that moves to where the teaching happens. JB-Medico builds mobile power towers on castors with Danish or Schuko sockets, so a group can work in the middle of the room without cables across the floor.

3 part numbers

THE RANGE

Rack for 12 mobile

Charging Tower



JB 25-26-2025

Rack for 12 mobile phones in white painted steel.

Material	Metal
Colour	White (RAL 9016)
H	370 mm
Weight	12.0 kg
Min. order	2 pcs
Country of origin	Denmark
Capacity	Up to 12 mobile phones

Buy online ↗ Email enquiry ✉



JB 680-400-15

Charging Tower, on wheels, white, 15 Schuko connectors.

Material	Metal
Colour	White (RAL 9016)
Size	400 × 135 × 762 mm
Weight	13.0 kg
Min. order	—
Country of origin	Denmark
Max. load	10A
Max. voltage	240V
Castors 4 × Ø75	2 with brake / 2 without
Earthed sockets	15 × DK sockets

Buy online ↗ Email enquiry ✉



JB 680-400-15-S

Charging Tower, on wheels, white, 15 Schuko connectors.

Material	Metal
Colour	White (RAL 9016)
Size	400 × 135 × 762 mm
Weight	13.0 kg
Min. order	—
Country of origin	Denmark
Max. load	10A
Max. voltage	240V
Castors 4 × Ø75	2 with brake / 2 without
Earthed sockets	15 × Schuko sockets

Buy online ↗ Email enquiry ✉

11

Electrical panels New

JB-Medico supplies a wide range of products to the hospital sector — among them power panels with hospital sockets or Schuko sockets, for wherever more outlets are needed. The wide choice of rail clamps makes it possible to mount the equipment on rails, walls and elsewhere.



The panel is built around a slim aluminium profile into which all electrical components simply click. It can be fitted with any number of sockets and is supplied with a hospital mains cable in the length you choose. The cable is terminated inside the profile with an EMC gland that secures the screen termination.

FRONTS AND SIZES



3 × DK socket · 10 A



4 × DK socket · 10 A



5 × DK socket · 10 A




3 × DK hospital socket · 10 A



4 × DK hospital socket · 10 A



5 × DK hospital socket · 10 A



The panel mounted on a rail clamp

The Schuko front (16 A) comes in the same 3, 4 and 5-socket versions — photo to follow.

How the part number is built

`JB 273`	Series — electrical panel
`3 · 4 · 5`	Number of sockets
`– · H · S`	DK socket (10 A) · DK hospital socket (10 A) · Schuko (16 A)
`1500 · 3000 · 4500`	Hospital cable 1.5 m · 3 m · 4.5 m

Example: **JB 273-5H-3000** — panel with 5 sockets, a DK hospital front and a 3 metre hospital cable.

Rail clamps are ordered separately The panel is supplied without a mount. Choose the rail clamp to match the rail or column and order it as a separate part number — see the section **Mounting solutions**.

Profile

Width	60 mm
Height	51.5 mm
Channel length	225 mm (3 sockets) · 270 mm (4 sockets) · 225 mm (5 sockets)
Modules	B100/B200 base · F100W/F102W/F200W front · F103W blank module × 2 · end pieces
Rated current	10 A on DK and DK hospital sockets · 16 A on Schuko
Weight	500–751 g without rail clamp, depending on variant

Electrical panels — all 27 variants

PART NUMBER	SOCKETS	SOCKET TYPE	CABLE	WEIGHT
JB 273-3-1500	3	DK socket, white front	1.5 m	500 g
JB 273-4-1500	4	DK socket, white front	1.5 m	576 g
JB 273-5-1500	5	DK socket, white front	1.5 m	564 g
JB 273-3H-1500	3	DK hospital socket, white front	1.5 m	500 g
JB 273-4H-1500	4	DK hospital socket, white front	1.5 m	576 g
JB 273-5H-1500	5	DK hospital socket, white front	1.5 m	564 g
JB 273-3S-1500	3	Schuko socket, white front	1.5 m	500 g
JB 273-4S-1500	4	Schuko socket, white front	1.5 m	576 g
JB 273-5S-1500	5	Schuko socket, white front	1.5 m	564 g
JB 273-3-3000	3	DK socket, white front	3 m	597 g
JB 273-4-3000	4	DK socket, white front	3 m	673 g
JB 273-5-3000	5	DK socket, white front	3 m	661 g
JB 273-3H-3000	3	DK hospital socket, white front	3 m	597 g
JB 273-4H-3000	4	DK hospital socket, white front	3 m	673 g
JB 273-5H-3000	5	DK hospital socket, white front	3 m	661 g
JB 273-3S-3000	3	Schuko socket, white front	3 m	597 g
JB 273-4S-3000	4	Schuko socket, white front	3 m	673 g
JB 273-5S-3000	5	Schuko socket, white front	3 m	661 g
JB 273-3-4500	3	DK socket, white front	4.5 m	675 g
JB 273-4-4500	4	DK socket, white front	4.5 m	751 g
JB 273-5-4500	5	DK socket, white front	4.5 m	739 g
JB 273-3H-4500	3	DK hospital socket, white front	4.5 m	675 g
JB 273-4H-4500	4	DK hospital socket, white front	4.5 m	751 g
JB 273-5H-4500	5	DK hospital socket, white front	4.5 m	739 g
JB 273-3S-4500	3	Schuko socket, white front	4.5 m	675 g
JB 273-4S-4500	4	Schuko socket, white front	4.5 m	751 g
JB 273-5S-4500	5	Schuko socket, white front	4.5 m	739 g

Weights exclude the rail clamp. Clamps are ordered separately — JB 121-00-00 (DuoFlex 10×30 mm), JB 147-00-00 (DIN 10×25 mm) and JB 158-00-00 (Multi clamp Ø16–41 mm).

12

Capri bed-head units New

The JB-Medico Capri bed-head unit is built from a range of flexible sub-assemblies, so you can choose anything from a simple basic model to a fully multifunctional bed-head unit.



Patient room with Capri in a wood finish, reading light and equipment rail

Capri can be tailored with solutions for hospitals and the care sector in general. Everything you expect to find in a bed-head unit — power, gas and low-voltage services — is integrated into Capri.

The channel can also be supplied with integrated solutions for lighting and IT. Capri is built around a Danish-made aluminium profile with the surface finish of your choice. JB-Medico can also supply bed-head solutions in a vertical version. Capri is designed for variable requirements, high flexibility and simple maintenance.

How it is built

Profile	Danish-made aluminium profile
Surface	Surface finish to choice
Version	Horizontal or vertical
Services	Power · medical gases · low voltage · lighting · IT
Assembly	Flexible sub-assemblies — from basic model to multifunctional panel
Supply	Configured per project — drawing and quotation on request

VERSIONS



Horizontal channel with DK sockets and gas outlets for O_2, air and vacuum



Horizontal channel with power and low-voltage services and a removable front cover



Vertical version with an integrated handrail



Danish-made aluminium profile — the sub-assemblies clip together as required

Ask us about Capri Capri is engineered for the individual ward. Send us the room dimensions, the services you need and the number of bed spaces, and we will come back with a drawing and a quotation. info@jbmedico.com

13

MZ Liberec

Exclusive distribution

MZ Liberec has built medical gas systems since 1957 and equipped more than 350 hospitals. JB-Medico is the exclusive distributor. The range is delivered as a project: pendants, wall ramps, supply bridges and spring arms are configured to the room — not the other way round.

1957	200+	350+	80+
Founded	Employees	Hospitals equipped	Countries

THE RANGE

TAURUS	Ceiling column
VEGA	Bed-head unit
ZMP07	Intensive care supply bridge
SPR / SPZ	Passive spring arms
Pipeline elements	Terminal units and monitoring

Certifications	EN ISO 13485:2016 · ČSN EN ISO 9001:2016 · ISO 14001
Gas standards	DIN · AFNOR · BS · AGA · ČSN · DISS
Red Dot	Red Dot Award 2026 — TAURUS and VEGA
How to order	Configured per project. Email info@jbmedico.com with the room, number of outlets and gas types.

Product images in the MZ Liberec section: © MZ Liberec a.s. Reproduced with written permission.

CEILING COLUMN · RED DOT AWARD 2026

TAURUS



New-generation modular ceiling column for operating theatres, ICU and recovery. Carries gas outlets, sockets and low-voltage services in one head.

OK24-05 · OK24-16 · OK24-28 · OK24-55 · OK24-57

Load capacity	500 kg (OK24-16) · 320 kg (OK24-28) · 280 kg (motorised)
Arm length	Rotating arm 450–1350 mm · tilting arm 850–1350 mm
Rotation	400° pneumatic · 348–350° electromagnetic
Shelf load	60 kg
Ceiling cover	Ø600 mm
Supply heads	S 600/1000/1200/1500 mm · A 800/900/1100 mm · Z 1300 mm
Gas standards	DIN · AFNOR · BS · AGA · ČSN · DISS

Email an enquiry — info@jbmedico.com



Operating theatre



BED-HEAD UNIT · RED DOT AWARD 2026


VEGA

Horizontal bed-head unit with bio-optimised DALI-controlled lighting. For in-patient wards, in single and double versions. Formerly marketed as RN24 NEO.

VEGA (tidl. RN24 NEO)

Lighting	Indirect · reading · night light, bio-optimised, DALI controlled
Medical rail	ISO rail 25×10 mm for accessories
Surface	Antibacterial powder coating or foil, customer colour
Accessories	IV carrier for 4 bottles + 4 bags · examination lamp · shelf
Dimensions	Not published — request from the factory

Email an enquiry — info@jbmedico.com



INTENSIVE CARE SUPPLY BRIDGE

ZMP07

Ceiling-suspended supply bridge for ICU and recovery, with a shelf system on running carriages. Available single-sided and double-sided.

ZMP07 ZMP07 dobbeltsidet


Standard length	1950 mm
Column length	2000 mm
Weight	max. 150 kg · double-sided 175 kg
Structure	Electrical channel · gas channel · carriage rail · lighting

Email an enquiry — info@jbmedico.com

PASSIVE SPRING ARMS

SPR / SPZ

Spring-balanced ceiling arms for surgical lights, cameras, monitors and PC workstations. 360° rotation through swivel contacts.



`SPR 10-1/-2/-3/-4` `SPR 11-1/-2` `SPR 23 light` `SPR 10-1W` `SPR 11-1W` `SPR 23-1W` `SPZ 13`

Balancing load	SPR 10: 28 kg · SPR 11: 12 kg · SPR 23: 4 kg · SPZ 13: 5 kg
Rotating arm	500–1100 mm
Tilting arm	480–960 mm
Colours	RAL 9002 · 9010 · 9016 · OEM, antibacterial powder coating
Wall models	SPR 10-1W · SPR 11-1W · SPR 23-1W

Email an enquiry — info@jbmedico.com

TERMINAL UNITS AND MONITORING

Pipeline elements

Wall panels, group shut-off valves, the MZU II monitoring device and quick-connectors — the latter manufactured in-house by MZ Liberec.



`SU analog / digital` `MZU II.01` `RSP`

Gases	O_2 · AIR · VAC · N_2O · CO_2 · AGSS · AIR MOTOR
Standards	ČSN · DIN · AGA · BS · AFNOR
Branches	SU 1–6 · MZU II 1–12
Installation	Surface or recessed
MZU II functions	Pressure · flow · consumption, visual and audible alarm

Email an enquiry — info@jbmedico.com

Trading terms

The sales and delivery terms in force for JB-Medico ApS. The full terms, including the cookie policy, are at jbmedico.com/gb/content/3-handelsbetingelser-cookie-politik

Payment

JB-Medico ApS accepts Dankort/VISA-Dankort, VISA, VISA Electron, Mastercard and MobilePay. Your card is charged only when the goods are dispatched. Payment by bank transfer to Spar Nord Bank A/S, account 9004 / 1120732826, IBAN DK2390041120732826, SWIFT NYKBDKKK. The payment server encrypts all card details with SSL.

Delivery

We deliver on all weekdays. Orders received before 10:00 are processed the same day. Goods are normally delivered 1–5 working days after we receive the order; made-to-order products have a longer lead time.

Prices and freight

All prices include any state duties but exclude VAT, and are quoted in Danish kroner. Orders are accepted at the prices in force on the delivery date. Freight from a minimum of DKK 189 excl. VAT — contact us about shipping outside Denmark and outside the EU. We reserve the right to adjust prices and product specifications, and accept no liability for duty changes or printing and image errors.

Public-sector customers

Please state your EAN number and all relevant contact details in an email to info@jbmedico.com.

Right of complaint

The statutory right of complaint under Danish sale of goods law applies. It covers defects in material and manufacture, but not faults or damage caused by incorrect operation. We cover reasonable return costs. Report any delivery error immediately to customer service on +45 7020 5826 or info@jbmedico.com.

Right of withdrawal

14 days' full right of return on selected items bought in the webshop — not applicable to made-to-order goods. The period runs from the day you receive the order. Notify us at info@jbmedico.com within 14 days of purchase, and return the goods within 14 days of that notice. The buyer pays the return cost. You may examine the item as you would in a shop, but not put it into actual use.

Returns

On receipt, check the delivery against the packing note; report any incorrect delivery immediately so it can be exchanged. All returns must be agreed with JB-Medico's despatch department — otherwise we may refuse receipt. Returned goods must be clean and returned in unbroken original packaging, protected by outer packaging, with correspondence stating what is returned, why, and with whom it was agreed. For incorrect orders, 0–13 months is credited at 75% less freight. Special-order and made-to-measure products cannot be returned. We do not accept parcels sent cash on delivery.

Transport damage

Must be reported immediately to the carrier and to JB-Medico ApS, with a note on the consignment note.

Complaints

Complaints about a product can be sent to the Danish Competition and Consumer Authority's Centre for Complaint Resolution, Carl Jacobsens Vej 35, 2500 Valby — forbrug.dk. Consumers resident in another EU country can complain via the European Commission's online dispute resolution platform at ec.europa.eu/consumers/odr.

Personal data

The data controller is JB-Medico ApS, Nydamsvej 43, 8362 Hørning, CVR 34212414. We collect your name, address and email in order to deliver and confirm your order, and on payment your name, card details and IP address, used only to settle the payment. The data is deleted five days after you receive the goods — except your email address if you have consented to the newsletter, which you can unsubscribe from at any time. You have the right of access, rectification and erasure, and the right to complain to a data protection authority: info@jbmedico.com.

14

How to order

Orders received before 10:00 are dispatched the same day. Delivery is normally 1–5 working days; made-to-order products take longer.

WEBSHOP

191 part numbers are in the webshop. Click the part number in this catalogue and the product page opens, ready for the basket.

`jbmedico.com`

EMAIL

Electrical panels, the MZ Liberec range and items not yet listed: click the part number and an email opens with the number and product name in the subject line.

`info@jbmedico.com`

PHONE

+45 7020 5826 — every working day. Public-sector customers: send your EAN number and contact details to info@jbmedico.com.

`+45 7020 5826`

Ask us — **Jesper A. Berg**, CEO & Owner · jb@jbmedico.com · +45 2868 5826
Carsten Hernvig, COO · che@jbmedico.com · +45 2889 9987

JB-Medico ApS — Nydamsvej 43, DK-8362 Hørning, Denmark · CVR 3421 2414

JBMEDICO

PRODUCT CATALOGUE 2026

Made out of necessity. Built to last.

See the full range, prices and stock at jbmedico.com — or write to us and we will come back with a quotation and a lead time.

ADDRESS

JB-Medico ApS
Nydamsvej 43
DK-8362 Hørning
Denmark

CONTACT

info@jbmedico.com
+45 7020 5826

WEBSHOP

jbmedico.com