KOVAL
Your care, our mission

- **SHOWER TROLLEY MAXI L1-T1-HYD**

Code: 10068921

- **SHOWER TROLLEY MAXI L1-T1-EL**

Code: 10068923





L1 – one piece stretcher top

T1 - stretcher top inclination (direction of foot section)


HYD – hydraulically lowering/raising (code: 10068921)

EL - electrically lowering/raising (code: 10068923)

This shower trolley is intended for assisted hygiene care, especially showering and transporting of residents in care environments like senior/assisted living, special care, medical facilities, hospitals, nursing homes, rehabilitation units and other health care use. The equipment is intended for indoor use. **Maxi shower trolley is designed especially for bariatric patients (SWL 250 kg).**

DESCRIPTION


- shower trolley for transportation with a **one-piece stretcher top**
- **external dimensions** of the shower trolley are as follows: 217 cm (length) and 96 cm (width)
- **stretcher top** length: **200 cm**, stretcher top **width: 80 cm**
- adjustable **5° stretcher top inclination** steered via gas springs



- foldable **side rails** (height: 20 cm) from powder coated stainless steel



- With **safety release mechanism**



- hydraulically lowering/raising of the stretcher top via a console lift and pedal on both sides of trolley, or optional electrically lowering/raising of the stretcher top via a console lift and handset






- **castors** with a diameter of 150 mm (200 mm as an option)
- lowering/raising range: 54 cm to 97 cm (castors 150 mm)
- lowering/raising range: 60 cm to 103 (castors 200 mm)


- **Brakes and Steering in the straight direction**


Central braking system with one directional caster:



- **When the lever is in the uppermost position** (the front left caster is locked in the direction of the transport for steering in the straight direction and easy manoeuvring).
- **When the lever is in the middle position** (the casters are unlocked).
- **When the lever is in the lower position** (the casters are in locked braking position).







- metal base cover




- **water-resistant shower mattress** (height: 27 cm)
- mattress (35 mm thick on the lying part, 15 mm on the edge), integrated drain (plastic or metal) with a long flexible hose (adjustable from 645 – 2000 mm)






- **water-resistant head pillow** – semi-cylinder or optional **cunei pillow - triangular**

- trolley weight: hydraulic 108 kg, electric 110 kg
- **safe working load (SWL): 250 kg**

KOVAL

Your care, our mission

 013 RAL 9006	110 RAL 9010	 112 RAL 9016	 205 RAL 1021	 218 RAL 1003
 220 RAL 1032	 251 RAL 1013	 306 RAL 2009	 312	 332 RAL 2011
 409 RAL 3002	 430	 435	 441 RAL 3003	 505 RAL 5002
 508	 514 RAL 5011	 525 RAL 5012	 548	 562
 566 RAL 5013	 585 RAL 5010	 592	 607 RAL 6005	 626 RAL 6018
 646 RAL 6026	 650	 682 RAL 6001	 734 RAL 1014	 736
 747	 800 RAL 7030	 813	 814	 815 RAL 7038
 820 RAL 7032	 825 PANTONE 443	 832 RAL 7035	 840 RAL 9002	 904 RAL 9005

VSI OZNAČENI VZORCI SO NA ZALOGI, OSTALI SO PO NAROČILU.
ALL SELECTED SAMPLES ARE IN STOCK. OTHER COLORS ARE AVAILABLE UPON AGREEMENT.