mano médical
EQUIPMENT FOR VETS
by génia

Your partner for Vet equipment

Committed to your side since 1999

2026 CATALOGUE



www.manomedical.com

WELCOME!

MANO MÉDICAL

22 rue Charles de Gaulle
22100 LANVALLAY
FRANCE
Tel. +33 (0)2 96 85 86 76

export@manomedical.com
www.manomedical.com

Follow us!



Top quality medical equipment adapted for Vets!

Dear Customers, Dear Partners,

After moving into more suitable premises in 2024, the Mano Médical team expanded in 2025 by recruiting four additional staff members to support our growth and further improve the range of services we offer.

The 'Mano' spirit remains strong: providing you with a catalogue of products tailored to your practices, supporting you before, during and after the sale with professional resources and a commitment to quality.

As every year, you will find our flagship products and a few new additions in this 2026 catalogue.

Enjoy reading and thank you for your trust!

D. CATINAUD, DVM – Managing Director

CONTENTS



Page 6

Medical Imaging



Page 10

Surgery

Page 18

Diagnostic - Monitoring



Page 26

Cure & Care



Page 34

Clinic Fittings



MANO MÉDICAL AROUND THE WORLD

Our export department and the Génia's subsidiaries are here to help you.

▸ Cyril DRAULT
c.drault@manomedical.com
+33 (0)6 37 15 73 34



ASIA, AFRICA, EUROPE
(Except for Belgium, Germany, Switzerland, Austria, The Netherlands, United Kingdom & Rep. of Ireland)

▸ Olga WILDERMUTH
o.wildermuth@genia.fr
+49 (0)173 349 58 17



GERMANY, SWITZERLAND, AUSTRIA, THE NETHERLANDS

▸ Katherine HUGHES
k.hughes@genia.fr
+44 (0)776 856 9918



UNITED KINGDOM, REPUBLIC OF IRELAND

▸ Génia USA
contact@geniausa.com

AMERICAS

▸ Génia AUSTRALIA
contact@geniaaustralia.com

OCEANIA

▸ Génia HONG-KONG
sales@geniahk.com

ASIA

WE ARE HAPPY TO HELP YOU!

We support you in all your needs and every step of your orders.

We aim to bring to your team full support including marketing tools to help you promote our products.

We develop and select our range of products with VETERINARIAN specifications:
- perfectly adapted for use on animals
- perfectly adapted for veterinarian organisations
- cost-effective

Educational Platform

Benefit from the expertise of veterinarian specialists
Subscribe to our YouTube channel!

Did you know?

Discover our tips to get advice for use and technical information on our products
Subscribe to our newsletter to receive all our information!

Follow us!

www.manomedical.com/en



CUSTOMER SERVICE

+33 (0)2 96 85 86 76

- **Commercial information:**
export@manomedical.com

- **Follow-up of your orders:**
order@manomedical.com

- **Technical assistance, spare parts, repairs:**
tech@manomedical.com



MEDICAL IMAGING



X-RAY GENERATORS 9



Our X-ray generators meet the requirements of the current radiation protection standards.

Portable HF X-ray generators

HF 1060



- 3.2 kW output power
- mAs: from 0.32 to 100
- Max. kV : 100
- X-ray dose memory
- Exposure hand switch
- Dual laser for easy focal distance setting
- Supplied in a robust carrying case
- Weight: 12.9 kg

Poskom 20BT Lite



- 1.6 kW output power
- mAs: from 0.4 to 20
- Max. kV: 90
- X-ray dose memory
- Internal battery or external **power supply operation**
- Up to 650 exposures on one charge
- Dual laser for easy focal distance setting
- Supplied in a robust aluminium carrying case
- Weight: 7.2 kg

Please contact us to check distribution agreement in your country.
Tel. +33 (0)6 37 15 73 34 - c.drault@manomedical.com



SURGERY



Monopolar and Bipolar ESU 12
Vessel sealing 13
T.O.M™ – 1 single instrument for all your surgeries..... 15
Surgical procedures / Anaesthesia 16

Monopolar and Bipolar Electrosurgery units

Coag&Cut M120

Perfect for daily small to medium surgeries

120W

Included accessories:
- Monopolar handpiece with a straight blade electrode
- Set of 10 electrodes
- Patient return plate with cable
- Bipolar handpiece with cable
- Single footswitch



The high performance **Coag&Cut M120** electrosurgery unit has a number of operating modes:

Cutting:
- CUT = pure Cut
- BLEND = Cut with Coagulation

Coagulation:
- FORCED = Superficial Coagulation
- SOFT = Deep Coagulation
- BIPOLAR = Standard Bipolar Coagulation

ALL ACCESSORIES AUTOCLAVABLE!

Coag&Cut M200

Perfect tool for intensive daily use




200W

Included accessories:
- Monopolar handswitch handpiece
- Set of 5 electrodes
- Patient return plate with cable
- Bipolar handpiece with cable
- CUT/COAG double footswitch

6SENSE Technology
For more sensitivity

Randomized SPRAY Coag
Homogeneous, superficial & faster coagulation



Smart Surgical Assist
Program manager allowing smart access to programs & settings

Self Diagnosis
Quick identification of errors and immediate solution

The Veterinary Vessel Sealing device
Seal & Cut MV1

Vessel sealing, monopolar and bipolar electrosurgery **ALL-IN-ONE**



UNMATCHED SURGICAL PERFORMANCES

Vessel sealing function for a wide range of clinical applications: **ovariectomy, splenectomy, urology, hysterectomy, thoracotomy and more!**



Add high-tech precision to your surgical expertise!

- High withstand tissue seal
- Minimal thermal spread to adjacent tissue
- Tissue sticking and charring reduction
- Hand-free switching between different modes

REUSABLE AUTOCLAVABLE

▶ INNOVATION IN YOUR SURGICAL PRACTICE

5 mm Vessel Sealing Blade

- Available in 2 lengths: 18 and 32 cm
- Seals up to 7 mm of blood vessels and tissue bundles
- Integrated blade
- Minimally invasive surgery
- Constant control thermal spread
- Time savings
- Laparoscopy or open surgery



Electrosurgery range: compare and choose!

	Coag&Cut M120	Coag&Cut M200	Seal&Cut MV1
Max power	120 W	200 W	400 W
Monopolar function	Yes	Yes	Yes
Bipolar function	Yes	Yes	Yes
Vessel sealing open surgery	-	-	Yes
Vessel sealing laparoscopy (with blade)	-	-	Yes, optional kit (18/32 cm, 5 mm)
Smart electronically controlled precision	-	Yes	Yes
Easy swith between functions (footswitch)	-	Yes	Yes
Monopolar modes	✓ Cut: PURE, BLEND ✓ Coag : SOFT, FORCED	✓ Cut: PURE, BLEND, LOW ✓ Coag : SOFT, FULGURATE, SPRAY	✓ Cut: PURE, BLEND, LOW, ENDO ✓ Coag: SOFT, SWIFT, FULGURATE, SPRAY
Bipolar modes	✓ COAG	✓ Cut: BiCut ✓ Coag : MICRO, STANDARD, FORCE	✓ Cut: MACRO, PULSE BiCut ✓ Coag : MICRO, STANDARD, FORCE ✓ Vessel sealing: SEALER
Intended use	Small to medium surgery	Versatile intensive use	All types of surgery, no size limitation
Dimensions	25 x 10 x 29 cm	38 x 31 x 12 cm	38 x 31 x 12 cm
Weight	5 kg	6 kg	6 kg
Autoclavable accessories	Yes	Yes	Yes
Included accessories	✓ 1 monopolar handpiece with a straight blade electrode ✓ 1 set of 10 electrodes + support ✓ 1 patient return electrode with cable ✓ 1 bipolar handpiece with cable ✓ 1 single footswitch	✓ 1 monopolar handswitch handpiece ✓ 1 set of 5 electrodes (straight & angled blades, ball, loop and needle) ✓ 1 rubber patient return electrode ✓ 1 bipolar handpiece ✓ 1 double footswitch integrating a mode switching control button	✓ 1 neutral plate and cable ✓ 1 monopolar handswitch pencil ✓ 1 set of 5 electrodes (1 needle, 1 ball, 1 straight blade, 1 angled blade, 1 loop) ✓ 1 bipolar straight forcep 20 cm, 1 mm tip and cable ✓ 1 vessel sealer open surgery coated instrument, 19 cm long, 3 mm thick - 24 mm jaw ✓ 1 dual paddle footswitch ✓ 1 laparoscopic instrument including: 1 handle with cable and 2 tubes, 18 cm long, 1 with fenestrated insert and 1 with curved flat insert
Optional accessories	-	-	A 5 mm vessel sealing blade kit (18 or 32 cm long)

1 SINGLE INSTRUMENT FOR ALL YOUR SURGERIES

T.O.M™ | Tripolar-Open-Multifunctional

Made in France
Fabriqué en France

NOW THE SURGERY IN ONE GO!

Cutting and coagulation of soft tissue at low voltage without neutral plate


T.O.M™ AUTOCLAVABLE BIPOLAR FORCEPS


T.O.M™ ELECTRODE

Swivels easily with just 1 finger to adapt to all surgical procedures.

EXTRA T.O.M™

Evacuation of surgical smoke and/or tissue irrigation





Watch examples of surgery procedures on
www.youtube.com/@manomedical/

THE SAFEST EVER

- Cutting and coagulation blade
- Very low voltage coagulation
- Constant cutting depth
- No patient plate, no risk of assiocated burns
- Smoke evacuation on the production site (Extra T.O.M™)

SUSTAINABLE

- No need for a neutral plate or any additional accessories
- T.O.M™ autoclavable handpiece
- Environment-friendly packaging

EFFICIENT

- Bipolar mode
- Many modes (small & large cut, fine cut by grasping, contact & grasp coagulation...)
- Improved haemostasis
- Simplified surgical preparation

PROFITABLE

- T.O.M™ replaces many electrosurgical devices
- Autoclavable handpiece
- Time savings resulting from optimised equipment management

«Thanks to its ease of use and safety, T.O.M.™ avoids problems of contact with the neutral plate and ensures uniformity of use from one animal to the other.

Sectioning is highly efficient and tissue dissection is easy.»

Dr Pierre DANIEL | DVM,
Specialist in surgery and imaging

CROZATER Vet Clinic - SEVETYS - France

Suction unit
Askir 30



For a clean and bloodless operating site

- Portable and compact
- Suitable for all surgical procedures
- 1 litre autoclavable collection jar
- Flow: 30 l/minute





5 L OXYGEN CONCENTRATOR
VetOxyFLow OC1

High pressure to suit most of the anaesthetic machines

- Fully automatic
- Silent and compact: 49x27x56 cm
- Easy maintenance
- Quiet: < 45 dB
- Available in 10L (on request)

NEBULIZER

Designed for aerosoltherapy

- Operating air flow: 5.2 l/min
- Pressure : 1.3 bar
- Neb-rate with 4 ml solution: 0.50 ml/min





APNEA DETECTOR
apAlert

The original!

Easy anaesthesia respiration monitor

- Visual and acoustic alarms
- Display of seconds passed between two breaths
- Alarms and sensitivity adjustment

LARYNGOSCOPE

Set of 3 straight Miller blades

- 1 x 75 mm Miller blade (n°0)
- 1 x 100 mm Miller blade (n°1)
- 1 x 150 mm Miller blade (n°2)





DIAGNOSTIC MONITORING



MICROSCOPES / ECG 20
DOPPLER 21
petMAP™ RANGE 22
MONITORING 24
COMPARISON TABLE 25

Microscopes
VetScience



B 01 - Binocular Microscope
A simple but remarkably high-quality instrument designed to be used in veterinary practice

- Achromatic plans (4x/10x/40x and 100x)
- Large field ocular 10X /18 mm
- 3W LED lamp, adjustable brightness

B 02 - Binocular Microscope
Ideally designed for intensive use in veterinary practice

- Infinity achromatic plans (4x/10x/40x and 100x)
- Large field ocular 10x/20 mm
- 3W LED lamp, adjustable brightness and focus

T 03 - Trinocular Microscope
Ideally designed for intensive use in advanced veterinary practice

- Infinity achromatic plans (4x/10x/40x and 100x)
- Large field ocular 10x/20 mm
- 3W LED lamp, adjustable brightness and focus
- Coaxial focusing knob, course focusing range is 15mm and fine focusing is graduated in increment of 1 µm.
- Optional camera and tablet



Diagnostic Monitoring

Electrocardiograph
Vet ECG-VE 300/**3 channels**



Essential for in-depth cardiological examination

- LCD three-channel display
- Recording of 7 channels simultaneously
- Printing of 7 channels simultaneously in automatic mode
- AC or battery powered
- Digital artefacts and interference filter
- Manual and automatic mode
- Adjustable parameters

Veterinary Doppler
Vet BP

Blood pressure measurement, monitoring & small animals' examination


THE ORIGINAL
+ THAN 11 000
CLINICS
EQUIPPED!

Includes 4 cuffs in different sizes, 1 blood pressure probe, a battery charger, a sphygmomanometer, a headset and a gel bottle

3 different probes :

- Blood pressure probe (1)
- Pencil probe for easy exotic animal examination (option) (2)
- Transœsophageal probe for use as cardiac monitoring during surgery (option) (3)

Cuff sizes: 4-8 cm, 6-11 cm, 7-13 cm and 8-15 cm





Monitoring with Doppler:
The Doppler measures the flow detection in the artery during anaesthesia, intensive care, serial or general measuring. The veterinary team will hear a sound reflecting the heart rate and pulse.

Blood pressure measurement prior to an infusion:
Arterial pressure can be a suggestive indicator of the animal's condition. The veterinarian can then adjust the infusion according to the results.


PetMAP™

The Blood Pressure Lead Solution!

Convenient, easy to use, accurate and profitable

PetMAP™ graphic 2

- Systolic and diastolic blood pressure
- Mean arterial blood pressure (MAP)
- Heart rate



PetMAP™ g3

- PetMAP™ graphic 2 parameters

+ Temperature

(Oesophageal probe sold separately)



PetMAP™ +II BT

- PetMAP™ g3 parameters
- Temperature (probe included)

+ Bluetooth® to display screenings in real time on a large monitor



PetMAP™ +II SpO_2 BT

- PetMAP™ +II BT parameters

+ Pulse oxymetry

+ Optional modules on PetMAP™ +II models:
  - ECG
  - Capnography

Diagnostic Monitoring

QuickCuff™

*Patent Pending

NEW!

Measuring blood pressure has never been so easy!

- Stress-free (no velcro)
- Resistant
- One-handed application
- Fits all different limbs (tapered & untapered)
- 1 color for each size (12 sizes from 2 to 13 cm)
- *Optional storage rack*







Choose the right model to suit your needs!

	PetMAP™ graphic II	PetMAP™ g3	PetMAP™+ II BT	PetMAP™ + II SpO_2 BT
Measured parameters	Blood pressure (systolic, diastolic and MAP) Heart rate	Blood pressure (systolic, diastolic and MAP) Heart rate Temperature (Oesophageal probe sold separately)	Blood pressure (systolic, diastolic and MAP) Heart rate Temperature ECG (optional module) Capnograpphy (optional module)	Blood pressure (systolic, diastolic and MAP) Heart rate Temperature Pulse oxymetry ECG (optional module) Capnograpphy (optional module)
Display	4.3" (10.9 cm) touchscreen	5" (12.7 cm) touchscreen		
Cuffs inflation	Automatic	Automatic and BP cycle time setting for automatically repeated BP measurements		
Power	4 AA Alkaline	4 AA NiMH and AC/DC adapter		
Included accessories	7 Critter cuffs from 2 to 5.5 cm		7 cuffs from 2 to 5.5 cm Oesophageal probe for temperature	7 cuffs from 2 to 5.5 cm Oesophageal probe for temperature SpO_2 lingual and toe sensors



The options:

- Large size Critter cuffs: 6.5 - 8 - 10 and 13 cm
- Protective cover
- Table and pole mounts



Table mount



Pole mount



Protective cover

Multiparameter monitoring
VitalSurv MM1 / MM2



Compact and portable veterinary monitor

- **VitalSurv MM1**

Temperature, pulse oxymetry, blood pressure & ECG

- **VitalSurv MM2**

Temperature, pulse oxymetry, blood pressure, ECG & sidestream capnography

- 12" (30 cm) large touchscreen
- Battery operation for efficient post surgical monitoring
- Small and lightweight (5 kg, only 9 cm thick!)
- Possible connection to USB keyboard and mouse
- Set-up on touchscreen or on front buttons
- Long-life water trap for capnography (MM2 model)
- ECG 3 channels with alligator clips (15-350 bpm range) compatible with ECG patches
- *Optional adaptable oesophageal probes*



Universal ECG connector designed to be connected to all patches and crocodile clips



Included:

- Mounting hook



Options:

- Trolley
- Wall mount





Diagnostic Monitoring

Choose simply and quickly!

	T°	SpO_2	NIBP	Capno-graphy	ECG	Highlights
PetMAP™+ II BT	√		√			• Hand-held device easy to use • 12.7 cm (5") touchscreen • Rechargeable batteries • Cuffs and probes specially developed for use on animals
PetMAP™+ II SPO_2 BT	√	√	√			• Hand-held device easy to use • 12.7 cm (5") touchscreen • Rechargeable batteries • Cuffs and probes specially developed for use on animals (2 different sensors for pulse oxymetry
VitalSurv MM1	√	√	√		√	• 30 cm (12") touchscreen • Easy carrying thanks to its handle and lightweight (5 kg) • Battery operation for efficient post surgical monitoring • Optional adaptors for oesophageal probes
VitalSurv MM2	√	√	√	√	√	• 30 cm (12") touchscreen • Easy carrying thanks to its handle and lightweight (5 kg) • Battery operation for efficient post surgical monitoring • Optional adaptors for oesophageal probes • Long-life water trap for capnography





CURE & CARE



Laser Therapy 28
Dentistry 30
Infusion 31
Hypothermia management 32

Laser Therapy
LaserFlex LT16






To be used at the clinic and in the field

Ergonomy:
- Battery operated
- Silent
- 7" large touchscreen
- Small and lightweight (2.2 kg)

Simplicity:
- 3 wavelengths (640, 810 and 980 nm)
- Intuitive display
- Power pulse mode up to 16W
- 3 different tips for many indications




ULTRA MOBILITY!

10 years warranty on diodes

Long life battery

Laser Therapy

FREE SOFTWARE UPGRADE




«Laser therapy is one of the most versatile modalities in veterinary practice.
The question is no longer "Does laser therapy work?" but rather "What are the newest applications for laser therapy?" When administered correctly (with the right dosage, technique and frequency), it triggers a biochemical cascade in the target tissues, reducing pain, modulating inflammation, and improving local circulation. ***Realistic clinical results are seen in 90% of patients.***"


Dr Ronald RIEGEL | DVM
Co-founder the American Institute of Medical Laser Applications in 2009.
Co-editor of the textbook: Laser Therapy in Veterinary Medicine - Photobiomodulation

Typical applications in veterinary medicine:

- Acute (post-trauma) or chronic (arthritis...) pain treatment
- Post-surgical or trauma wound healing promotion
- Inflammatory symptom reduction
- Muscle and ligament trauma reduction
- Dental abscesses and gingivostomatitis healing
- Lick granuloma







Ultrasonic scaler

D7 ultrasonic scaler

Including a 400 ml water tank and a detachable and autoclavable handpiece

- Applications: scaling, periodontal and endodotic treatments
- Optical handpiece for a more convenient operation
- SATELEC compatible handpiece



7 different tips for numerous applications





Vet200 Plus

Portable and powerful Piezo-electric scaler
Perfect for veterinary use

- 5 piezo-ceramic tips
- Automatic frequency tracking
- Pressure from 0.1 to 0.5 bar
- EMS compatible detachable handpiece

Micromotor and Polisher

Strong




Light, compact and handy for use on small animals or devitalized teeth

- Compact and light type E motor
- Regular speed from 0 to 35 000 RPM
- 1:1 contra angle included

INFUSION PUMP
ManoPump iV1 Plus





ManoPump iV1 Plus
Up to 10 hours run time battery
4.3" (10,75 cm) touchscreen
Settings on touchscreen
5 occlusion levels (50, 150, 300, 600 & 900 mmHg)
Up to 2000 entries in the library
5 000 review data
0.1 - 2 000 ml/h flow
IV stand support and kennel mount included
Optional fluid warmer module



Fluid warmer module
(optional module only available on iV1 Plus model)
Using a long fluid warmer allows the heated fluid to be brought closer to the patient, reducing heat loss.

Kennel mount





iV stand support

INFUSION PUMP
ManoPump iV2



ManoPump iV2
Up to 5 hours run time battery
2.8" (7 cm) color TFT screen
Front control panel
4 occlusion levels (150, 300, 600 & 900 mmHg)
30 entries in the library
2 000 review data
0.1 - 2 000 ml/h flow
IV stand support and kennel mount included

Infusion



Syringe Pump
ManoPump SP1

- Automatic recognition of syringe sizes (5, 10, 20, 30 and 50/60 ml)
- Large touchscreen (4.3" -10.75 cm) for a clear display of parameters
- Multi-function operation with 3 modes: ml/h (time, rate mode), body-weight mode and micro mode

Fluid Warmer
Vet Temp3

- Use with standard fluids, blood and TPN fluids
- Accepts standard tubing sets for small animals
- Temperature sensors allow the temperature control of the heating plate



Hypothermia control

Cure & Care

Exclusive Technology
Carbon Tech

The most efficient

- High-density carbon fabric
- Specially designed to distribute heat evenly without pressure points
- Flexible and comfortable texture
- Temperature regulation within 5 minutes
- Resistant to bites and scratches
- Easy to clean and disinfect

WARRANTY 5 YEARS AGAINST SCRATCHES AND BITES





Ask for our hypothermia management guide! **export@manomedical.com**

Made in France
Fabriqué en France

HEATING MAT
Carbon Tech V2



The safest

- Temperature probe and high accuracy limiter included to ensure that the contact temperature does not exceed the safety limits (42 ° C - 107.6 ° F)
- 3 power levels (50%, 80% and 100%) to adapt to the animal's conditions and needs
- Safety shutdown after 12 hours of heating
- Disconnectable power block for maximum safety and easy cleaning

Sizes available for both V2 and V3 models:
Kennel model: 52 x 62 cm (+/- 1 cm)
Power : 30W
Table model: 52 x 112 cm (+/- 1 cm)
Power: 60W

HEATING MAT
Carbon Tech **V3**

NEW!

The easiest
way to manage hypothermia!



Regulation of caloric energy in real-time depending on the animal's temperature



- Display of internal temperature using an oesophageal or a rectal probe
- Automatic control of heat energy supplied based on measured internal temperature
- Double security:
  - Integrated probe that prevents overheating between the mat and the animal's body
  - Internal probe that pauses the heating in the case of hyperthermia

Cure & Care



CLINIC FITTINGS



HEATED ULTRASONIC CLEANERS 36
STERILISATION 37
DISINFECTION 38
SURGERY AND EXAMINATION TABLES 40

Stainless steel heated ultrasonic cleaners

Ultra-C6

6 LITRES

- Ultrasonic power: 180 Watts max
- Inside dimensions Lxwxh: 300x150x150 mm
- Outside dimensions Lxwxh: 325x180x305 mm
- Stainless steel basket with 10mm mesh + lid
- Heating power: 300 Watts
- Mechanical timer adjustable from 0 to 30 min, ultrasonic automatic stopping
- Evacuation valve





Drain hose option

The investment in a heated ultrasonic cleaner will be quickly profitable. In addition, it needs a low quantity of cleaning concentrate: between 2 and 5% of water volume.

Ultra-C15

15 LITRES

- Ultrasonic power: 360 Watts
- Inside dimensions Lxwxh: 330x300x150 mm
- Outside dimensions Lxwxh: 360x330x330 mm
- Stainless steel basket with 10mm mesh + lid
- Heating power: 400 Watts
- Mechanical timer adjustable from 0 to 30 min, ultrasonic automatic stopping
- Evacuation valve



Low temperature ozone steriliser
SterOx

NEW!

A wide spectrum of advantages

- ✓ **Profitable:** Reduced costs per cycle and devices lifetime preserved
- ✓ **Non toxic:** 100% chemical-free process leaving no toxic residues on devices
- ✓ **Sterility assurance:** Sterile storage and transport with zero risk of contamination



SterOx, the sustainable low-temperature sterilisation solution

SteriBase

Plug & play station to closely monitor and safely validate each cycle

- **User-friendly interface**
- **Low maintenance**


SteriBox

Robust and durable container for optimal conditioning and long-lasting sterility

- **Mixed loads**
- **Large size (63*31*19cm)**
- **Quick and easy operation**

Stop using toxic chemicals!

Ozone is a powerful sterilising agent able to sterilise all kinds of devices that do not withstand heat and/or moisture, such as rigid and flexible endoscopic solutions:





AIR PURIFIER
Hygéolis



Do not mask the odors, ELIMINATE them!

- Efficient: intensive or continuous odor elimination
- Cost savings: low energy consumption
- User-friendly: plug & play, compact, silent
- Made in France

Elimination of odors and micro-organisms

- ✔ Rapid odor elimination
- ✔ Air and surface sanitisation (ozone) without chemicals or perfumes
- ✔ Efficient up to 45 m²




UV-C GERMICIDAL FLOW LAMP
Aseptor

One of the most efficient and safest methods to purify the air in your clinic

- Extremely efficient thanks to its high-energy radiation
- Safe for people and animals
- Easy to use, maintenance free
- 2 models:
  - ASEPTOR 236: up to 35m² (90m³)
  - ASEPTOR 255: up to 60m² (150m³)

Move easily your Aseptor lamp:

- Operating room
- Kennel
- Reception area



What our purifiers can do for you:

For your team:	Greater comfort Attractivity Loyalty Reduction in fatigue and respiratory irritation Lower risk of occupational diseases
For the animals:	Reduction of stress, health as well as infectious risks Prevention of cross-contamination
For your customers:	Pleasant and welcoming reception Positive perception
For your clinic:	Safe work environment Compliance with legal thresholds for particles quantity, matter, VOCs (volatile organic compounds) and formaldehyde

Surgery and Examination Tables

Surgery table



HEIGHT & INCLINATION ELECTRIC FOOT CONTROL


- Stainles steel boxed top for easy cleaning and optimal hygiene
- Quiet and stable electric cylinder

Over table instrument trolley



- Stainless steel boxed top for easy cleaning
- Base distance adjustable from 47 to 77 cm

Column table



- Ultra quiet electric lift table
- Maximum stability
- Storage drawer

Lift table



- Cross mechanism for maximum stability
- Memory for 2 heights

Made in France
Fabriqué en France

Full storage table




- Push open 3 drawers and one large central cupboard
- Storage including 2 separate trays

CHOOSE THE RIGHT TABLE FOR YOUR NEEDS!

	Surgery room		Examination room		
	Over table instrument trolley	Surgery table	Mono column table	Lift table	Full storage table
Minimal height	70 cm	70 cm	70 cm	20 cm / 24 cm*	91 cm
Maximal height	115 cm	130 cm	110 cm	110 cm / 114 cm*	100 cm
Maximum load	20 kg	100 kg	100 kg	80 kg	100 kg
Table top dimensions	60 x 40 cm	130 x 63 cm	130 x 63 cm	120 x 63 cm	130 x 63 cm
Electric footswtch	–	√	√	√	–
Stainless steel table top	√	√	√	√	–
HPL table top 4 colors available	√	–	√	√	√
Stationary model	–	√	√	√	√
Mobile model (4 castors, 2 with brakes)	√	–	–	√	√
Ready for use delivery	–	√	√	√	√
Optional balance	–	–	√	√**	–
Guarantee	5 years on stainless steel parts 2 years on electrical parts				

Durable and easy to clean HPL table top
4 colors available :



* Stationary model: 20 cm - 110 cm
Mobile model: 24 cm - 114 cm

** Only available on the mobile model

Exam Lamps

Alfa Flex



70 000 Lux at 0.5 m

- Lamp diameter: 8.6 cm
- Light field diameter at a distance of 0.50 m: 14 cm
- Temperature: 4 500°K
- Colour rendering index: 95 Ra
- Fixing systems: wall, desk or mobile

VetLight 30



35 000 Lux at 1 m

- Lamp diameter: 19.5 cm
- Light field diameter at a distance of 1 m. : 28 cm
- Temperature: 4000°K and 4500°K
- Colour rendering index: 95 Ra
- Control of illuminance in 6 steps
- Models: mobile, ceiling and wall

Surgical Lamps

VetLight 80

120 000 Lux at 1 m



- Lamp diameter: 30 cm
- Light field diameter adjustable from 11 to 33 cm
- Temperature: 4 500°K and 5 000°K
- Colour rendering index: 94 Ra
- 28 LEDs
- Models: mobile, ceiling, double ceiling and wall
- 2 sterilizable handles included



160 000 Lux at 1 m

VetLight U160

- Lamp diameter: 52 cm
- Light field diameter adjustable from 14 to 23 cm
- Temperature adjustable from 4 500°K to 5 000°K
- Colour rendering index: 96 Ra
- 29 LEDs
- Electronic adjustment of the field diameter
- Models: mobile, ceiling, double ceiling and wall
- 2 sterilizable handles included

INDEX

Mano Médical ref.	Génia Group Ref.	Equipment	Page
X-RAY			
HF10060	804702	HF1060 portable HF X-ray generator	9
PXM20BT	804714	POSKOM portable HF X-ray generator	9
SURGERY			
BIS020	801410	Coag&Cut M200 ESU	12
K/BIS020	801424	Coag&Cut M200 ESU	12
K/BIS101	801602	Seal&Cut MV1 vessel sealing	13
K/TOM001	801490	TOM™ 4 including V-TOM diam 4 forceps	15
K/TOM002	801492	TOM™ 5 including V-TOM diam 5 forceps	15
TOM020	801482	TOM™ Generator	31
TOM014	801476	ExtraTOM™	31
TOM021	801484	TOM™ smoke aspirator	31
ASP165	801000	Askir 30 suction unit	16
APA139	801102	ApAlert apnea detector	17
CON800	801210	VetOxyFlow OC1 oxygen concentrator	17
LAR003	801260	Laryngoscope including 3 Miller (0-1-2) blades	33
NEB166	801280	Nebulizer	33
DIAGNOSTIC / MONITORING			
MIC010	805238	VetScience B01 binocular microscope	20
MIC011	805240	VetScience B02 binocular microscope	20
MIC015	805242	VetScience T03 trinocular microscope	20
ECG003-100	805104	VET ECG VE300 - 3 channels	20
DOP143	805070	VET BP Doppler	21
MAP006	805330	PetMAP™ Graphic II blood pressure device	22
K/MAP009	805440	PetMAP™ g3 blood pressure device	22
K/MAP010II/5/BT	805448	PetMAP™ + II/5" Bluetooth blood pressure device	22
K/MAP011II/ANA/5/BT	805460	PetMAP™ + SpO_2/5" Bluetooth blood pressure device	22
K/MONIT510	805803	VitalSurv MM1 monitoring	24
K/MONIT520	805805	VitalSurv MM2 monitoring	24
CURE & CARE			
K/LAS102	807104	LaserFlex LT16 therapy laser	28
USCA207	806042	VET 200 Plus ultrasonic scaler	30
USCA208	806044	D7 LED ultrasonic scaler with tank	30
MAV206	806080	Strong micromotor and polisher	30
POM210	806366	ManoPump iV1 Plus infusion pump	31
POM202	806368	ManoPump iV1 Plus warmer module	31
POM300	806338	ManoPump iV2 infusion pump	31
WAR163	806710	Vet Temp 3 fluid warmer	32
SYR200	806664	ManoPump SP1 syringe pump	32
MAT0344/V2/24/EU	806840	Carbon Tech V2 24V/UE - 620 mm x 520 mm kennel model heating mat	33
MAT0342/V2/24/EU	806830	Carbon Tech V2 24V/UE - 1120 mm x 520 mm table model heating mat	33
CLINIC FITTINGS			
CUV-ULTRA06	800500	Ultra-C6 6L heating ultrasonic cleaner	36
CUV-ULTRA15	800502	Ultra-C15 15L heating ultrasonic cleaner	36
LAM300	800690	Aseptor Basic 255 M C UV-C germicidal flow lamp	38
LAM301	800694	Aseptor Basic 236 M C C UV-C germicidal flow lamp	38
NAT-HYG-001	800684	Hygeolis air purifier	38

Regarding accessories, lighting range and table range, please contact us for full details.

export@manomedical.com | +33 (0)2 96 85 86 76

mano médical
EQUIPMENT FOR VETS
by génia

22 rue Charles de Gaulle
22100 LANVALLAY
France

Tel. +33 (0)2 96 85 86 76
export@manomedical.com

Follow us!

