FMT

Medical Sensors, Cables and Accessories




PULSE OXIMETRY SENSORS

REV.46 1405.2024

Pulse Oximetry Sensors

Creating an Order Code

Why FMT Reusable SpO2 Sensors?



FMT-XXX / XXX-XX

1 2 3

1 Sensor Type

RAF	Adult Finger Clip Sensor
RAFB	Adult Finger Clip Sensor
RPF	Pediatric Finger Clip Sensor
RAS	Adult Soft Finger Sensor
RASB	Adult Soft Finger Sensor
RPS	Pediatric Soft Finger Sensor
RIS	Infant Soft Finger Sensor
RNS	Neonate Wrap Soft Sensor
RWS	Wrap Y Sensor
RYS	Y Sensor
REC	Ear Clip Sensor

2 Compatible Brand & Model

3 Sensor Length

- -	0.9 m (Empty)
LX	3.0 m direct sensor (X connector code)
S -	1.0 m direct sensor

FMT-RAS / NKN - LC




Pulse Oximetry Sensors

Sensor Types




RAF
Adult Finger Clip Sensor
Cable Length: 0.9 m or 3.0 m
Application: Adult > 40 kg
Application Site: Index or other finger



RAF (B)
Adult Finger Clip Sensor
Cable Length: 0.9 m or 3.0 m
Application: Adult > 40 kg
Application Site: Index or other finger



RPF
Pediatric Finger Clip Sensor
Cable Length: 0.9 m or 3.0 m
Application: Pediatric 10 - 40 kg
Application Site: Index or other finger



REC
Ear Clip Sensor
Cable Length: 0.9 m or 3.0 m
Application: Adult > 40 kg
Application Site: Ear



RAS
Adult Soft Finger Sensor
Cable Length: 0.9 m or 3.0 m
Application: Adult > 40 kg
Application Site: Index or other finger



RAS (B)
Adult Soft Finger Sensor
Cable Length: 0.9 m or 3.0 m
Application: Adult > 40 kg
Application Site: Index or other finger



RPS
Pediatric Soft Finger Sensor
Cable Length: 0.9 m or 3.0 m
Application: Pediatric 10 - 40 kg
Application Site: Index or other finger



RIS
Infant Soft Finger Sensor
Cable Length: 0.9 m or 3.0 m
Application: Infant 3-15 kg
Application Site: Index or other finger



RWS
Wrap Y Sensor
Cable Length: 0.9 m or 3.0 m
Application: Adult > 40 kg; Pediatric 10 - 40 kg; Infant 3-15 kg; Neonate 1- 4 kg
Application Site: Adult and Pediatric : Index or other finger / Infant: great toe / Neonate : foot



RNS
Neonate Wrap Soft Sensor
Cable Length: 0.9 m or 3.0 m
Application: Neonate 1- 4 kg
Application Site: Foot or hand palm



ECLP-01
Ear clip for RYS



RYS
Y Sensor
Cable Length: 0.9 m or 3.0 m
Application: Adult > 40 kg; Pediatric 10 - 40 kg; Infant 3-15 kg; Neonate 1- 4 kg
Application Site: Adult and Pediatric : Index or other finger / Infant : great toe / Neonate : foot or hand palm

Pulse Oximetry Sensors

Compatible Brands & Models

Brands & Models	Technology	Monitor Side Connector	Sensor Connector
Acendis			
APM 3000	OXIMAX	 Adapter & Extension Cable: AEC-5263 (2.4 m)	 Sensor: FMT-XXX/NLO (0.9 m)
Adecon			
DK7000/8000/8000D/8000L/8000M/8000N /8000S	NELLCOR	 Adapter & Extension Cable: AEC-5242 (2.4 m)	 Sensor: FMT-XXX/NLC (0.9 m)
	NELLCOR	 Direct Connect Sensor: FMT-XXX/ADC-L (3.0 m)	
Armstrong			
AD 900, 1000, 2000, 3000, 4000	BCI	 Adapter & Extension Cable: AEC-5105 (2.4 m)	 Sensor: FMT-XXX/BCI (0.9 m)
Baxter			
Explorer, Monarch	NELLCOR	 Adapter & Extension Cable: AEC-5104 (2.4 m)	 Sensor: FMT-XXX/NLC (0.9 m)
BCI			
	BCI	 Adapter & Extension Cable: AEC-5105 (2.4 m)	 Sensor: FMT-XXX/BCI (0.9 m)
3040/3100/3101/3300/3301/3302/3303/3304/3401, 9100/9200, Advisor, Autocorr, Fingerprint, Mini Torr/Plus	BCI	 Adapter & Extension Cable: AEC-5133 (2.4 m)	 Sensor: FMT-XXX/BCI (0.9 m)
6100 , 9100 SERENA	BCI	 Direct Connect Sensor: FMT-XXX/BCI-LR (3.0 m)	
Biolight			
M6 , M12	BIOLIGHT	 Direct Connect Sensor: FMT-XXX/BLT-LR (3.0 m)	
AnyView A2/2E/3/5/6/8, Q3/5/7, V6, M7000/8500	DIGITAL	 Adapter & Extension Cable: AEC-5230 (2.4 m)	 Sensor: FMT-XXX/BLT (0.9 m)
	DIGITAL	 Direct Connect Sensor: FMT-XXX/BLT-LC (3.0 m)	

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector
Biolight			
M9500	DIGITAL		
		Adapter & Extension Cable: AEC-5249 (2.4 m)	Sensor: FMT-XXX/BLT (0.9 m)
	DIGITAL		
		Direct Connect Sensor: FMT-XXX/BLT-LV (3.0 m)	
Biolight			
M8000A/9000/9000A	DIGITAL		
		Adapter & Extension Cable: AEC-5172 (2.4 m)	Sensor: FMT-XXX/NTG (0.9 m)
	DIGITAL		
		Direct Connect Sensor: FMT-XXX/CNC-LR (3.0 m)	
Bionet			
BM 3, BM 3 Plus, BM3 Wide	NELLCOR		
		Adapter & Extension Cable: AEC-5120 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
BM 5	NELLCOR		
		Adapter & Extension Cable: AEC-5151 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
Biosys			
BPM 200/700, Guardian, Sentry-NS.	NELLCOR		
		Adapter & Extension Cable: AEC-5104 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
BPM 300	NELLCOR		
		Adapter & Extension Cable: AEC-5135 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
	NELLCOR		
		Direct Connect Sensor: FMT-XXX/BYS-L (3.0 m)	
Bird			
4400	CSI		
		Adapter & Extension Cable: AEC-5146 (2.4 m)	Sensor: FMT-XXX/CRT (0.9 m)
	CSI		
		Direct Connect Sensor: FMT-XXX/CRT-LL (3.0 m)	

Pulse Oximetry Sensors


Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector
Bruker / Odam			
ALL	BCI		
		Adapter & Extension Cable: AEC-5141 (2.4 m)	Sensor: FMT-XXX/BCI (0.9 m)
	BCI		
		Direct Connect Sensor: FMT-XXX/BRC-L (3.0 m)	
Burdick Spacelabs			
100, PRO2	BCI		
		Adapter & Extension Cable: AEC-5105 (2.4 m)	Sensor: FMT-XXX/BCI (0.9 m)
Cardiac Science			
Diascope G2	NELLCOR		
		Adapter & Extension Cable: AEC-5186 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
5300/5350	OXIMAX		
		Adapter & Extension Cable: AEC-5149 (2.4 m)	Sensor: FMT-XXX/NLO (0.9 m)
Lifepak 12/15/20	MASIMO		
		Adapter & Extension Cable: AEC-5225 (2.4 m)	Sensor: FMT-XXX/MSM (0.9 m)*
	MASIMO		
		Adapter & Extension Cable: AEC-5215(2.4 m)	Sensor: FMT-XXX/MSD(0.9 m)*
Cardioline			
VSign 200	NELLCOR		
		Adapter & Extension Cable: AEC-5266 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
	NELLCOR		
		Direct Connect Sensor: FMT-XXX/CRD-L (3.0 m)	
Choice			
MD 300	BCI		
		Adapter & Extension Cable: AEC-5114 (2.4 m)	Sensor: FMT-XXX/BCI (0.9 m)

* Refurbished Only

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector
Choice			
	BCI		
		Direct Connect Sensor: FMT-XXX/CHC-LR (3.0 m)	
Colin			
BP88/ 306/ 508/ 808/ 885, PRESS-MATE SAT	NELLCOR		
		Adapter & Extension Cable: AEC-5104 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
BP308/ 408, BX5, BX10MA	MASIMO	 	
		Adapter & Extension Cable: AEC-5225 (2.4 m)	Sensor: FMT-XXX/MSM (0.9 m)*
BP308/ 408, BX5, BX10MA	MASIMO	 	
		Adapter & Extension Cable: AEC-5215 (2.4 m)	Sensor: FMT-XXX/MSD (0.9 m)*
Comen			
C80	OXIMAX		
		Adapter & Extension Cable: AEC-5228 (2.4 m)	Sensor: FMT-XXX/NLO (0.9 m)
Contec			
CMS 5000/5000C/5100/6000/6800/7000/7000Plus/8000/9000, HMS 6500	DIGITAL		
		Adapter & Extension Cable: AEC-5172 (2.4 m)	Sensor: FMT-XXX/NTG (0.9 m)
	DIGITAL		
		Direct Connect Sensor: FMT-XXX/CNC-LR (3.0 m)	
P VISE	NELLCOR		
		Adapter & Extension Cable: AEC-5197 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
Corpuls			
8/16	BCI		
		Adapter & Extension Cable: AEC-5129 (2.4 m)	Sensor: FMT-XXX/BCI (0.9 m)
3	MASIMO		
		Adapter & Extension Cable: AEC-5229 (2.4 m)	Sensor: FMT-XXX/MSM (0.9 m)
Criticare (CSI)			
501/503/504/507/508/581/1100, Poet Plus 8100, Poni, Scholar	CSI		
		Adapter & Extension Cable: AEC-5146 (2.4 m)	Sensor: FMT-XXX/CRT (0.9 m)

* Refurbished Only

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector
Criticare (CSI)			
501/503/504/507/508/581/1100, Poet Plus 8100, Poni, Scholar	CSI		Direct Connect Sensor: FMT-XXX/CRT-LL (3.0 m)
503 Spot/DX, 504 DX, 506 DX NP, Mini SpO2	CSI	 Adapter & Extension Cable: AEC-5145 (2.4 m)	 Sensor: FMT-XXX/CRT (0.9 m)
503 Spot/DX, 504 DX, 506 DX NP, Mini SpO2	CSI		Direct Connect Sensor: FMT-XXX/CRT-L (3.0 m)
CU Medical			
CU-HD1 Lifegain	OXIMAX	 Adapter & Extension Cable: AEC-5268 (2.4m)	 Sensor: FMT-XXX/NLO (0.9 m)
Datascope			
ACCUSTAT, ACCUTOR 3 / 4 SAT, ACCUTORR PLUS, PASSPORT	DATASCOPE	 Adapter & Extension Cable: N/A	 Sensor: FMT-XXX/DTS (0.9 m)
	DATASCOPE		Direct Connect Sensor: FMT-XXX/DTS-L (3.0 m)
Expert, Passport/2/2LT/V/XG, Accutorr V/Plus, Spectrum/OR, Trio, Duo, V12/21	NELLCOR	 Adapter & Extension Cable: AEC-5148 (2.4m)	 Sensor: FMT-XXX/NLC (0.9 m)
Expert, Passport/2/2LT/V/XG, Accutorr V/Plus, Spectrum/OR, Trio, Duo, V12/21	MASIMO	 Adapter & Extension Cable: AEC-5215 (2.4 m)	 Sensor: FMT-XXX/MSD (0.9 m)*
Expert, Passport/2/2LT/V/XG, Accutorr V/Plus, Spectrum/OR, Trio, Duo, V12/21	MASIMO	 Adapter & Extension Cable: AEC-5225 (2.4 m)	 Sensor: FMT-XXX/MSM (0.9 m)*
Digicare			
Digimax 5500	BCI	 Adapter & Extension Cable: AEC-5105 (2.4 m)	 Sensor: FMT-XXX/BCI (0.9 m)

* Refurbished Only

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector

Digicare

Digioxi 920, PO930, Oxitrace, Digimax

BCI



Adapter & Extension Cable: AEC-5133 (2.4 m)

Sensor: FMT-XXX/BCI (0.9 m)

BCI



Direct Connect Sensor: FMT-XXX/BCI-LR (3.0 m)

Digioxi 920, PO930, Oxitrace, Digimax

BCI



Adapter & Extension Cable: AEC-5144 (2.4 m)

Sensor: FMT-XXX/BCI (0.9 m)

Digioxi 920, PO930, Oxitrace, Digimax

BCI



Direct Connect Sensor: FMT-XXX/DGC-L (3.0 m)

Life Window 6000

BCI



Adapter & Extension Cable: AEC-5152 (2.4 m)

Sensor: FMT-XXX/BCI (0.9 m)

BCI



Direct Connect Sensor: FMT-XXX/DLW-L (3.0 m)

Dixtal Biomedica

DX 405, DX 2010, DX 2020, DX 2021, DX 2022, DX 2023, DX 2405, DX 2515, DX 7100, DX 7300, DX 8100.

NOVAMETRIX SUPER BRIGHT



Direct Connect Sensor: FMT-XXX/DXT (1.5 m) , FMT-XXX/DXT-L (3.0 m)

Dolphin

2100/2150

DOLPHIN



Adapter & Extension Cable: AEC-5153 (2.4 m)

Sensor: FMT-FMT-XXX/DLP (0.9 m)

Dräger Siemens

Oxipac 2000 / 2500

BCI



Adapter & Extension Cable: AEC-5105 (2.4 m)

Sensor: FMT-XXX/BCI (0.9 m)

Cato, Cicero EM, Evita 4, Julian, PB8800, VM1/3, RM1,Vamos PM 8010/8014/8040/8050/8060, Vitara, Vitalert 1000

NELLCOR



Adapter & Extension Cable: AEC-5154 (2.4 m)

Sensor: FMT-XXX/NLC (0.9 m)

Pulse Oximetry Sensors


Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector

Dräger Siemens


Micro 2, Sirecust 404-1/700/630, Sirem Module

NELLCOR



Adapter & Extension Cable: AEC-5131 (2.4 m) — Sensor: FMT-XXX/NLC (0.9 m)

NELLCOR



Direct Connect Sensor: FMT-XXX/SIE-L (3.0 m)

Infinity Vista / Gamma / Kappa, Siemens, SC 5000/6000/6002/7000/8000/9000 (XL)

NELLCOR



Adapter & Extension Cable: AEC-5168 (1.0 m) — Sensor: FMT-XXX/NLC (0.9 m)

OXIMAX



Adapter & Extension Cable: AEC-5219 (1.2 m) — Sensor: FMT-XXX/NLO (0.9 m)

MASIMO



Adapter & Extension Cable: AEC-5252 (1.2 m) — Sensor: FMT-XXX/MSD (0.9 m)

Edan

iM 50/60/70/80, iM9/9A/8/8A/8B

NELLCOR



Adapter & Extension Cable: AEC-5106 (2.4 m) — Sensor: FMT-XXX/NLC (0.9 m)

M9B, M8B

OXIMAX



Adapter & Extension Cable: AEC-5184 (2.4 m) — Sensor: FMT-XXX/NLO (0.9 m)

M9B, M8B

DIGITAL



Adapter & Extension Cable: AEC-5241 (2.4 m) — Sensor: FMT-XXX/NTG (0.9 m)

Elite V5/V6/V8, iM20

NELLCOR



Adaptör ve Uzatma Kablosu: AEC-5160 (2.4 m) — Prob: FMT-XXX/NLC (0.9 m)

Emtel

FX 2000P/3000

DIGITAL



Direct Connect Sensor: FMT-XXX/EMT-LD (3.0 m)

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector

Emtel

FX 2000P/3000

OXIMAX



Adapter & Extension Cable: AEC-5247 (2.4 m)

Sensor: FMT-XXX/NLO (0.9 m)

OXIMAX



Direct Connect Sensor: FMT-XXX/EMT-LO (3.0 m)

FX 3000MD

OXIMAX



Adapter & Extension Cable: AEC-5149 (2.4 m)

Sensor: FMT-XXX/NLO (0.9 m)

Entri Medical

PROPAQ 102, 104,106

NELLCOR



Adapter & Extension Cable: N/A

Sensor: FMT-XXX/NLC (0.9 m)

Fukuda Denshi

HG302 module, DS5100E, DS5300, DS5300W

NELLCOR



Adapter & Extension Cable: AEC-5104 (2.4 m)

Sensor: FMT-XXX/NLC (0.9 m)

Getemed

VitalGuard

NELLCOR



Adapter & Extension Cable: AEC-5148 (2.4 m)

Sensor: FMT-XXX/NLC (0.9 m)

GE Corometrics

188, 129, 128, 128F, 129F, 511, 556

NELLCOR



Adapter & Extension Cable: AEC-5104 (2.4 m)

Sensor: FMT-XXX/NLC (0.9 m)

188, 129, 511, 556

OHMEDA



Direct Connect Sensor: N/A

GE Critikon / Dinamap

Dinamap 8700 / 8710 / 8720, Dinamap Plus, OxyShuttle 1/2

CRITIKON



Direct Connect Sensor: N/A

Dinamap 9700, 9710, 9720, Dinamap PLUS, Compact, MPS, PRO 300 / 400.

NELLCOR



Adapter & Extension Cable: AEC-5104 (2.4 m)

Sensor: FMT-XXX/NLC (0.9 m)

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector

GE Critikon / Dinamap

Dinamap OxyTrak 8280 1846SX

CRITIKON



Direct Connect Sensor: N/A

GE Datex

S/5, AS/3, CS/3, CH S/2S/RS, CG 2S/2CS, Cardio Cap 1/2/5, Capnomac Ultima, Light, M series modules, Oscar 2, OSP200, Satlite Trans/Plus II, Ult SVI/SVO/SIO/S00.

DATEX



Adapter & Extension Cable: AEC-5111 (2.4 m)

Sensor: FMT-XXX/DTX (0.9 m)

GE



Adapter & Extension Cable: AEC-5187 (2.4 m)

Sensor: FMT-XXX/OXY (0.9 m)

GE



Adapter & Extension Cable: AEC-5204 (2.4 m)

Sensor: FMT-XXX/OXN (0.9 m)

DATEX



Direct Connect Sensor: FMT-XXX/DTX-L (3.0 m)

GE Datex Ohmeda

E series module i4 modular S5 monitors Corometrics 259, Dinamap V100, Carescape B650/V100, B20/30/40.

GE



Adapter & Extension Cable: AEC-5188 (2.4 m)

Sensor: FMT-XXX/OXY (0.9 m)

GE



Adapter & Extension Cable: AEC-5202 (2.4 m)

Sensor: FMT-XXX/OXN (0.9 m)

GE



Direct Connect Sensor: FMT-XXX/GOX-L (3.0 m)

GE Dinamap

DINAMAP PRO series V1, PRO1000 V2

NELLCOR



Adapter & Extension Cable: AEC-5148 (2.4 m)

Sensor: FMT-XXX/NLC (0.9 m)

* Refurbished Only

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector

GE Dinamap

Procare, Pro series V2, ProMap, Pro300/1000/1000V3

OXIMAX



Adapter & Extension Cable: AEC-5149 (2.4 m)

Sensor: FMT-XXX/NLO (0.9 m)

Dinamap Compact, MPS

OXIMAX



Adapter & Extension Cable: AEC-5140 (2.4 m)

Sensor: FMT-XXX/NLO (0.9 m)

Expert, Passport/2/2LT/V/XG, Accutorr V/Plus, Spectrum/OR, Trio, Duo, V12/21

MASIMO



Adapter & Extension Cable: AEC-5225 (2.4 m)

Sensor: FMT-XXX/MSM (0.9 m)*

MASIMO



Adapter & Extension Cable: AEC-5215(2.4 m)

Sensor: FMT-XXX/MSD(0.9 m)*

GE Hellige

Hellige SMU, SMK, Eagle 1000/2000/3000, CardioServ

NELLCOR



Adapter & Extension Cable: AEC-5159 (2.4 m)

Sensor: FMT-XXX/NLC (0.9 m)

GE Marquette

Eagle 1000/3000/4000, Dash 2000/3000/5000, Solar 8000, Tram Module 450SL/451/851, Corometrics 120/2120, MacLab, Responder 3000.

NELLCOR



Adapter & Extension Cable: AEC-5161 (2.4 m)

Sensor: FMT-XXX/NLC (0.9 m)

NELLCOR



Direct Connect Sensor: FMT-XXX/MRQ-L (3.0 m)

Dash 2500/4000/5000, Solar 8000i, Tram Module 451N/851N, Corometrics 250 series.

OXIMAX



Adapter & Extension Cable: AEC-5163 (2.4 m)

Sensor: FMT-XXX/NLO (0.9 m)

OXIMAX



Direct Connect Sensor: FMT-XXX/MRQ-LO (3.0 m)

MASIMO



Adapter & Extension Cable: AEC-5162 (2.4 m)

Sensor: FMT-XXX/MSD (0.9 m)*

* Refurbished Only

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector

GE Marquette

Dinamap, Procare, Pro Serisi V2,Pro 1000V3, Dash 2500/3000/4000/5000, Solar 8000M, Tram Modül 451M/851M.

MASIMO




Adapter & Extension Cable: AEC-5217 (2.4 m)



Sensor: FMT-XXX/MSM (0.9 m)*

MASIMO



Direct Connect Sensor: FMT-XXX/MRQ-LM (3.0 m)

GE Ohmeda

Ohmeda 3700/3710/3770/3775/3800/3900, OxiCap 5250 RGM, Biox 3740/3760/3800/4700, Rascal 2, OxiTip Plus, TuffSat.

OHMEDA



Adapter & Extension Cable: AEC-5190 (2.4 m)



Sensor: FMT-XXX/OXY (0.9 m)

OHMEDA



Adapter & Extension Cable: AEC-5205 (2.4 m)



Sensor: FMT-XXX/OXN (0.9 m)

Ohmeda 3700/3710/3770/3775/3800/3900, OxiCap 5250 RGM, Biox 3740/3760/3800/4700, Rascal 2, OxiTip Plus, TuffSat.

Marquette 7000 serisi, TRAM/AR, Modüler X00SL serisi

OHMEDA



Direct Connect Sensor: FMT-XXX/OHM-L (3.0 m) FMT-XXX/OHM-S (1.0 m)

Ohmeda Trusat, Trusat TD

GE



Adapter & Extension Cable: AEC-5189 (2.4 m)



Sensor: FMT-XXX/OXY (0.9 m)

GE



Adapter & Extension Cable: AEC-5201 (2.4 m)



Sensor: FMT-XXX/OXN (0.9 m)

GE Ohmeda

GE



Direct Connect Sensor: FMT-XXX/TRS-L (3.0 m)

Generra PaceTech

Vitalmax 4000 Series, 710B

NELLCOR



Adapter & Extension Cable: AEC-5119 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

NELLCOR



Adapter & Extension Cable: N/A



Sensor: FMT-XXX/NLC (0.9 m)

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector
Generra PaceTech VITALMAX 200, 300, 400, 530, 710, 800 series	NELLCOR		
		Adapter & Extension Cable: AEC-5108 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
Goldway UT4000A/F/A Pro/F Pro	BCI		
		Adapter & Extension Cable: AEC-5134 (2.4 m)	Sensor: FMT-XXX/BCI (0.9 m)
	BCI		
		Direct Connect Sensor: FMT-XXX/GLD-LL (3.0 m)	
	BCI		
		Adapter & Extension Cable: AEC-5132 (2.4 m)	Sensor: FMT-XXX/BCI (0.9 m)
	BCI		
		Direct Connect Sensor: FMT-XXX/ GLD-LR (3.0 m)	
	OXIMAX		
		Adapter & Extension Cable: AEC-5121 (2.4 m)	Sensor: FMT-XXX/NLO (0.9 m)
Guoteng GT9000E/B/F/M, GT9003B/F/M, Q5	NELLCOR		
		Adapter & Extension Cable: AEC-5143 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
Guoteng GT9000E/B/F/M, GT9003B/F/M, Q5	GUOTENG		
		Direct Connect Sensor: FMT-XXX/ GTG-LR (3.0 m)	
HealForce Prince 100F, Classic 90, Deluxe 70, Vital Sign Monitor.	DIGITAL		
		Direct Connect Sensor: FMT-XXX/PRN-LR (3.0 m)	
Healthdyne ALL	NONIN		
		Adapter & Extension Cable: AEC-5191 (2.4 m)	Sensor: FMT-XXX/NON (0.9 m)

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector
Huntleigh			
Smartsigns Compact 1000	DOLPHIN		
		Adapter & Extension Cable: AEC-5153 (2.4 m)	Sensor: FMT-XXX/DLP (0.9 m)
Infinium			
Omni, Omni II, Omni III, Omni (K), Omni Express, Omni Express VS	DIGITAL		
		Adapter & Extension Cable: AEC-5203 (2.4 m)	Sensor: FMT-XXX/NTG (0.9 m)
	DIGITAL		
		Direct Connect Sensor: FMT-XXX/IFM-L (3.0 m)	
Innomed			
Oxycard, Innocare-T	NELLCOR		
		Adapter & Extension Cable: AEC-5104 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
	NONIN		
		Adapter & Extension Cable: AEC-5191 (2.4 m)	Sensor: FMT-XXX/NON (0.9 m)
Innocare-S, Innocare-T12	NELLCOR		
		Adapter & Extension Cable: AEC-5101 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
Invicare			
ALL	BCI		
		Adapter & Extension Cable: AEC-5105 (2.4 m)	Sensor: FMT-XXX/BCI (0.9 m)
Invivo - MDE			
4500 Plus, 4500 Plus /1/2/3/, Millennia, Omega14 45, Omni-Trak, TVS, Sat Scout, Scout ES.	NELLCOR		
		Adapter & Extension Cable: AEC-5170 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
	INVIVO		
		Direct Connect Sensor: FMT-XXX/INV-L (3.0 m)	
MDE Escort M8, M12	MASIMO		
		Adapter & Extension Cable: AEC-5208 (2.4 m)	Sensor: FMT-XXX/MSM (0.9 m)*

* Refurbished Only

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector
Invivo - MDE			
Escort 100 OPT11A, Escort 300A, Escort II OPT 30, Prism	NELLCOR		
		Adapter & Extension Cable: AEC-5104 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
Ivy Biomedical			
405A, 405D	NELLCOR		
		Adapter & Extension Cable: N/A	Sensor: FMT-XXX/NLC (0.9 m)
405P, 405T	NELLCOR		
		Adapter & Extension Cable: AEC-5104 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
	MASIMO		
		Adapter & Extension Cable: AEC-5225 (2.4 m)	Sensor: FMT-XXX/MSM (0.9 m)*
SAT-Guard IVY2000, 405TM, 405CM	MASIMO		
		Adapter & Extension Cable: AEC-5215 (2.4 m)	Sensor: FMT-XXX/MSD (0.9 m)*
Konica Minolta			
Pulsox-300, Pulsox-300i and Check Sensore SP5C	MINOLTA		
		Direct Connect Sensor: FMT-XXX/MMH (0.9 m)*	
Kontron			
7840/7845/7137, Micromon, Minimon, Supermon, Kolormon Trakmon	BCI		
		Adapter & Extension Cable: AEC-5109 (2.4 m)	Sensor: FMT-XXX/BCI (0.9 m)
Kontron			
7840/7845/7137, Micromon, Minimon, Supermon, Kolormon Trakmon	BCI		
		Direct Connect Sensor: FMT-XXX/KNT-L (3.0 m)	
7840/7845/7137, Micromon, Minimon, Supermon, Kolormon, Trakmon	NELLCOR		
		Adapter & Extension Cable: AEC-5139 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
	OXIMAX		
		Adapter & Extension Cable: AEC-5158 (2.4 m)	Sensor: FMT-XXX/NLO (0.9 m)

* Refurbished Only

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector

Ktmed

KTPM 1010/1020/1030/1040/1050/1060/2002, Angelus

NELLCOR



Adapter & Extension Cable: AEC-5175 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

Larsen & Toubro

Galaxy

NELLCOR



Adapter & Extension Cable: AEC-5198 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

OXIMAX



Adapter & Extension Cable: AEC-5181 (2.4 m)




Sensor: FMT-XXX/NLO (0.9 m)

Lohmeier

ALL

LOHMEIER



Direct Connect Sensor: FMT-XXX/LHM (1.2 m) FMT-XXX/LHM-L (3.0)

Magna

MON-MTEK 30, 33, 35, 40, 80, 85, 1200, 1201, 1300, 1401, 1406, 1411, 1413, 1501, 1503, MOD02, MOD03

BCI



Adapter & Extension Cable: AEC-5105 (2.4 m)



Sensor: FMT-XXX/BCI (0.9 m)

Masimo

ALL

MASIMO



Adapter & Extension Cable: AEC-5225 (2.4 m)



Sensor: FMT-XXX/MSM (0.9 m)*

MASIMO



Direct Connect Sensor: FMT-XXX/MSM-L (3.0 m)*

Masimo

ALL

MASIMO



Adapter & Extension Cable: AEC-5215 (2.4 m)



Sensor: FMT-XXX/MSD (0.9 m)*

MedAir

Lifesense, Pulssense

BCI



Adapter & Extension Cable: AEC-5105 (2.4 m)



Sensor: FMT-XXX/BCI (0.9 m)

Mediana

YM-2002 series

NELLCOR



Adapter & Extension Cable: AEC-5104 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

* Refurbished Only

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector
Medlab			
NANOX2	BCI		
		Adapter & Extension Cable: AEC-5105 (2.4 m)	Sensor: FMT-XXX/BCI (0.9 m)
P-0X100, P-0X100L	BCI		
		Adapter & Extension Cable: AEC-5194 (2.4 m)	Sensor: FMT-XXX/BCI (0.9 m)
Medsource			
BPM200	NELLCOR		
		Adapter & Extension Cable: AEC-5104 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
MEK			
MP 100/110/111/200S/400/500/600/1000.	MEK		
		Adapter & Extension Cable: AEC-5147 (2.4 m)	Sensor: FMT-XXX/MEK (0.9 m)
MP 570/700/800/2500	MEK		
		Adapter & Extension Cable: AEC-5157 (2.4 m)	Sensor: FMT-XXX/MEK (0.9 m)
	MEK		
		Direct Connect Sensor: FMT-XXX/MEK-LD (3.0 m)	
MP1200	MEK		
		Adapter & Extension Cable: AEC-5177 (2.4 m)	Sensor: FMT-XXX/MEK (0.9 m)
MEK			
MP1200	MEK		
		Direct Connect Sensor: FMT-XXX/MEK-LH (3.0 m)	
	NELLCOR		
		Adapter & Extension Cable: AEC-5178 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
	NELLCOR		
		Direct Connect Sensor: FMT-XXX/MEK-LN (3.0 m)	

* Refurbished Only

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector
Mennen			
Horizon XL (Ohmeda)	OHMEDA		
		Direct Connect Sensor: FMT-XXX/OHM-L (3.0 m)	
Horizon XL/2000, Mercury 1200, MR1300, Envoy	NELLCOR		
		Adapter & Extension Cable: AEC-5180 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
Envoy	NELLCOR		
		Adapter & Extension Cable: AEC-5179 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
Envoy, Vitalogik 4000/4500.	NELLCOR		
		Adapter & Extension Cable: AEC-5192 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
	OXIMAX		
		Adapter & Extension Cable: AEC-5155 (2.4 m)	Sensor: FMT-XXX/NLO (0.9 m)
	MASIMO		
		Adapter & Extension Cable: AEC-5207 (2.4 m)	Sensor: FMT-XXX/MSM (0.9 m)*
Metrax Primedic			
DM1/3/10/30, ED-210/220/230/240	NELLCOR		
		Adapter & Extension Cable: AEC-5107 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
Metrax Primedic			
XD300/330/3 xe, Heart Save 6S	OXIMAX		
		Adapter & Extension Cable: AEC-5118 (2.4 m)	Sensor: FMT-XXX/NLO (0.9 m)
	OXIMAX		
		Adapter & Extension Cable: AEC-5156 (2.4 m)	Sensor: FMT-XXX/NLO (0.9 m)
Mindray			
PM 6000 / 7000 / 8000 / 9000, MEC1000/1200 2000, VS 800.	NELLCOR		
		Adapter & Extension Cable: AEC-5106 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)

* Refurbished Only

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector
Mindray			
	NELLCOR		Direct Connect Sensor: FMT-XXX/MND-L (3.0 m)
	OXIMAX		Adapter & Extension Cable: AEC-5206 (2.4 m)  Sensor: FMT-XXX/NLO (0.9 m)
	OXIMAX		Direct Connect Sensor: FMT-XXX/MND-LO (3.0 m)
	MASIMO		Adapter & Extension Cable: AEC-5209 (2.4 m)  Sensor: FMT-XXX/MSM (0.9 m)*
	MASIMO		Adapter & Extension Cable: AEC-5239 (2.4 m)  Sensor: FMT-XXX/MSD (0.9 m)*
PM-5000 / 6000 / 8000	NELLCOR		Adapter & Extension Cable: AEC-5136 (2.4 m)  Sensor: FMT-XXX/NLC (0.9 m)
PM-5000 / 6000 / 8000	MASIMO		Adapter & Extension Cable: AEC-5210 (2.4 m)  Sensor: FMT-XXX/MSM (0.9 m)*
Mindray			
BeneView T1/T5/T6/T8/T9, BeneHeart D6, iPM 9800/12/10/8, iMEC 12/10/8, VS600, VS900.	NELLCOR		Adapter & Extension Cable: AEC-5160 (2.4 m)  Sensor: FMT-XXX/NLC (0.9 m)
	NELLCOR		Direct Connect Sensor: FMT-XXX/MTN-L (3.0 m)
	OXIMAX		Adapter & Extension Cable: AEC-5167 (2.4 m)  Sensor: FMT-XXX/NLO (0.9 m)
	OXIMAX		Direct Connect Sensor: FMT-XXX/MTN-LO (3.0 m)

* Refurbished Only

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector

Mindray

MASIMO



Adapter & Extension Cable: AEC-5169 (2.4 m)



Sensor: FMT-XXX/MSM (0.9 m)*

MASIMO



Direct Connect Sensor: FMT-XXX/MTN-LM (3.0 m)

PM 9000, MEC509B

NELLCOR



Adapter & Extension Cable: AEC-5116 (2.4 m)



Sensor: FMT-XXX/NLC (3.0 m)

Nellcor

NPB 290/295/395, N 180/390/3000/6000

NELLCOR



Adapter & Extension Cable: AEC-5148 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

NELLCOR



Direct Connect Sensor: FMT-XXX/NLC-LN (3.0 m)

N 550/560/595/600x

OXIMAX



Adapter & Extension Cable: AEC-5149 (2.4 m)



Sensor: FMT-XXX/NLO (0.9 m)

OXIMAX



Direct Connect Sensor: FMT-XXX/NLO-LO (0.9 m)

NBP 190/3940/4000

OXIMAX



Adapter & Extension Cable: AEC-5140 (2.4 m)



Sensor: FMT-XXX/NLO (0.9 m)

All not listed above

NELLCOR



Adapter & Extension Cable: AEC-5104 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

Nellcor

NELLCOR



Direct Connect Sensor: FMT-XXX/NLC-L (3.0 m)

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector

NewTech Generalmed Solaris

VS-I, VS-V, Neupulse 8B — DIGITAL



Direct Connect Sensor: FMT-XXX/PRN-LR (3.0 m)

PM 9000A/9300 — DIGITAL



Adapter & Extension Cable: AEC-5124 (2.4 m)



Sensor: FMT-XXX/NTG (0.9 m)

PM 9000A/9300 — DIGITAL



Direct Connect Sensor: FMT-XXX/NTG-LR (3.0 m)

NT3 series — DIGITAL



Direct Connect Sensor:FMT-XXX/NTG-L (3.0 m)

Nihon Kohden

AL-800PA module, Life Scope series BSM-1101/2101/ BSM-3101/7100/7200/8200/8201/8301/8800/8800A OLV-1100A. — NIHON KOHDEN



Adapter & Extension Cable: AEC-5235 (2.4 m)



Sensor: FMT-XXX/NKN (1.6 m)



Direct Connect Sensor: FMT-XXX/NKN-LC (3.0 m)

AL900P module, BSM-1102, 9510, OGS-2000 — NELLCOR



Adapter & Extension Cable: AEC-5104 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

Life Scope series BSM-2300/2301A/2351/2353/2301/ 2303 BSM-4100/4101/4103/4111/4113/5100/5105/5135/6000 BSM-6301K/6501K/6701K/9510/9800 — NIHON KOHDEN



Adapter & Extension Cable: AEC-5122 (2.4 m)



Sensor: FMT-XXX/NKN (1.6 m)



Direct Connect Sensor: FMT-XXX/NKN-L (3.0 m)

Nihon Kohden

OPV-1500 Life Scope N / K, Oxypal OLV2700, Oxypal Neo OLV-3100. — NIHON KOHDEN





Adapter & Extension Cable: AEC-5112 (2.4 m)



Sensor: FMT-XXX/NKN (1.6 m)

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector
Nihon Kohden			
Life Scope TR, BSM-6000 series, BSM-6310K, BSM-6501K, BSM-6701K,AY-651P,AY-653P module.	OXIMAX		
		Adapter & Extension Cable: AEC-5200 (2.4 m)	Sensor: FMT-XXX/NLO (0.9 m)
	OXIMAX		
		Direct Connect Sensor: FMT-XXX/NKN-LO (3.0 m)	
	NIHON KOHDEN		
		Direct Connect Sensor: FMT-XXX/NKN-LR (3.0 m)	
Nonin			
PM90, PM900A, PM9300	NONIN		
		Adapter & Extension Cable: AEC-5191 (2.4 m)	Sensor: FMT-XXX/NON (0.9 m)
Novametrix			
505, 510, 511, 515, 515A, 515B, 515C, 520, 520A, 2001, 7000, 7100, Oxypleth	NOVAMETRIX		
		Adapter & Extension Cable: AEC-5142 (2.4 m)	Sensor: FMT-XXX/NVM (0.9 m)
	NOVAMETRIX		
		Direct Connect Sensor: FMT-XXX/NVM-L (3.0 m)	
Handheld 512, 513, 710, 745	NOVAMETRIX		
		Direct Connect Sensor: FMT-XXX/NVM (0.9 m)	
Palco			
300, 305, 340, 900, 960P, 5305	PALCO		
		Direct Connect Sensor: FMT-XXX/PLC (1.2 m)/FMT-XXX/PLC-L (3.0 m)	
Petaş			
KMA 800/375/275/175, PM 100/150	NELLCOR		
		Adapter & Extension Cable: AEC-5103 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
KMA 160/165/260/265/360/365	NELLCOR		
		Adapter & Extension Cable: AEC-5100 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
Philips HP			
78352C, 78354C, 78834C, M1020A, M1025B, M1205A, M1350, M1722A/B, M1732A/B, M2475B, Viridia A1, Viridia A3.	NELLCOR		
		Adapter & Extension Cable: AEC-5125 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector

Philips HP

M1020A, M2475B, M1732A/B, M1722A/B, 78833C, 78833A, 78834A, 78352C, 78352A

NELLCOR



Direct Connect Sensor: FMT-XXX/ HPB-L (3.0 m)

M3, M4, MP20, MP30, MP40, MP50, MP70, MP80, VM4, VM6, VM8

PHILIPS



Adapter & Extension Cable: AEC-5127 (2.4 m)

Sensor: FMT-XXX/HPS (1.0 m)

NELLCOR



Adapter & Extension Cable: AEC-5126 (2.4 m)

Sensor: FMT-XXX/NLC (0.9 m)

PHILIPS



Direct Connect Sensor: FMT-XXX/HPS-L (3.0 m), FMT-XXX/ HPS (1.0 m)

M1020B, M3000A/M3001A MMS, M3002A MMS X2, M8102A MP2, M8105A MP5

PHILIPS



Adapter & Extension Cable: AEC-5128 (2.4 m)

Sensor: FMT-XXX/ HPS (1.0 m)

MASIMO



Adapter & Extension Cable: AEC-5220 (2.4 m)

Sensor: FMT-XXX/ MSM (0.9 m)*

MASIMO



Adapter & Extension Cable: AEC-5221 (2.4 m)

Sensor: FMT-XXX/ MSD (0.9 m)*

M3, M4, MP20, MP30, MP40, MP50, MP70, MP80, VM4, VM6, VM8

OXIMAX



Adapter & Extension Cable: AEC-5223 (2.4 m)

Sensor: FMT-XXX/ NLO (0.9 m)

Viridia A1:M3921A, M3923A, A3:M3927A, M3929A

NELLCOR



Adapter & Extension Cable: AEC-5104 (2.4 m)

Sensor: FMT-XXX/NLC (0.9 m)

Physio Control Medtronic

Lifepak 12

NELLCOR



Adapter & Extension Cable: AEC-5104 (2.4 m)

Sensor: FMT-XXX/NLC (0.9 m)

* Refurbished Only

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector
Physio Control Medtronic			
Lifepak 12/20/20e	MASIMO		
		Adapter & Extension Cable: AEC-5225 (2.4 m)	Sensor: FMT-XXX/MSM (0.9 m)*
	MASIMO		
		Adapter & Extension Cable: AEC-5215 (2.4 m)	Sensor: FMT-XXX/MSD(0.9 m)*
Progetti			
EPG View	BCI		
		Adaptör & Uzatma Kablosu: AEC-5114 (2.4 m)	Sensor: FMT-XXX/BCI (0.9 m)
	BCI		
		Direct Connect Sensor: FMT-XXX/CHC-LR (3.0 m)	
RGB			
Omicrom FT Surveyor, Omicrom Vision, Oxydina	BCI		
		Adapter & Extension Cable: AEC-5102 (2.4 m)	Sensor: FMT-XXX/BCI (0.9 m)
RisingMed			
RPM 9000A/9000B/9000C	BCI		
		Direct Connect Sensor: FMT-XXX/RGB-LR (3.0 m)	
	NELLCOR		
		Direct Connect Sensor: FMT-XXX/RSD-L (3.0 m)	
Saadat			
Masimo Set olmayan tüm modeller	NELLCOR		
		Adapter & Extension Cable: AEC-5185 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
Aria, Alborz B5/B9, Novin S630/S740/S1600/S1800	MASIMO		
		Adapter & Extension Cable: AEC-5215 (2.4 m)	Sensor: FMT-XXX/MSD (0.9 m)*
Aria, Alborz B5/B9, Novin S630/S740/S1600/S1800	MASIMO		
		Adapter & Extension Cable: AEC-5225 (2.4 m)	Sensor: FMT-XXX/MSM (0.9 m)*

* Refurbished Only

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector
Sazgan Gostar			
Vista	NOVAMETRIX		
		Direct Connect Sensor: FMT-XXX/SAZ-L (3.0 m)	
Schiller			
Oximeter OX-1, Argus Pro	MASIMO		
		Adapter & Extension Cable: AEC-5215 (2.4 m)	Sensor: FMT-XXX/MSD (0.9 m)*
	MASIMO		
		Adapter & Extension Cable: AEC-5225 (2.4 m)	Sensor: FMT-XXX/MSM (0.9 m)*
Argus LCM, Physiogard TM910	BCI		
		Adapter & Extension Cable: AEC-5141 (2.4m)	Sensor: FMT-XXX/BCI (0.9m)
Argus TM7, CM8	BCI		
		Adapter & Extension Cable: AEC-5164 (2.4 m)	Sensor: FMT-XXX/BCI (0.9 m)
	NELLCOR		
		Adapter & Extension Cable: AEC-5165 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
Argus PRO, Argus LCM	NELLCOR		
		Direct Connect Sensor: FMT-XXX/SHA-L (3.0 m)	
	OXIMAX		
		Adapter & Extension Cable: AEC-5166 (2.4 m)	Sensor: FMT-XXX/NLO (0.9 m)
Argus TM7, CM8	MASIMO		
		Adapter & Extension Cable: AEC-5196 (2.4 m)	Sensor: FMT-XXX/MSD (0.9 m)*
	MASIMO		
		Adapter & Extension Cable: AEC-5216 (2.4 m)	Sensor: FMT-XXX/MSM (0.9 m)*

* Refurbished Only

Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector

Spacelabs

1050, 1600, 1700, 90369, 90469, 91220-B, 904, 96, Ultraview ve Ultraview SL

NELLCOR



Adapter & Extension Cable: AEC-5174 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

OXIMAX



Adapter & Extension Cable: AEC-5227 (2.4m)



Sensor: FMT-XXX/NLO (0.9 m)

90303B, 90309, 90351-0/6, 90465, 0466, 90489, 90651A-08, 90651-A, IM77, 90308, Scout

NELLCOR



Adapter & Extension Cable: AEC-5150 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

NELLCOR



Direct Connect Sensor: FMT-XXX/SPL-L (3.0 m)

90343/91343/96218 telemetry transmitters

NELLCOR



Adapter & Extension Cable: AEC-5240 (0.6 m)



Sensor: FMT-XXX/NLC (0.9 m)

Spengler

Monica 200/2000

NELLCOR



Adapter & Extension Cable: AEC-5176 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

S&W

Artema Diascope 2, Gamme 8000

NELLCOR



Adapter & Extension Cable: AEC-5113 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

NELLCOR



Direct Connect Sensor: FMT-XXX/SW-L (3.0 m)

Athena 9050, 9060

OHMEDA



Direct Connect Sensor: FMT-XXX/AT-L (3.0 m)

Triton

MP6-03 AX/RX/TX

NELLCOR



Adapter & Extension Cable: AEC-5234 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

NELLCOR



Direct Connect Sensor: FMT-XXX/TRT-L (3.0 m)


Pulse Oximetry Sensors

Compatible Brands & Models

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector
Utas			
UM 300 - 10 / 15	OXIMAX		
		Adapter & Extension Cable: AEC-5255 (2.4m)	Sensor: FMT-XXX/NLO (0.9 m)
Üzümcü			
Visio Mod	OXIMAX		
		Adapter & Extension Cable: AEC-5238 (2.4 m)	Sensor: FMT-XXX/NLO (0.9 m)
Visio	OXIMAX		
		Adapter & Extension Cable: AEC-5243 (2.4 m)	Sensor: FMT-XXX/NLO (0.9 m)
Vitalog			
HEPSİ	CSI		
		Adapter & Extension Cable: AEC-5146 (2.4 m)	Sensor: FMT-XXX/CRT (0.9 m)
	CSI		
		Direct Connect Sensor: FMT-XXX/CRT – LL (3.0 m)	
Welch Allyn			
Propaq 206-EL, 204-EL, 202-EL, 106- EL	NELLCOR		
		Adapter & Extension Cable: AEC-5104 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
Propaq 242	OXIMAX		
		Adapter & Extension Cable: AEC-5140 (2.4 m)	Sensor: FMT-XXX/NLO (0.9 m)
PIC 30, PIC 40 & PIC 50	OXIMAX		
		Adapter & Extension Cable: AEC-5212 (1.2 m)	Sensor: FMT-XXX/NLO (0.9 m)
Zoll			
Basic M & AED serisi	MASIMO		
		Adapter & Extension Cable: AEC-5225 (2.4 m)	Sensor: FMT-XXX/MSM (0.9 m)*
	MASIMO		
		Adapter & Extension Cable: AEC-5215 (2.4 m)	Sensor: FMT-XXX/MSD (0.9 m)*

* Refurbished Only

Why FMT Disposable SpO2 Sensors?



Features

- Ideal for extended monitoring or minimizing the risk of infection where the risk of cross-contamination is high.
- Special design that ensures easy and accurate sensor placement and functionality.
- Made of flexible shielded cable, high accuracy electronic components.
- 3M Microfoam™ foam type or Medaplast™ fabric type adhesive materials.
  These adhesive materials with medium adhesion maximize patient comfort and allow the sensor to be easily moved and quickly reapplied when repositioning.
- Four sizes of comfortable and accurate disposable sensors designed to fit adult, pediatric, infant and neonatal patients.They are compatible with major leading manufacturers of patient monitoring and pulse oximetry systems.
- High signal accuracy. Accuracy is ±2% between 70%-100%, below 70% unspecified.
  Added Faraday cage and shielding feature reduces the effect of magnetic interference from the environment and increases the accuracy of the measurement. All disposable sensors have two different layers of opaque material, covering electronic components for minimazing effects of ambient light.
- Provide accurate measurements for mobile patients, patients with low perfusion and low body temperature.


Sold in 24 pieces per pack.

Latex-free and meet industry standards for biocompatibility.

Pulse Oximetry Sensors

Compatible Brands & Models

Disposable SpO2 Sensors with Foam and Fabric type material



▼ Sensor Type	▼ Patient Type	▼ Patient Weight	▼ Cable Length	▼ Preferred Application Area
FMT-DAF/XXX-Y	Adult	>40 kg	45 cm	Index Finger
FMT-DPF/XXX-Y	Pediatric	10-50 kg	45 cm	Index Finger
FMT-DIF /XXX-Y	Infant	3-20 kg	90 cm	Big Toe
FMT-DNF/XXX-Y	Neonatal/Adult	<3 kg or >40 kg	90 cm	Lateral aspect of foot or Index finger (for adult)

▼ Compatible Brand	▼ Adult	▼ Pediatric	▼ Infant	▼ Neonatal / Adult
BCI*	FMT-DAF / BCI - Y	FMT-DPF / BCI - Y	FMT-DIF / BCI - Y	FMT-DNF / BCI - Y
Criticare(CSI)*	FMT-DAF / CSI - Y	FMT-DPF / CSI - Y	FMT-DIF / CSI - Y	FMT-DNF / CSI - Y
Datex*	FMT-DAF / DTX - Y	FMT-DPF / DTX - Y	FMT-DIF / DTX - Y	FMT-DNF / DTX - Y
GE OxyTip (UN Connector)*	FMT-DAF / OXY - Y	FMT-DPF / OXY - Y	FMT-DIF / OXY - Y	FMT-DNF / OXY - Y
GE TruSignal*	FMT-DAF / OXN - Y	FMT-DPF / OXN - Y	FMT-DIF / OXN - Y	FMT-DNF / OXN - Y
MEK*	FMT-DAF / MEK - Y	FMT-DPF / MEK - Y	FMT-DIF / MEK - Y	FMT-DNF / MEK - Y
Masimo (LNCS)*	FMT-DAF / MSM - Y	FMT-DPF / MSM - Y	FMT-DIF / MSM - Y	FMT-DNF / MSM - Y
Masimo (LNOP)*	FMT-DAF / MSD - Y	FMT-DPF / MSD - Y	FMT-DIF / MSD - Y	FMT-DNF / MSD - Y
Nellcor	FMT-DAF / NLC - Y	FMT-DPF / NLC - Y	FMT-DIF / NLC - Y	FMT-DNF / NLC - Y
Nellcor Oximax	FMT-DAF / NLO - Y	FMT-DPF / NLO - Y	FMT-DIF / NLO - Y	FMT-DNF / NLO - Y
Nihon Kohden	FMT-DAF / NKN - Y	FMT-DPF / NKN - Y	FMT-DIF / NKN - Y	FMT-DNF / NKN - Y
Nonin*	FMT-DAF / NON - Y	FMT-DPF / NON - Y	FMT-DIF / NON - Y	FMT-DNF / NON - Y
Novametrix*	FMT-DAF / NVM - Y	FMT-DPF / NVM - Y	FMT-DIF / NVM - Y	FMT-DNF / NVM - Y

* Manufactured upon order

Y: "Y" for wrap material. Please add "M" for microfoam, "F" for fabric material.

Example: FMT-DAF/NLC-F means fabric material, adult size, disposable SpO2 sensor for Nellcor.

Pulse Oximetry Sensors

Compatible Brands & Models

FMT-DVF Series single patient use SpO2 sensors

Due to the non-adhesive Velcro design, the repositioning of the sensor is possible for many times without deforming the sensor body.

FMT Single Patient ▼ Use Sensor	▼ Patient Type	▼ Patient Weight	Cable ▼ Lenght	Preffered ▼ Application Area
FMT-DVF/XXX	Neonatal/Adult	<3 kg or >30 kg (<6.6 lbs or >66 lbs)	90 cm	Lateral aspect of foot or Index finger (for adult)



● FMT-DVF/NLC



● FMT-DVF/NLO



● FMT-DVF/OXY

▼ Compatible Brand	▼ Neonatal / Adult
BCI*	FMT-DVF / BCI
Criticare(CSI)*	FMT-DVF / CSI
Datex*	FMT-DVF / DTX
GE OxyTip (UN Connector)*	FMT-DVF / OXY
GE TruSignal*	FMT-DVF / OXN
MEK*	FMT-DVF / MEK
Masimo (LNOP)*	FMT-DVF / MSD
Masimo (LNCS)*	FMT-DVF / MSM
Nellcor	FMT-DVF / NLC
Nellcor Oximax	FMT-DVF / NLO
Nihon Kohden	FMT-DVF / NKN
Nonin*	FMT-DVF / NON
Novametrix*	FMT-DVF / NVM

* Manufactured upon order

Pulse Oximetry Sensors

Adapters & Extension Cables

▼ Sensor Side Connector ▼ Monitor Side Connector

Acendis



- REF: AEC-5263

- APM 3000

DB9 female > Redel 8 pin, 0° keying, green cable collet, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor

Adecon



- REF: AEC-5242

- DK7000/8000/8000D/8000L/8000M/8000N/8000S.

DB9 female > Redel 6 pin, 0° keying, blue cable collet, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor

BCI



- REF: AEC-5105

- 3040/3100/3101/3300/3301/3302/3303/3304/3401, 9100/9200, Advisor, Autocorr, Fingerprint, Mini Torr/Plus.

DB9 female > DB9 male, 2.4 m
BCI SpO2 Set • BCI Sensor



- REF: AEC-5133

- 6100,9100 Serena.

DB9 female > Redel 7 pin, 0° keying, blue cable collet, 2.4 m
BCI SpO2 Set • BCI Sensor

Biocare



- REF: AEC-5248

- IM8/10/12/15

DB9 female > Round 10 pin blue connector, 2.4 m

Nellcor SpO2 Set • Nellcor Prob

Biolight



- REF: AEC-5199

- M6/12.

DB9 female > Redel 5 pin, 0° keying, blue cable collet, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5172

- M8000A/9000/9000A.

DB9 female > Redel 5 pin, 0° keying yellow cable collet, 2.4 m
Dijital SpO2 Set • Dijital Sensor



- REF: AEC-5230

- AnyView A2/2E/3/5/6/8, Q3/5/7, V6, M7000/8500.

DB9 female > Round 9 pin, blue connector, 2.4 m
Biolight SpO2 Set • Dijital Sensor



- REF: AEC-5249

- M9500.

DB9 female > Round 12 pin blue connector, 2.4 m
Biolight SpO2 Set • Dijital Sensor

Bionet



- REF: AEC-5120

- BM3, BM3Plus, BM3Wide.

DB9 female > Redel 7 pin, 0° keying, green cable collet, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor

Pulse Oximetry Sensors

Adapters & Extension Cables

▼ Sensor Side Connector ▼ Monitor Side Connector

Bionet



- REF: AEC-5151

- BM1, BM3, BM5, BM7.

DB9 female > Round 7 pin green connector, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor

Biosys



- REF: AEC-5104

- BPM 200/700, Guardian, Sentry-NS.

DB9 female > DB9 male white connector, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5135

- BPM300.

DB9 female > Mini DIN 6 pin black connector, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor

Bruker - Odam



- REF: AEC-5141

- All.

DB9 female > Round 12 pin light green connector, 2.4 m
BCI SpO2 Set • BCI Sensor

Cardiac Science



- REF: AEC-5186

- Diascope G2.

DB9 female > Redel 6 pin, 40° keying, blue cable collet, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5149

- 5300/5350.

DB9 female > DOC10, 14 pole blue connector, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor



- REF: AEC-5225

- 5300/5350.

DB9 female > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Masimo LNCS Sensor



- REF: AEC-5173

- 5300/5350.

DB9 female > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Nellcor Sensor
Masimo to Nellcor Converter



- REF: AEC-5215

- 5300/5350.

Masimo 6 pole connector > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Masimo LNOP Sensor

Pulse Oximetry Sensors

Adapters & Extension Cables

▼ Sensor Side Connector ▼ Monitor Side Connector

Cardioline



- REF: AEC-5266

- VSign 200

DB9 female > Redel 6 pin, keying, green cable collet, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor

Choice



- REF: AEC-5114

- MD300.

DB9 female > Redel 6 pin, 0° keying, yellow cable collet, 2.4 m
BCI SpO2 Set • BCI Sensor

Comen



- REF: AEC-5228

- C80.

DB9 female > Redel 8 pin, 40° keying, red cable collet, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor



- REF: AEC-5273

- Star 8000 E/F/H/C ve NC Series.

DB9 female > Round 12 pin white connector, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5274

- Star 8000 E/F/H/C ve NC Series.

DB9 female > Round 12 pin blue connector, 2.4 m
Digital SpO2 Set • Digital Sensor

Contec



- REF: AEC-5172

- CMS 5000/5000C/5100/6000/6800/7000/7000Plus/8000/9000, HMS 6500.

DB9 female > Redel 5 pin, 0° keying yellow cable collet, 2.4 m
Dijital SpO2 Set • Dijital Sensor



- REF: AEC-5197

- P Vise.

DB9 female > Redel 6 pin, 40° keying, green cable collet, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor

Corpuls



- REF: AEC-5129

- 8/16.

DB9 female > Round 12 pin light green connector, 2.4 m
BCI SpO2 Set • BCI Sensor



- REF: AEC-5229

- 3

DB9 female> Round 11 pin red connector, 2.4 m
MASIMO SpO2 Set • MASIMO Sensor

Criticare (CSI)



- REF: AEC-5145

- 503 Spot/DX, 504 DX, 506 DX NP, Mini SpO2.

DB9 female > DB6 male, 2.4 m
CSI SpO2 Set • CSI Sensor

Pulse Oximetry Sensors

Adapters & Extension Cables

▼ Sensor Side Connector ▼ Monitor Side Connector

Criticare (CSI)




- REF: AEC-5146

- 501/503/504/507/508/581/1100, Poet Plus 8100, Poni, Scholar.

DB9 female > Lemo metal, 5 pin, black cable collet, 2.4 m

CSI SpO2 Set • CSI Sensor

CU Medical



- REF: AEC-5268

- CU-HD1 Lifegain

DB9 female > Redel 8 pin 0° keying blue cable collet, 2.4 m

Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor

Datascope



- REF: AEC-5225

- Expert, Passport/2/2LT/V/XG, Accutorr V/Plus, Spectrum/OR, Trio, Duo, V12/21.

DB9 female > 3M 14 pole, 2.4 m

Masimo SpO2 Set • Masimo LNCS Sensor



- REF: AEC-5173

- Expert, Passport/2/2LT/V/XG, Accutorr V/Plus, Spectrum/OR, Trio, Duo, V12/21.

DB9 female > 3M 14 pole, 2.4 m

Masimo SpO2 Set • Nellcor Sensor

Masimo to Nellcor Converter



- REF: AEC-5215

- Expert, Passport/2/2LT/V/XG, Accutorr V/Plus, Spectrum/OR, Trio, Duo, V12/21.

Masimo 6 pole connector > 3M 14 pole, 2.4 m

Masimo SpO2 Set • Masimo LNOP Sensor

Digicare



- REF: AEC-5133

- Digioxi 920, P0930, Oxitrace, Digimax.

DB9 female > Redel 7 pin, 0° keying, blue cable collet, 2.4 m

BCI SpO2 Set • BCI Sensor



- REF: AEC-5144

- Digioxi 920, P0930, Oxitrace, Digimax.

DB9 female > DIN 8 pin, U type, 2.4 m

BCI SpO2 Set • BCI Sensor



- REF: AEC-5152

- Life Window 6000.

DB9 female > Hypertac 7 pin, black connector, 2.4 m

BCI SpO2 Set • BCI Sensor

Dolphin



- REF: AEC-5153

- 2100/2150.

DB9 female > 3M 14 pole, 2.4 m

Dolphin SpO2 Set • Dolphin Sensor

Pulse Oximetry Sensors

Adapters & Extension Cables

▼ Sensor Side Connector ▼ Monitor Side Connector

Dräger/Siemens



- REF: AEC-5131

- Micro 2, Sirecult 404-1/700/630, Sirem module.

  DB9 female > Round 10 pin light green connector, 2.4 m

  Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5138

- Infinity Vista / Gamma / Kappa, Siemens, SC 5000/6000/6002/7000/8000/9000 (XL).

  DB9 female > SM 7 pin blue connector, 2.4 m

  Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5168

- Infinity Vista / Gamma / Kappa, Siemens, SC 5000/6000/6002/7000/8000/9000 (XL).

  DB9 female > SM 7 pin blue connector, 1.2 m

  Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5218

- Infinity Vista / Gamma / Kappa, Siemens, SC 5000/6000/6002/7000/8000/9000 (XL).

  DB9 female > SM 7 pin light blue connector, 2.4 m

  Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor



- REF: AEC-5219

- Infinity Vista / Gamma / Kappa, Siemens, SC 5000/6000/6002/7000/8000/9000 (XL).

  DB9 female > SM 7 pin light blue connector, 1.2 m

  Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor



- REF: AEC-5232

- Infinity Vista / Gamma / Kappa, Siemens, SC 5000/6000/6002/7000/8000/9000 (XL).

  DB9 female > SM 7 pin light blue connector, 2.4 m

  Nellcor Oximax SpO2 Set • Nellcor Sensor

  Nellcor to Nellcor Oximax Converter



- REF: AEC-5233

- Infinity Vista / Gamma / Kappa, Siemens, SC 5000/6000/6002/7000/8000/9000 (XL).

  DB9 female > SM 7 pin light blue connector, 1.2 m

  Nellcor Oximax SpO2 Set • Nellcor Sensor

  Nellcor to Nellcor Oximax Converter



- REF: AEC-5252

- Infinity Vista / Gamma / Kappa, Siemens, SC 5000/6000/6002/7000/8000/9000 (XL).

  Masimo 6 pole connector> SM 7 pin light blue connector, 1.2 m

  Masimo SpO2 Set • Masimo LNOP Sensor



- REF: AEC-5269

- Infinity Vista / Gamma / Kappa, Siemens, SC 5000/6000/6002/7000/8000/9000 (XL).

  DB9 female > SM 7 pin light blue connector, 2.4 m

  Masimo SpO2 Set • Masimo LNCS Sensor

Pulse Oximetry Sensors

Adapters & Extension Cables

▼ Sensor Side Connector ▼ Monitor Side Connector

Dräger/Siemens



- REF: AEC-5154

- Cato, Cicero EM, Evita 4, Julian, PB8800, VM1/3, RM1,Vamos PM 8010/8014/8040/8050/8060, Vitara, Vitalert 1000.

DB9 female > Lemo plastik 8 pin white connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

Edan



- REF: AEC-5106

- iM 50/60/70/80, iM9/9A/8/8A/8B.

DB9 female > Redel 6 pin, 40° keying blue cable collet, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5241

- M9B, M8B.

DB9 female > Redel 5 pin, 0° keying yellow cable collet, 2.4 m

Digital SpO2 Set • Digital Sensor



- REF: AEC-5184

- M9B, M8B.

DB9 female > Redel 8 pin, 0° keying, blue cable collet, 2.4 m

Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor



- REF: AEC-5160

- Elite V5/V6/V8, iM20.

DB9 female > Round 7 pin blue connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

Emtel



- REF: AEC-5247

- FX 2000P/3000/3000MD.

DB9 female > Round 12pim, blue connector, 2.4 m

Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor

GE Datex Ohmeda



- REF: AEC-5111

- S/5, AS/3, CS/3, CH S/2S/RS, CG 2S/2CS, Cardio Cap 1/2/5, Capnomac Ultima, Light, M series modules, Oscar 2, OSP200, Satlite Trans/Plus II, Ult SVI/SVO/SIO/SOO.

DB9 female > DPK1 Round 10 socket grey connector, 2.4 m (OXY-C1)

Datex SpO2 Set • Datex Sensor



- REF: AEC-5187

- S/5, AS/3, CS/3, CH S/2S/RS, CG 2S/2CS, Cardio Cap 1/2/5, Capnomac Ultima, Light, M series modules, Oscar 2, OSP200, Satlite Trans/Plus II, Ult SVI/SVO/SIO/SOO.

OXY TIP Round > DPK1 Round 10 socket grey connector, 2.4 m (OXY-SL3)

Datex SpO2 Set • OxyTip Sensor



- REF: AEC-5204

- S/5, AS/3, CS/3, CH S/2S/RS, CG 2S/2CS, Cardio Cap 1/2/5, Capnomac Ultima, Light, M series modules, Oscar 2, OSP200, Satlite Trans/Plus II, Ult SVI/SVO/SIO/SOO.

TruSignal DB9 female > DPK1 Round 10 socket grey connector, 2.4 m (TS-N3)

Datex SpO2 Set • TruSignal Sensor

Pulse Oximetry Sensors

Adapters & Extension Cables

▼ Sensor Side Connector ▼ Monitor Side Connector

GE Datex Ohmeda



- REF: AEC-5189

- Ohmeda Trusat, Trusat TD.

OXY TIP Round > Tru Sat 9 pin grey connector, 2.4 m (OXY-MC3)
TruSat SpO2 Set • OxyTip Sensor



- REF: AEC-5201

- Ohmeda Trusat, Trusat TD.

TruSignal DB9 female > Tru Sat 9 pin grey connector, 2.4 m (TS-M3)
TruSat SpO2 Set • TruSat Sensor



- REF: AEC-5190

- Ohmeda 3700/3710/3770/3775/3800/3900, OxiCap 5250 RGM, Biox 3740/3760/3800/4700, Rascal 2, OxiTip Plus, TuffSat.

OXY TIP Round > Hypertac 7 pin black connector, 2.4 m (OXY-OL3)
Ohmeda SpO2 Set • OxyTip Sensor



- REF: AEC-5205

- Ohmeda 3700/3710/3770/3775/3800/3900, OxiCap 5250 RGM, Biox 3740/3760/3800/4700, Rascal 2, OxiTip Plus, TuffSat.

TruSignal DB9 female > Hypertac 7 pin black connector, 2.4 m (TS-H3)
Ohmeda SpO2 Set • TruSignal Sensor



- REF: AEC-5188

- E series module i4 modular S5 monitors, Corometrics 259, Dinamap V100, Carescape B650/V100, B20/30/40.

OXY TIP Round > Rectangle 11 pin blue connector, 2.4m (OXY-ES3)
Marquette SpO2 Set • OxyTip Sensor



- REF: AEC-5202

- E series module i4 modular S5 monitors, Corometrics 259, Dinamap V100, Carescape B650/V100, B20/30/40.

TruSignal DB9 female > Rectangle 11 pin blue connector, 2.4m (TS-G3)
Marquette SpO2 Set • TruSignal Sensor

GE Dinamap



- REF: AEC-5225

- Dinamap Pro 300/400/1000, Procare series.

DB9 female > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Masimo LNCS Sensor



- REF: AEC-5173

- Expert, Passport/2/2LT/V/XG, Accutorr V/Plus, Spectrum/OR, Trio, Duo, V12/21.

DB9 female > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Nellcor Sensor
Masimo to Nellcor Converter



- REF: AEC-5215

- Expert, Passport/2/2LT/V/XG, Accutorr V/Plus, Spectrum/OR, Trio, Duo, V12/21.

Masimo 6 pole connector > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Masimo LNOP Sensor

Pulse Oximetry Sensors

Adapters & Extension Cables

▼ Sensor Side Connector ▼ Monitor Side Connector

GE Dinamap



- REF: AEC-5149

- Procare, Pro series V2, ProMap, Pro300/1000/1000V3.

DB9 female > DOC10, 14 pole blue connector, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor



- REF: AEC-5140

- Compact, MPS.

DB9 female > DB9 male blue connector, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor

GE Hellige



- REF: AEC-5159

- Hellige SMU, SMK, Eagle 1000/2000/3000, CardioServ.

DB9 female > Hellige Round 10 pin light yellow connector, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor

GE Marquette



- REF: AEC-5161

- Eagle 1000/3000/4000, Dash 2000/3000/5000, Solar 8000, Tram module 450SL/451/851, Corometrics 120/2120, MacLab, Responder 3000.

DB9 female > Rectangle 11 pin blue connector, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5163

- Dash 2500/4000/5000, Solar 8000i, Tram module 451N/851N, Corometrics 250 series.

DB9 female > Rectangle 11 pin blue connector, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor



- REF: AEC-5162

- Dinamap, Procare, Pro Series V2,Pro 1000V3, Solar 8000M, Dash 2500/3000/4000/5000, Tram module 451M/851M.

Masimo 6 pole connector > Rectangle 11 pin blue connector, 2.4m
Masimo SpO2 Set • Masimo LNOP Sensor



- REF: AEC-5217

- Dinamap, Procare, Pro series V2,Pro 1000V3, Solar 8000M, Dash 2500/3000/4000/5000, Tram module 451M/851M.

DB9 female > Rectangle 11 pin blue connector, 2.4m
Masimo SpO2 Set • Masimo LNCS Sensor



- REF: AEC-5213

- Dash 2500/4000/5000, Solar 8000i, Tram module 451N/851N, Corometrics 250 series.

DB9 female > Rectangle 11 pin blue connector, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Sensor
Nellcor to Nellcor Oximax Converter



- REF: AEC-5222

- Dinamap, Procare, Pro serisi V2,Pro 1000V3, Solar 8000M, Dash 2500/3000/4000/5000, Tram modül 451M/851M.

DB9 female>Rectangle 11 pin blue connector,2.4m
Masimo SpO2 Set • Nellcor Sensor
Nellcor to Masimo Converter

Pulse Oximetry Sensors

Adapters & Extension Cables

▼ Sensor Side Connector ▼ Monitor Side Connector

Generra / Pace Tech



REF: AEC-5108

- Vitalmax 200, 300, 400, 530, 710, 800 Series.

DB9 female > Switchcraft 5 pole 2.4 m
Nellcor SpO2 Set • Nellcor Sensor



REF: AEC-5119

- Vital Max 4000 series, 710B.

DB9 female > Redel 7 pin 0° keying blue cable collet, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor

Goldway



REF: AEC-5132

- UT4000A/F/A Pro/F Pro.

DB9 female > Redel 5 pin 0° keying blue cable collet, 2.4 m
BCI SpO2 Set • BCI Sensor



REF: AEC-5134

- UT4000A/F/A Pro/F Pro.

DB9 female > Lemo metal 5 pin black cable collet, 2.4 m
BCI SpO2 Set • BCI Sensor



REF: AEC-5121

- UT4000A/F/A Pro/F Pro.

DB9 female > Redel 7 pin, 0° keying, blue cable collet, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor

Guoteng



REF: AEC-5143

- GT9000E/B/F/M, GT9003B/F/M, Q5.

DB9 female > Redel 6 pin, 0° keying, blue cable collet, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor

Huntleigh



REF: AEC-5153

- Smartsigns Compact 1000.

DB9 female > 3M 14 pole, 2.4 m
Dolphin SpO2 Set • Dolphin Sensor

Infinium



REF: AEC-5203

- Omni, Omni II, Omni III, Omni (K), Omni Express, Omni Express VS.

DB9 female > Redel 5 pin, 40° keying green cable collet, 2.4 m
Solaris SpO2 Set • Solaris Sensor

Pulse Oximetry Sensors

Adapters & Extension Cables

▼ Sensor Side Connector ▼ Monitor Side Connector

Innomed



- REF: AEC-5101

- Innocare-S, Innocare-T12.

DB9 female > Redel 7 pin, 40° keying black cable collet, 2.4 m

BCI SpO2 Set • Nellcor Sensor

Invivo - MDE



- REF: AEC-5170

- 4500 Plus, 4500 Plus /1/2/3/, Millennia, Omega14 45, Omni-Trak, TVS, Sat Scout, Scout ES.

DB9 female > Lemo metal 7 pin, black cable collet, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5208

- MDE Escort M8, M12.

DB9 female > Lemo metal 7 pin black cable collet, 2.4 m

Masimo SpO2 Set • Masimo LNCS Sensor



- REF: AEC-5171

- MDE Escort M8, M12.

DB9 female > Lemo metal 7 pin, black cable collet, 2.4 m

Masimo SpO2 Set • Nellcor Sensor

Nellcor to Masimo Converter

Ivy Medical



- REF: AEC-5225

- VitalGuard 450C.

DB9 female > 3M 14 pole, 2.4 m

Masimo SpO2 Set • Masimo LNCS Sensor



- REF: AEC-5173

- VitalGuard 450C.

DB9 female > 3M 14 pole, 2.4 m

Masimo SpO2 Set • Nellcor Sensor

Masimo to Nellcor Converter



- REF: AEC-5215

- VitalGuard 450C.

Masimo 6 pole connector > 3M 14 pole, 2.4 m

Masimo SpO2 Set • Masimo LNOP Sensor

Kontron



- REF: AEC-5109

- 7840/7845/7137, Micromon, Minimon, Supermon, Kolormon, Trakmon.

DB9 female > Round 6 pin orange connector, 2.4 m

BCI SpO2 Set • BCI Sensor

Pulse Oximetry Sensors

Adapters & Extension Cables

▼ Sensor Side Connector ▼ Monitor Side Connector

Kontron



- REF: AEC-5139

- 7840/7845/7137, Micromon, Minimon, Supermon, Kolormon, Trakmon.

DB9 dişi > Redel 7 pim, 80° kanallı gri kablo koruyucu, 2.4 m
Nellcor SpO2 Set • Nellcor Prob



- REF: AEC-5158

- 7840/7845/7137, Micromon, Minimon, Supermon, Kolormon, Trakmon.

DB9 dişi > Redel 8 pim 40° kanallı yeşil kablo koruyucu, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Prob

Ktmed



- REF: AEC-5175

- KTPM 1010/1020/1030/1040/1050/1060/2002, Angelus.

DB9 dişi > Redel 7 pim, 0° tek kanallı, mavi kablo koruyucu, 2.4 m
Nellcor SpO2 Set • Nellcor Prob

Larsen & Toubro



- REF: AEC-5198

- Galaxy serisi.

DB9 dişi > Yuvarlak 12 pim sarı konektör, 2.4 m
Nellcor SpO2 Set • Nellcor Prob



- REF: AEC-5181

- Galaxy serisi.

DB9 dişi > Yuvarlak 12 pim sarı konektör, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Prob

Medlab



- REF: AEC-5194

- P-0X100, P-0X100L.

DB9 dişi > Redel 7 pim, 80° kanallı mavi kablo koruyucu, 2.4 m
BCI SpO2 Set • BCI Prob

MEK



- REF: AEC-5147

- MP 100/110/111/200S/400/500/600/1000.

DB9 dişi > DB6 erkek sarı konektör, 2.4 m
MEK SpO2 Set • MEK Prob



- REF: AEC-5157

- MP 570/700/800/2500.

DB9 dişi > Mini DIN 7 pim turuncu konektör, 2.4 m
MEK SpO2 Set • MEK Prob

Pulse Oximetry Sensors

Adapters & Extension Cables

▼ Sensor Side Connector ▼ Monitor Side Connector

MEK



- REF: AEC-5177

- MP1200.

DB9 female > Round 8 pin yellow connector, 2.4 m
MEK SpO2 Set • MEK Sensor



- REF: AEC-5178

- MP1200.

DB9 female > Round 8 pin yellow connector, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor

Mennen



- REF: AEC-5180

- Horizon XL/2000, Mercury 1200, MR1300, Envoy.

DB9 female > Lemo metal 10 pin black cable collet, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5179

- Envoy.

DB9 female > Round 8 pin blue connector, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5192

- Envoy, Vitalogik 4000/4500.

DB9 female > Round 13 pin blue connector, 2.4 m
Masimo SpO2 Set • Nellcor Sensor
Nellcor to Masimo Converter



- REF: AEC-5207

- Envoy, Vitalogik 4000/4500/5000/5500/6000, Menntor X7.

DB9 female > Round 13 pin blue connector, 2.4 m
Masimo SpO2 Set • Masimo LNCS Sensor



- REF: AEC-5155

- Envoy, Vitalogik 4000/4500/5000/5500/6000, Menntor X7.

DB9 female > Round 13 pin blue connector, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor



- REF: AEC-5214

- Envoy, Vitalogik 4000/4500/5000/5500/6000, Menntor X7.

DB9 female > Round 13 pin blue connector, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Sensor
Nellcor to Nellcor Oximax Converter

Pulse Oximetry Sensors

Adapters & Extension Cables

▼ Sensor Side Connector ▼ Monitor Side Connector

Metrax - Primedic



- REF: AEC-5107

- DM1/3/10/30, ED-210/220/230/240.

DB9 female > Redel 7 pin, 0° keying blue cable collet, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5118

- DM1/3/10/30, ED-210/220/230/240.

DB9 female > Redel 8 pin, 40° keying green cable collet, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor



- REF: AEC-5156

- XD300/330/3 xe, Heart Save 6S.

DB9 female > Mini Snap 8 pin blue cable collet, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor

Mindray



- REF: AEC-5116

- PM 9000, MEC509B.

DB9 female > Lemo metal 5 pin black cable collet, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5106

- PM 6000, PM 7000, PM 8000, PM 9000, MEC1000/1200 2000, VS 800.

DB9 female > Redel 6 pin, 40° keying blue cable collet, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5206

- PM 6000, PM 7000, PM 8000, PM 9000, MEC1000/1200 2000, VS 800.

DB9 female > Redel 6 pin, 80° keying, blue cable collet, 2.4 m,
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor



- REF: AEC-5209

- PM 6000, PM 7000, PM 8000, PM 9000, MEC1000/1200 2000, VS 800.

DB9 female > Redel 6 pin, 60° keying blue cable collet, 2.4 m
Masimo SpO2 Set • Masimo LNCS Sensor



- REF: AEC-5239

- PM 6000, PM 7000, PM 8000, PM 9000, MEC1000/1200 2000, VS 800.

Masimo 6 pole connector > Redel 6 pin, 60° keying blue cable collet, 2.4 m
Masimo SpO2 Set • Masimo LNOP Sensor



- REF: AEC-5115

- PM 6000, PM 7000, PM 8000, PM 9000, MEC1000/1200 2000, VS 800.

DB9 female > Redel 6 pin, 60° keying blue cable collet, 2.4 m
Masimo SpO2 Set • Nellcor Sensor
Nellcor to Masimo Converter

Pulse Oximetry Sensors

Adapters & Extension Cables

▼ Sensor Side Connector ▼ Monitor Side Connector

Mindray



- REF: AEC-5136

- PM-5000 / 6000 / 8000.

DB9 female > Round 12 pin blue connector, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5210

- PM-5000 / 6000 / 8000.

DB9 female > Round 12 pin blue connector, 2.4 m
Masimo SpO2 Set • Masimo LNCS Sensor



- REF: AEC-5137

- PM-5000 / 6000 / 8000.

DB9 female > Round 12 pin blue connector, 2.4 m
Masimo SpO2 Set • Nellcor Sensor
Nellcor to Masimo Converter



- REF: AEC-5160

- BeneView T1/T5/T6/T8/T9, BeneHeart D6, iPM 9800/12/10/8 iMEC 12/10/8, VS600, VS900.

DB9 female > Round 7 pin blue connector, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5167

- BeneView T1/T5/T6/T8/T9, BeneHeart D6, iPM 9800/12/10/8 iMEC 12/10/8, VS600, VS900.

DB9 female > Round 8 pin grey connector, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor



- REF: AEC-5236

- BeneView T1/T5/T6/T8/T9, BeneHeart D6, iPM 9800/12/10/8 iMEC 12/10/8, VS600, VS900.

DB9 female > Round 8 pin grey connector, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Sensor
Nellcor to Nellcor Oximax Converter



- REF: AEC-5169

- BeneView T1/T5/T6/T8/T9, BeneHeart D6, iPM 9800/12/10/8 iMEC 12/10/8, VS600, VS900.

DB9 female > Round 7 pin white connector, 2.4 m
Masimo SpO2 Set • Masimo LNCS Sensor

Nellcor



- REF: AEC-5104

- All except those listed for Nellcor.

DB9 female > DB9 male white connector, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5110

- All except those listed for Nellcor.

DB9 female > DB9 male white connector, 1.2 m
Nellcor SpO2 Set • Nellcor Sensor

Pulse Oximetry Sensors

Adapters & Extension Cables

▼ Sensor Side Connector ▼ Monitor Side Connector

Nellcor



- REF: AEC-5148

- NPB 290/295/395, N 180/390/3000/6000.

DB9 female > 3M 14 pole grey connector, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5149

- N 550/560/595/600x.

DB9 female > DOC10, 14 pole blue connector, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor



- REF: AEC-5123

- N 550/560/595/600x.

DB9 female > DOC10, 14 pole blue connector, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Sensor
Nellcor to Nellcor Oximax Converter



- REF: AEC-5140

- NBP 190/3940/4000.

DB9 female > DB9 male, blue connector, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor



- REF: AEC-5130

- NBP 190/3940/4000.

DB9 female > DB9 male, blue connector, 1.2 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor



- REF: AEC-5182

- NBP 190/3940/4000.

DB9 female > DB9 male, blue connector, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Sensor
Nellcor to Nellcor Oximax Converter



- REF: AEC-5183

- NBP 190/3940/4000 .

DB9 female > DB9 male, blue connector, 0.2 m
Nellcor Oximax SpO2 Set • Nellcor Sensor
Nellcor to Nellcor Oximax Converter

Newtech Solaris



- REF: AEC-5124

- PM 9000A/9300.

DB9 female > Redel 6 pin, 40° keying, green cable collet, 2.4 m
Solaris SpO2 Set • Solaris Sensor

Nihon Kohden



- REF: AEC-5122

- Life Scope series BSM-2300/2301A/2351/2353/2301/ 2303
BSM-4100/4101/4103/4111/4113/5100/5105/5135/6000
BSM-6301K/6501K/6701K/9510/9800.

DB9 NK female > NK 15 pin, blue connector, 2.4 m
Nihon Kohden SpO2 Set • Nihon Kohden Sensor

Pulse Oximetry Sensors

Adapters & Extension Cables

▼ Sensor Side Connector ▼ Monitor Side Connector

Nihon Kohden



- REF: AEC-5200

- Life Scope TR, BSM-6000 series, BSM-6310K, BSM-6501K, BSM-6701K,AY-651P,AY-653P module.

DB9 NK female > NK 14 pin violet connector, 2.4 m

Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor



- REF: AEC-5235

- AL-800PA module, Life Scope series BSM-1101/2101/ BSM-3101/7100/7200/8200/8201/8301/8800/8800A OLV-1100A.

DB9 NK female > Round 10 pin, light green connector, 2.4 m

Nihon Kohden SpO2 Set • Nihon Kohden Sensor



- REF: AEC-5112

- OPV-1500 Life Scope N / K, Oxypal OLV2700, Oxypal Neo OLV-3100).

DB9 female > 3M 20 pin blue connector, 2.4 m

Nihon Kohden SpO2 Set • Nihon Kohden Sensor



- REF: AEC-5258

- Life Scope TR, BSM-6000 series, BSM-6310K, BSM-6501K, BSM-6701K,AY-651P,AY-653P module

DB9 female > NK 14 pin violet connector, 2.4 m

Masimo SpO2 Set • Masimo LNCS Sensor



- REF: AEC-5259

- Life Scope TR, BSM-6000 series, BSM-6310K, BSM-6501K, BSM-6701K,AY-651P,AY-653P module.

Masimo 6 pole > NK 14 pin violet connector, 2.4 m

Masimo SpO2 Set • Masimo LNOP Sensor

Nonin



- REF: AEC-5191

- Avant 2120, 9600, 9700, 8500 series, 9480 series.

DB9 female > DB9 male black connector, 2.4 m

Nonin SpO2 Set • Nonin Sensor



- REF: AEC-5195

- Avant 2120, 9600, 9700, 8500 series, 9480 series.

DB9 female > DB9 male black connector, 1.2 m

Nonin SpO2 Set • Nonin Sensor

Novametrix



- REF: AEC-5142

- 505, 510, 511, 515, 515A, 515B, 515C, 520, 520A, 2001, 7000, 7100, Oxypleth.

DB9 female > Hypertac 7 pin black connector, 2.4 m

Novametrix SpO2 Set • Novametrix Sensor

Petaş



- REF: AEC-5103

- KMA 800/375/275/175, PM 100/150.

DB9 female > Redel 6 pin, 40° keying yellow cable collet, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

Pulse Oximetry Sensors

Adapters & Extension Cables

▼ Sensor Side Connector ▼ Monitor Side Connector

Petaş



- REF: AEC-5100

- KMA 160/165/260/265/360/365.

DB9 female > DB9 male kit type with screws, grey connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

Philips HP



- REF: AEC-5246

- M3, M4, MP20, MP30, MP40, MP50, MP70, MP80, VM4, VM6, VM8.

DB9 female > D type 8 pin male blue connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

Nellcor to Nellcor Oximax Converter



- REF: AEC-5125

- 78352C, 78354C, 78834C, M1020A, M1025B, M1205A, M1350, M1722A/B, M1732A/B, M2475B, Viridia A1, Viridia A3.

DB9 female > Round 12 pin blue connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5126

- M3, M4, MP20, MP30, MP40, MP50, MP70, MP80, VM4, VM6, VM8.

DB9 female > D type 8 pin male blue connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5237

- M3, M4, MP20, MP30, MP40, MP50, MP70, MP80, VM4, VM6, VM8.

DB9 female > D type 8 pin male blue connector, 1.2 m

Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5275

- 861290, 863063, 863064, 863065, 863066, 863068, 863071, 863072, 863073, 863074, 863077, 863080, 863081, 863082, 863085, 863086, 863087, 863088, 863264, 863265, 863266, 863276, 863277, 863278, 863279, 865350, 865351, M1020B, M2703A, M2704A, M2705A, M3000A, M3001A, M3002A, M8102A, M8105A, M8105AT, M8105AS

DB9 female > D type 8 pin male blue connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5223

- M3, M4, MP20, MP30, MP40, MP50, MP70, MP80, VM4, VM6, VM8.

DB9 female > D type 8 pin male blue connector, 2.4 m

Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor



- REF: AEC-5127

- M1020A, M2475B, M1732A/B, M1722A/B, 78833C, 78833A, 78834A, 78352C, 78352A.

D type 8 pin, female > Round 12 pin blue connector, 2.4 m

Philips SpO2 Set • Philips Sensor



- REF: AEC-5128

- M1020B, M3000A/M3001A MMS, M3002A MMS X2, M8102A MP2, M8105A MP5.

D type, 8 pin female > D type 8 pin male blue connector, 2.4 m

Philips SpO2 Set • Philips Sensor



- REF: AEC-5220

- M1020B, M3000A/M3001A MMS, M3002A MMS X2, M8102A MP2, M8105A MP5.

DB9 female > D type 8 type male light blue connector, 2.4 m

Masimo SpO2 Set • Masimo LNCS Sensor

Pulse Oximetry Sensors

Adapters & Extension Cables

▼ Sensor Side Connector ▼ Monitor Side Connector

Philips HP



- REF: AEC-5221

- M1020B, M3000A/M3001A MMS, M3002A MMS X2, M8102A MP2, M8105A MP5.

Masimo 6 pole connector > D type 8 pin male light blue connector, 2.4 m

Masimo SpO2 Set • Masimo LNOP Sensor

Physio Control Medtronic



- REF: AEC-5104

- Lifepak 12.

DB9 female > DB9 male white connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5225

- Lifepak 12/20/20e.

DB9 female > 3M 14 pole, 2.4 m

Masimo SpO2 Set • Masimo LNCS Sensor



- REF: AEC-5173

- Lifepak 12/20/20e.

DB9 female > 3M 14 pole, 2.4 m

Masimo SpO2 Set • Nellcor Sensor

Masimo to Nellcor Converter



- REF: AEC-5215

- Lifepak 12/20/20e.

DB9 female > 3M 14 pole, 2.4 m

Masimo SpO2 Set • Masimo LNOP Sensor

Plusmed



- REF: AEC-5172

- CMS 8000, CMS 9000.

DB9 female > Redel 5 pin 0° kanallı, yellow cable collet, 2.4 m

Solaris SpO2 Set • Solaris Sensor

RGB



- REF: AEC-5102

- Omicrom FT Surveyor, Omicrom Vision, Oxydina.

DB9 female > Redel 7 pin, 0° keying, black cable collet, 2.4 m

BCI SpO2 Set • BCI Sensor

Saadat



- REF: AEC-5185

- All models except non-masimo set.

DB9 female > Round 6 pole, black connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5225

- Aria, Alborz B5/B9, Novin S630/S740/S1600/S1800.

DB9 female > 3M 14 pole, 2.4 m

Masimo SpO2 Set • Masimo LNCS Sensor

Pulse Oximetry Sensors

Adapters & Extension Cables

▼ Sensor Side Connector ▼ Monitor Side Connector

Saadat



- REF: AEC-5173

- Aria, Alborz B5/B9, Novin S630/S740/S1600/S1800.

DB9 female > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Nellcor Sensor
Masimo to Nellcor Çevirici



- REF: AEC-5215

- Aria, Alborz B5/B9, Novin S630/S740/S1600/S1800.

DB9 female > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Masimo LNOP Sensor

Schiller



- REF: AEC-5225

- Oximeter OX-1, Argus Pro.

DB9 female > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Masimo LNCS Sensor



- REF: AEC-5173

- Oximeter OX-1, Argus Pro.

DB9 female > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Nellcor Sensor
Masimo to Nellcor Çevirici



- REF: AEC-5215

- Oximeter OX-1, Argus Pro.

Masimo 6 pole connector > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Masimo LNOP Sensor



- REF: AEC-5141

- Argus LCM, Physiogard TM910.

DB9 female > Round 12 pin mint green connector, 2.4 m
BCI SpO2 Set • BCI Sensor



- REF: AEC-5164

- Argus TM7, CM8.

DB9 female > DIN 6 pin, black connector, 2.4 m
BCI SpO2 Set • BCI Sensor



- REF: AEC-5216

- Argus TM7, CM8.

DB9 female > DIN 7 pin, black connector, 2.4 m
Masimo SpO2 Set • Masimo LNCS Sensor



- REF: AEC-5196

- Argus TM7, CM8.

Masimo 6 pole connector > DIN 7 pin black connector, 2.4 m
Masimo SpO2 Set • Masimo LNOP Sensor

Pulse Oximetry Sensors

Adapters & Extension Cables

▼ Sensor Side Connector ▼ Monitor Side Connector

Schiller



- REF: AEC-5165

- Argus TM7, CM8.

DB9 female > DIN 7 pin, black connector, 2.4 m
Masimo SpO2 Set • Nellcor Sensor
Nellcor to Masimo Converter



- REF: AEC-5166

- Argus PRO, Argus LCM.

DB9 female > DIN 8 pin black connector, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor

S&W



- REF: AEC-5193

- Athena.

DB9 female > Round 10 socket purple connector, 2.4 m
Ohmeda SpO2 Set • Ohmeda Sensor



- REF: AEC-5113

- Artema, Diascope 1 / 2 / 3, Gamme 8000.

DB9 female > Round 10 socket pink connector, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor

Spacelabs



- REF: AEC-5150

- 90303B, 90309, 90351-0/6, 90465, 0466, 90489, 90651A-08, 90651-A, IM77, 90308, Scout.

DB9 female > Hypertac 7 pin black connector, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5174

- 1050, 1600, 1700, 90369, 90469, 91220-B, 904, 96, Ultraview ve Ultraview SL.

DB9 female > Ultraview 10 socket blue connector, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor



- REF: AEC-5227

- 1050, 1600, 1700, 90369, 90469, 91220-B, 904, 96, Ultraview ve Ultraview SL.

DB9 female > Ultraview 10 socket purple connector, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor



- REF: AEC-5240

- 90343/91343/96218 telemetry transmitters.

DB9 female > Hypertac mini 9 pin black connector, 0.6m
Nellcor SpO2 Set • Nellcor Sensor

Spengler



- REF: AEC-5176

- Monica 200/2000.

DB9 female > Redel 7 pin, 0° keying, blue cable collet, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor

Pulse Oximetry Sensors

Adapters & Extension Cables

▼ Sensor Side Connector ▼ Monitor Side Connector

Triton



- REF: AEC-5234

- MP6-03 AX/RX/TX.

DB9 female > Redel 9 pin, 0° keying, yellow cable collet, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor

Utas



- REF: AEC-5255

- UM 300 - 10 / 15.

DB9 female > Redel 8 pin, 0° keying, green cable collet, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor

Üzümcü



- REF: AEC-5238

- Visio Mod.

DB9 female > Redel 8 pin, 0° keying, blue cable collet, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor



- REF: AEC-5243

- Visio.

DB9 female > Redel 8 pin, 40° kanallı, kırmızı cable collet, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor

Welch Allyn



- REF: AEC-5212

- PIC30 / 40 / 50.

DB9 female > 7 pin, grey, 1.2 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor

Zoll



- REF: AEC-5225

- E, R, M ve AED serisi.

DB9 female > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Masimo LNCS Sensor



- REF: AEC-5173

- E, R, M ve AED serisi.

DB9 female > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Nellcor Sensor
Masimo'dan Nellcor Çevirici



- REF: AEC-5215

- E, R, M ve AED serisi.

Masimo 6 pole connector > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Masimo LNOP Sensor

FMT is registered trademark of Metko Ltd.

METKO
Medical Engineering Trade Company

Headquarter & Factory
İvedik O.S.B. Ağaç İşleri Sanayi Sit.
1354. Cad. 1358.Sok. No:9
06378 Yenimahalle

ANKARA / TÜRKİYE

Tel (pbx) : +90 312 387 12 46
Fax : +90 312 387 12 51

Branch
Atatürk Mah. Sedef Cad. 38.Ada
Ata Plaza 3-5 Blokları Kat:2 No:57
34758 Ataşehir

İSTANBUL / TÜRKİYE

Tel (pbx) : +90 216 455 91 21
Fax : +90 216 455 48 24

www.metkoltd.com

Other products, logos and company names mentioned herein may be trademarks of their respective owners and are not to be taken as an endorsement of affiliation with FMT®. The information in this catalogue has been carefully checked and it is believed to be accurate. Images in this catalogue are representative of items offered. Actual product may have slight visual differences. In the interest of continued product development, Metko reserves the right to make changes and improvements to this catalogue and the product it described any time, without notice or obligation.