FMT

Medical Sensors, Cables and Accessories



MEDICAL TEMPERATURE PROBES

REV.50 24.06.2024

Medical Temperature Probes

Reusable Skin (Surface) Temperature Probes (Adult / Pediatric) for Patient Monitoring

Ø 2.4 mm polyurethane cable, Ø10 mm stainless steel disc probe tip, ±0.1 accuracy between 25°C - 45°C



MEAS/YSI 400

REF: FMT400/AS (3.0 m)
REF: FMT400/AS-15 (1.5 m)
OEM P/N: 409B (MEAS/YSI, 3.0 m)

REF: FMT400/AS/Z (3.0 m)
REF: FMT400/AS/Z-15 (1.5 m)



HP - PHILIPS

REF: FMT400/AS/HP (3.0 m)
REF: FMT400/AS/HP-15 (1.5 m)
OEM P/N: 21078A (Philips, 3.0 m)



SIEMENS - DRAGER

REF: FMT400/AS/S (3.0 m)
REF: FMT400/AS/S-15 (1.5 m)
OEM P/N: 5204669 (Dräger, 3.0 m)
OEM P/N: 4329822 (Dräger, 1.5 m)



S&W

REF: FMT400/AS/SW (3.0 m)
REF: FMT400/AS/SW-15 (1.5 m)



GE

REF: FMT400/AS/GE (3.0 m)
REF: FMT400/AS/GE-15 (1.5 m)



MINDRAY

REF: FMT400/AS/MND (3.0 m)
REF: FMT400/AS/MND-15 (1.5 m)
OEM P/N: 0011-10-37393 (Mindray, 3.0 m)



BIOLIGHT

REF: FMT400/AS/BLT (3.0 m)
REF: FMT400/AS/BLT-15 (1.5 m)



EDAN

REF: FMT400/AS/EDN (3.0 m)
REF: FMT400/AS/EDN-15 (1.5 m)

REF: FMT400/AS/EDN/Z (3.0 m)
REF: FMT400/AS/EDN/Z-15 (1.5 m)

OEM P/N: M15-40007



INSPIRATION HEALTHCARE

REF: FMT400/AS/THT (3.0 m)



BELMONT MEDICAL

REF: FMT400/AS/MMM (3.0 m)

Medical Temperature Probes

Reusable Skin (Surface) Temperature Probes (Pediatric) for Patient Monitoring

Ø 2.4 mm polyurethane cable, Ø6 mm stainless steel disc probe tip, ±0.1 accuracy between 25°C - 45°C



MEAS/YSI 400

REF: FMT400/AS-S (3.0 m)
REF: FMT400/AS-15-S (1.5 m)

REF: FMT400/AS/Z-S (3.0 m)
REF: FMT400/AS/Z-15-S (1.5 m)



HP - PHILIPS

REF: FMT400/AS/HP-S (3.0 m)
REF: FMT400/AS/HP-15-S (1.5 m)



SIEMENS - DRAGER

REF: FMT400/AS/S-S (3.0 m)
REF: FMT400/AS/S-15-S (1.5 m)



S&W

REF: FMT400/AS/SW-S (3.0 m)
REF: FMT400/AS/SW-15-S (1.5 m)



GE

REF: FMT400/AS/GE-S (3.0 m)
REF: FMT400/AS/GE-15-S (1.5 m)



MINDRAY

REF: FMT400/AS/MND-S (3.0 m)
REF: FMT400/AS/MND-15-S (1.5 m)



BIOLIGHT

REF: FMT400/AS/BLT-S (3.0 m)
REF: FMT400/AS/BLT-15-S (1.5 m)



EDAN

REF: FMT400/AS/EDN-S (3.0 m)
REF: FMT400/AS/EDN-15-S (1.5 m)

REF: FMT400/AS/EDN/Z-S (3.0 m)
REF: FMT400/AS/EDN/Z-15-S (1.5 m)



INSPIRATION HEALTHCARE

REF: FMT400/AS/THT-S (3.0 m)



BELMONT MEDICAL

REF: FMT400/AS/MMM-S (3.0 m)

Medical Temperature Probes

Reusable Esophageal/Rectal (Central) Temperature Probes (Adult) for Patient Monitoring

Ø 4 mm TPR cable, ±0.1 accuracy between 25°C - 45°C



MEAS/YSI 400

REF: FMT400/AOR (3.0 m)
REF: FMT400/AOR-15 (1.5 m)
OEM P/N: 401 (MEAS/YSI, 3.0 m)

REF: FMT400/AOR/Z (3.0 m)
REF: FMT400/AOR/Z-15 (1.5 m)



HP - PHILIPS

REF: FMT400/AOR/HP (3.0 m)
REF: FMT400/AOR/HP-15 (1.5 m)

OEM P/N: 21075A (Philips, 3.0 m)



SIEMENS - DRAGER

REF: FMT400/AOR/S (3.0 m)
REF: FMT400/AOR/S-15 (1.5 m)
OEM P/N: 5204644 (Dräger, 3.0 m)
OEM P/N: 4329889 (Dräger, 1.5 m)



S&W

REF: FMT400/AOR/SW (3.0 m)
REF: FMT400/AOR/SW-15 (1.5 m)



GE

REF: FMT400/AOR/GE (3.0 m)
REF: FMT400/AOR/GE-15 (1.5 m)



MINDRAY

REF: FMT400/AOR/MND (3.0 m)
REF: FMT400/AOR/MND-15 (1.5 m)

OEM P/N: 0011-10-37392 (Mindray, 3.0 m)



BIOLIGHT

REF: FMT400/AOR/BLT (3.0 m)
REF: FMT400/AOR/BLT-15 (1.5 m)



EDAN

REF: FMT400/AOR/EDN (3.0 m)
REF: FMT400/AOR/EDN-15 (1.5 m)

REF: FMT400/AOR/EDN/Z (3.0 m)
REF: FMT400/AOR/EDN/Z-15 (1.5 m)

OEM P/N: M50-18927



BARD (ARCTIC SUN)

REF: FMT400/AOR/THT (3.0 m)

Medical Temperature Probes

Reusable Esophageal/Rectal (Central) Temperature Probes (Pediatric) for Patient Monitoring

Ø 3.3 mm TPR cable, ±0.1 accuracy between 25°C - 45°C



MEAS/YSI 400

REF: FMT400/POR (3.0 m)
REF: FMT400/POR-15 (1.5 m)
OEM P/N: 402 (MEAS/YSI, 3.0 m)

REF: FMT400/POR/Z (3.0 m)
REF: FMT400/POR/Z-15 (1.5 m)



HP - PHILIPS

REF: FMT400/POR/HP (3.0 m)
REF: FMT400/POR/HP-15 (1.5 m)

OEM P/N: 21076A (Philips, 3.0 m)



SIEMENS - DRAGER

REF: FMT400/POR/S (3.0 m)
REF: FMT400/POR/S-15 (1.5 m)
OEM P/N: 5204651 (Dräger, 3.0 m)
OEM P/N: 4329848 (Dräger, 1.5 m)



S&W

REF: FMT400/POR/SW (3.0 m)
REF: FMT400/POR/SW-15 (1.5 m)



GE

REF: FMT400/POR/GE (3.0 m)
REF: FMT400/POR/GE-15 (1.5 m)



MINDRAY

REF: FMT400/POR/MND (3.0 m)
REF: FMT400/POR/MND-15 (1.5 m)



BIOLIGHT

REF: FMT400/POR/BLT (3.0 m)
REF: FMT400/POR/BLT-15 (1.5 m)



EDAN

REF: FMT400/POR/EDN (3.0 m)
REF: FMT400/POR/EDN-15 (1.5 m)

REF: FMT400/POR/EDN/Z (3.0 m)
REF: FMT400/POR/EDN/Z-15 (1.5 m)



BARD (ARCTIC SUN)

REF: FMT400/POR/THT (3.0 m)

Medical Temperature Probes

Reusable Esophageal/Rectal (Central) Temperature Probes (Infant/Pediatric) for Patient Monitoring

Ø 2.4 mm TPU cable, ±0.1 accuracy between 25°C - 45°C



MEAS/YSI 400

REF: FMT400/IOR (3.0 m)
REF: FMT400/IOR-15 (1.5 m)

REF: FMT400/IOR/Z (3.0 m)
REF: FMT400/IOR/Z-15 (1.5 m)



HP - PHILIPS

REF: FMT400/IOR/HP (3.0 m)
REF: FMT400/IOR/HP-15 (1.5 m)



SIEMENS - DRAGER

REF: FMT400/IOR/S (3.0 m)
REF: FMT400/IOR/S-15 (1.5 m)



S&W

REF: FMT400/IOR/SW (3.0 m)
REF: FMT400/IOR/SW-15 (1.5 m)



GE

REF: FMT400/IOR/GE (3.0 m)
REF: FMT400/IOR/GE-15 (1.5 m)



MINDRAY

REF: FMT400/IOR/MND (3.0 m)
REF: FMT400/IOR/MND-15 (1.5 m)



BIOLIGHT

REF: FMT400/IOR/BLT (3.0 m)
REF: FMT400/IOR/BLT-15 (1.5 m)



BARD (ARCTIC SUN)

REF: FMT400/IOR/THT (3.0 m)

Medical Temperature Probes

Reusable Autoclavable Esophageal/Rectal (Central) Temperature Probes (Adult) for Patient Monitoring

Ø 4.0 mm TPR cable, ±0.1 accuracy between 25°C - 45°C

AUTOCLAVABLE 134°C Autoclave 273°F



MEAS/YSI 400

- REF: FMT400/AOR-A (3.0 m)
  REF: FMT400/AOR-A15 (1.5 m)
  OEM P/N: 401AC (MEAS/YSI, 3.0 m)
- REF: FMT400/AOR/Z-A (3.0 m)
  REF: FMT400/AOR/Z-A15 (1.5 m)
- REF: FMT400/AOR/GH-A (3.0 m)

HP-PHILIPS

- REF: FMT400/AOR/HP-A (3.0 m)
  REF: FMT400/AOR/HP-A15 (1.5 m)

SIEMENS - DRÄGER

- REF: FMT400/AOR/S-A (3.0 m)
  REF: FMT400/AOR/S-A15 (1.5 m)

MINDRAY

- REF: FMT400/ AOR /MND-A (3.0 m)
  REF: FMT400/ AOR /MND-A15 (1.5 m)

EDAN

- REF: FMT400/AOR/EDN-A (3.0 m)
  REF: FMT400/AOR/EDN-A15 (1.5 m)
- REF: FMT400/AOR/EDN/Z-A (3.0 m)
  REF: FMT400/AOR/EDN/Z-A15 (1.5 m)

Reusable Autoclavable Esophageal/Rectal (Central) Temperature Probes (Pediatric) for Patient Monitoring

Ø 3.3 mm TPR cable, ±0.1 accuracy between 25°C - 45°C

AUTOCLAVABLE 134°C Autoclave 273°F



MEAS/YSI 400

- REF: FMT400/POR-A (3.0 m)
  REF: FMT400/POR-A15 (1.5 m)
  OEM P/N: 402AC (MEAS/YSI, 3.0 m)
- REF: FMT400/POR/Z-A (3.0 m)
  REF: FMT400/POR/Z-A15 (1.5 m)
- REF: FMT400/POR/GH-A (3.0 m)

HP-PHILIPS

- REF: FMT400/POR/HP-A (3.0 m)
  REF: FMT400/POR/HP-A15 (1.5 m)

SIEMENS - DRÄGER

- REF: FMT400/POR/S-A (3.0 m)
  REF: FMT400/POR/S-A15 (1.5 m)

MINDRAY

- REF: FMT400/ POR /MND-A (3.0 m)
  REF: FMT400/ POR /MND-A15 (1.5 m)

EDAN

- REF: FMT400/POR/EDN-A (3.0 m)
  REF: FMT400/POR/EDN-A15 (1.5 m)
- REF: FMT400/POR/EDN/Z-A (3.0 m)
  REF: FMT400/POR/EDN/Z-A15 (1.5 m)

Medical Temperature Probes

Reusable Autoclavable Skin (Surface) Temperature Probes (Adult) for Patient Monitoring

Ø 3.3 mm TPR cable, Ø 10 mm stainless steel disc probe tip, ±0.1 accuracy between 25°C - 45°C

AUTOCLAVABLE 134°C Autoclave 273°F



MEAS/YSI 400

- REF: FMT400/AS-A (3.0 m)
  REF: FMT400/AS-A15 (1.5 m)
  OEM P/N: 409AC (MEAS/YSI, 3.0 m)
- REF: FMT400/AS/Z-A (3.0 m)
  REF: FMT400/AS/Z-A15 (1.5 m)

HP-PHILIPS

- REF: FMT400/AS/HP-A (3.0 m)
  REF: FMT400/AS/HP-A15 (1.5 m)

SIEMENS - DRÄGER

- REF: FMT400/AS/S-A (3.0 m)
  REF: FMT400/AS/S-A15 (1.5 m)

MINDRAY

- REF: FMT400/AS/MND-A (3.0 m)
  REF: FMT400/AS/MND-A15 (1.5 m)

EDAN

- REF: FMT400/AS/EDN-A (3.0 m)
  REF: FMT400/AS/EDN-A15 (1.5 m)
- REF: FMT400/ AS /EDN/Z-A (3.0 m)
  REF: FMT400/ AS /EDN/Z-A15 (1.5 m)

Ø 4.0 mm TPR cable, Ø 13 mm stainless steel disc probe tip, ±0.1 accuracy between 25°C - 45°C



- REF: FMT400/ AS /GH-A (3.0 m)

Reusable Tubular Temperature Probes for Rectal Temperature or Laboratory measurements

Ø 3.6 mm PVC cable,3 m cable lenght, ±0.1 accuracy between 25°C - 45°C



- REF: FMT400/ATB (Adult)
  OEM P/N: 403 (MEAS/YSI, 3.0 m)



- REF: FMT400/PTB (Pediatric)
  OEM P/N: 406 (MEAS/YSI, 3.0 m)

- *Compatible with 400 series Thermometers*
- *Stainless Steel Tube*
- *6.35 mm Phone Plug Connector*
- *High sensitivity to temperature change*

Adapter and Extension Cables for Reusable Temperature Probes with 6.35 mm Phone Plug

Ø 3.6 mm medical grade PVC cable, 2.4 m cable lenght



MEAS/YSI 400

REF: FMT400/AEC-E

REF: FMT400/AEC/Z-E



HP - PHILIPS

REF: FMT400/AEC-EHP



SIEMENS - DRAGER

REF: FMT400/AEC-ES



S&W

REF: FMT400/AEC-ESW



GE

REF: FMT400/AEC-EGE



MINDRAY

REF: FMT400/AEC-EMN



BIOLIGHT

REF: FMT400/AEC-EBL



INSPIRATION HEALTHCARE

REF: FMT400/AEC-ETHT



BELMONT MEDICAL

REF: FMT400/AEC-EMMM

Adapter and Extension Cables for Disposable Temperature Probes with 3.5 mm Mono Plug

Ø 3.6 mm medical grade PVC cable, 2.4 m cable lenght



MEAS/YSI 400

REF: FMT400/AEC-P

REF: FMT400/AEC/Z-P



HP - PHILIPS

REF: FMT400/AEC-PHP



SIEMENS - DRAGER

REF: FMT400/AEC-PS



S&W

REF: FMT400/AEC-PSW



GE

REF: FMT400/AEC-PGE



MINDRAY

REF: FMT400/AEC-PMN



BIOLIGHT

REF: FMT400/AEC-PBL



INSPIRATION HEALTHCARE

REF: FMT400/AEC-PTHT



BELMONT MEDICAL

REF: FMT400/AEC-PMMM

Adapter and Extension Cables for Disposable Temperature Probes with Molex Type Connector

Ø 3.6 mm medical grade PVC cable, 2.4 m cable lenght



MEAS/YSI 400

REF: FMT400/AEC

OEM P/N: 4940 (MEAS/YSI, 3.0 m)

REF: FMT400/AEC/Z



HP - PHILIPS

REF: FMT400/AEC-HP



SIEMENS - DRAGER

REF: FMT400/AEC-S



S&W

REF: FMT400/AEC-SW



GE

REF: FMT400/AEC-GE



MINDRAY

REF: FMT400/AEC-MN



BIOLIGHT

REF: FMT400/AEC-BL



INSPIRATION HEALTHCARE

REF: FMT400/AEC-THT



BELMONT MEDICAL

REF: FMT400/AEC-MMM

Medical Temperature Probes

Adapter and Extension Cables for Disposable Temperature Probes with RJ Type Connector

Ø 3.6 mm medical grade PVC cable, 2.4 m cable lenght



MEAS/YSI 400

REF: FMT400/AEC-R

OEM P/N: 4940RJ (MEAS/YSI, 3.0 m)

REF: FMT400/AEC/Z-R



HP - PHILIPS

REF: FMT400/AEC-RHP



SIEMENS - DRAGER

REF: FMT400/AEC-RS



S&W

REF: FMT400/AEC-RSW



GE

REF: FMT400/AEC-RGE



MINDRAY

REF: FMT400/AEC-RMN



BIOLIGHT

REF: FMT400/AEC-RBL



INSPIRATION HEALTHCARE

REF: FMT400/AEC-RTHT



BELMONT MEDICAL

REF: FMT400/AEC-RMMM

Adapter and Extension Cables for Reusable Temperature Probes

Ø 5.8 mm TPU cable, 45 cm cable lenght

GE

- REF: FMT400/AEC-EGE2



11 pin GE connector

Dual 6.35 Mono Socket

SPACELABS

- REF: FMT400/AEC-SPL



10 pin Spacelabs connector

Dual 6.35 Mono Socket

NIHON KOHDEN

- REF: FMT400/AEC-NKN



14 pin Nihon Kohden connector

Dual 6.35 Mono Socket

Air Flow - Temperature Probes for F&P MR850/HC550 Humidifiers



REF: FMT –AFT/A1 (1.25 m) for use with MR850/HC550 humidifier and 0.7m (28″) RT Series Breathing circuits / F&P P/N 900MR863
REF: FMT –AFT/A2 (1.65 m) for use with MR850/HC550 humidifier and 1.1m (44″) RT Series Breathing circuits / F&P P/N 900MR868
REF: FMT –AFT/A3 (1.85 m) for use with MR850/HC550 humidifier and 1.3m (52″) RT Series Breathing circuits / F&P P/N 900MR860
REF: FMT –AFT/A4 (2.05 m) for use with MR850/HC550 humidifier and 1,5m (60″) RT Series Breathing circuits / F&P P/N 900MR869
REF: FMT –AFT/A5 (2.35 m) for use with MR850/HC550 humidifier and 1.8m (72″) RT Series Breathing circuits / F&P P/N 900MR861

Reusable Oxygenator Temperature Probes

Ø 4.0 mm TPR cable, 3 m cable lenght, ±0.1°C accuracy between 25°C - 45°C

- REF: FMT400/OXY

OEM P/N: TMPMV (Dideco)



FMT400/OXY reusable oxygenator temperature probe for use with Dideco and Eurosets oxygenators.

- REF: FMT400/OXY-2

OEM P/N: 70 00 17 (Maquet)



FMT400/OXY-2 reusable oxygenator temperature probe for use with Maquet oxygenators.

Medical Temperature Probes

Disposable Temperature Probes for Patient Monitoring

90 cm lenght, ±0.1°C accuracy between 25° - 45°C

- **REF:** FMT400/AS-D
  OEM P/N: 4499 (MEAS/YSI)
  50 PCS/Box
  Disposable Surface (Skin) temperature probe for Adult / Pediatric patients. Ø6.8 mm stainless steel probe tip, medical grade PVC cable, Ø30 mm round DEHP and Latex Free probe cover.



Molex 03061023/02061131 equivalent molded connector

- **REF:** FMT400/AS-D2
  OEM P/N: 21091A (Philips)
  50 PCS/Box
  Philips Medical Disposable Surface (Skin) temperature probe for Adult / Pediatric patients. Ø1.9 mm probe tip, medical grade PVC cable, Ø30 mm round DEHP and Latex Free probe cover.



3.5 mm (1/8") mono jack, molded connector

- **REF:** FMT400/AOR-D
  OEM P/N: 4491 (MEAS/YSI)
  40 PCS/Box
  Disposable Central (Rectal) temperature probe for Adult / Pediatric patients. Ø3.0 mm (9 Fr) DEHP free medical grade PVC hose.



Molex 03061023/02061131 equivalent molded connector

- **REF:** FMT400/AOR-D2
  40 PCS/Box
  Disposable Central (Rectal) temperature probe for Pediatric patients. Ø2.3 mm (7 Fr) DEHP free medical grade PVC hose.



Molex 03061023/02061131 equivalent molded connector

- **REF:** FMT400/AOR-D3
  40 PCS/Box
  Disposable Central (Rectal) temperature probe for Adult patients. Ø4.0 mm (12 Fr) DEHP free medical grade PVC hose.



Molex 03061023/02061131 equivalent molded connector

- **REF:** FMT400/AOR-D4
  OEM P/N: 21090A (Philips)
  40 PCS/Box
  Philips Medical Disposable Central (Rectal) temperature probe for Adult patients. Ø4.0 mm (12 Fr) DEHP free medical grade PVC hose.



3.5 mm (1/8") mono jack, molded connector

- **REF:** FMT400/AOR-D5
  OEM P/N: M1837A (Philips)
  40 PCS/Box
  Philips Medical Disposable Central (Rectal) temperature probe for Adult / Pediatric patients. Ø3.0 mm (9 Fr) DEHP free medical grade PVC hose.



3.5 mm (1/8") mono jack, molded connector

- **REF:** FMT400/AOR-D6
  40 PCS/Box
  Philips Medical Disposable Central (Rectal) temperature probe for Pediatric patients. Ø2.3 mm (7 Fr) DEHP free medical grade PVC hose.



3.5 mm (1/8") mono jack, molded connector

Disposable Temperature Probes for Infant Warmer & Incubators

Medical grade PVC cable, ±0.1°C accuracy between 25° - 45°C

- **REF:** FMT-INC/SD
  OEM P/N: 68- 209-20 (Air Shields – Hill Rom)
  OEM P/N: MU06933 (Dräger)
  30 PCS/Box
  Air Shields Incubator; C-100, C-100QT, C-450QT, C550QT, C550 QT – Model XL, Infant Intensive Care Systems; 78-000-50, 78-001-70, 78-280-70, 78-070-70, Infant Warmers; 78-270-70, 78-275-70, Delivery Rooms; 78-285-75, 78-285-70, Birthing Room Warmer; 78-290-70.



DIN 3 pin equivalent plastic connector, 155 cm cable length

- **REF:** FMT-INC/SD2
  OEM P/N: MX11000 & MX11001 (Dräger)
  30 PCS/Box
  Drager Incubator; Caleo, 8000, 8000 IC, 8000NC, 8000SC, Transport Incubator; TI 5400, Infant Warmers; 8000 WB, 8004, 8010.



2 pin rectangular elbow connector, 75 cm cable length

- **REF:** FMT-INC/SD3
  OEM P/N: 6600-0873-700 (GE)
  30 PCS/Box
  Giraffe Omnibed, Panda.



3 pin molded connector, 155 cm cable length

Medical Temperature Probes

Reusable Temperature Probes for Infant Warmer & Incubators

Polyurethane cable, 1.5 m cable lenght, ±0.1°C accuracy between 25°C - 45°C

- REF: FMT-INC/AA

  OEM P/N: 68 209 81 (Air Shields – Hill Rom)
  OEM P/N: MU06956 (Drager)

  Air Auxiliary Probe
  Air Shields Incubator; C-400QT *, C-450QT *, C-500QT, C-500QT–Model XL. (* Two types of Air Auxiliary probes available for these models please check the connector type)



DIN 6 pin equivalent molded connector

- REF: FMT-INC/A

  OEM P/N: 68 209 80 (Air Shields – Hill Rom)
  OEM P/N: MU06955 (Drager)

  Air Auxiliary Probe
  Air Shields Incubator; C-100, C-100QT, C-200, C-200QT, C-400QT *, C-450QT *. (* Two types of Air Auxiliary probes available for these models please check the connector type)



DIN 2 pin equivalent molded connector

- REF: FMT-MAP

  OEM P/N: 68 214 70 (Air Shields – Hill Rom)

  High Temperature Alarm Probe
  Air Shields Incubator; C-100, C-100QT, C-200, C-200QT, C-400QT, C-450QT.



- REF: FMT-AFP

  OEM P/N: 68 214 86 (Air Shields – Hill Rom)

  Air Flow Probe
  Air Shields Incubator; C-100, C-100QT, C-200, C-200QT, C-400QT, C-450QT



- REF: FMT-INC/S

  OEM P/N: 68 209 70 (Air Shields – Hill Rom)
  OEM P/N: MU06951 (Drager)

  Skin (Surface) Probe
  Air Shields Incubator; C-100, C-100QT, C-450QT, C550 QT, C550 QT – Model XL, Infant Intensive Care Systems; 78-000-50, 78-001-70, 78-280-70, 78-070-70, Infant Warmers; 78-270-70, 78-275-70, Delivery Rooms; 78-285-75, 78-285-70, Birthing Room Warmer; 78-290-70



DIN 3 pin equivalent molded connector, Ø 10mm disc

- REF: FMT-INC/SRS

  OEM P/N: 81 300 05 (Air Shields – Hill Rom)
  OEM P/N: MU11225-03 (Drager)

  Skin (Surface) Probe
  Air Shields - Hill Rom – Drager Infant Warmer; Resuscitaire



DIN 6 pin equivalent molded connector, Ø 10mm disc

- REF: FMT-INC/SO

  OEM P/N: 0208-0697-700 (Ohmeda / Ohio Old)
  OEM P/N: 6600-0628-700

  Skin (Surface) Probe
  Ohmeda / Ohio Care Plus Series 1000/2000/3000/4000, General Care (GC), Infant Care (IC), Infant Warmer Systems (IWS) 2001 / 3000 / 3050 / 3100 / 3150 / 3300-Panda / 3400 / 3500 / 4000 / 4300 / 4400 / 5000. .



3.5 mm (1/8") mono jack, molded connector, Ø 10mm disc

- REF: FMT-INC/SO2

  OEM P/N: 208-0161-300 (Ohmeda / Ohio)
  OEM P/N: 208-0754-700

  Skin (Surface) Probe
  Ohmeda / Ohio 190, 190A and 190ASC Incubators and Infant Warmers



6.35 mm (1/4") mono jack, molded connector, Ø 10mm disc

Medical Temperature Probes

Reusable Temperature Probes for Infant Warmer & Incubators

Polyurethane cable, 1.5 m cable lenght, ±0.1°C accuracy between 25° - 45°C

- REF: FMT-INC/SGR
  OEM P/N: 6600-0875-700 (GE / Ohmeda)

  Skin (Surface) Probe
  GE (Ohmeda) Giraffe Omnibed Incubators and Panda Infant Warmers (New).



3 pin molded connector, Ø 10mm disc

- REF: FMT-INC/SA
  OEM P/N: 60882 (Atom Medical)

  Skin (Surface) Probe
  Atom Medical V-2100 / 2100G / 2200 / 3200, V-5005 / 505ST / 80 / 800 / 808 Transcapsule 850 Incubators and Infant Warmers.



Mini DIN 6 pin molded connector, Ø 10mm disc

- REF: FMT-INC/SA-S
  OEM P/N: 60883 (Atom Medical)

  Skin (Surface) Probe
  Atom Medical V-2100 / 2100G / 2200 / 3200, V-5005 / 505ST / 80 / 800 / 808 Transcapsule 850 Incubators and Infant Warmers.



Mini DIN 6 pin molded connector, Ø 6 mm disc

- REF: FMT-INC/ST
  OEM P/N: 60881 (Atom Medical)

  Skin (Surface) Probe
  Atom Medical V-2100 / 2100G / 2200 / 3200, V-5005 / 505ST / 80 / 800 / 808 Transcapsule 850 Incubators and Infant Warmers.



Mini DIN 4 pin molded connector, Ø 10mm disc

- REF: FMT-INC/ST-S
  OEM P/N: 60881 (Atom Medical)

  Skin (Surface) Probe
  Atom Medical V-2100 / 2100G / 2200 / 3200, V-5005 / 505ST / 80 / 800 / 808 Transcapsule 850 Incubators and Infant Warmers.



Mini DIN 4 pin molded connector, Ø 6mm disc

- REF: FMT-INC/SND
  OEM P/N: 02 025 00 (Ningbo David Medical)

  Skin (Surface) Probe
  Ningbo David Medical YP-2000 / 970 / 930 / 920 / 910 / 90 / 90A / 90B / 90AB / 100 / 100A / 100B / 100AB, HKN-93 / 93A / 93B / 9010 / 2000 / 90 Incubators and Infant Warmers.



Mini DIN 4 pin molded connector, Ø 10mm disc

- REF: FMT-INC/SND2
  OEM P/N: P02 025 00 (Ningbo David Medical)
  OEM P/N: 13.07.088.00

  Skin (Surface) Probe
  Ningbo David Medical YP-2000 / 970 / 930 / 920 / 910 / 90 / 90A / 90B / 90AB / 100 / 100A / 100B / 100AB Incubators.



REDEL 4 pin one notch connector, Ø 10mm disc

- REF: FMT-INC/SND3
  OEM P/N: 23 07 064 00 (Ningbo David Medical)

  Skin (Surface) Probe
  Ningbo David Medical HKN-93 / 93A / 93B / 9010 / 2000 / 90 Infant Warmers.



REDEL 6 pin one notch connector, Ø 10mm disc

Medical Temperature Probes

Reusable Temperature Probes for Infant Warmer & Incubators

Polyurethane cable, 1.5 m cable lenght, ±0.1°C accuracy between 25° - 45°C

- REF: FMT-INC/MDP
  OEM P/N: 36 17 (Mediprema)

  Skin (Surface) Probe
  Mediprema Satis 3552 / 3555 Incubators.



REDEL 4 pin two notch 60° connector, Ø 10mm disc

- REF: FMT-INC/SFP
  OEM P/N: 900IW001 (Fisher & Paykel Healthcare)

  Skin (Surface) Probe
  Fisher & Paykel Healthcare IW 910 / IW 920 / IW930 CosyCot / IW931 / IW932 / IW933 / IW934 / IW950 CosyCot / IW980 / 990 Infant Warmers.



4.39 mm (0.173") stereo jack, molded connector, Ø 10mm disc

- REF: FMT-INC/SIS
  OEM P/N: 83 102 41 (Air Shields – Hill Rom)
  OEM P/N: MU12533 (Dräger)

  Skin (Surface) Probe
  Air Shields Isolette C2000 Incubators and Versalet 7700 Care centers.



Mini DIN 5 pin equivalent molded connector, Ø 10mm disc

- REF: FMT-INC/SAD
  OEM P/N: 68 20 972 (Air Shields – Drager)

  Skin (Surface) Probe
  Air Shields - Drager 7810 Incubators.



DIN 4 pin connector, Ø 10mm disc

Disposable Incubator Probe Adaptor and Extension Cables

Polyurethane cable, 0.7 m cable lenght

- REF: FMT-AEC/SIS
  OEM P/N: MU12520x (Air Shields – Dräger)



Mini DIN 5 equivalent molded connector

4 pin connector

Disposable Reflective Temperature Probe Covers

FMT disposable foam type temperature probe covers are designed with the delicate skin of your smallest patients in mind. The specially formulated acrylic adhesive securely anchors the temperature probe to the infant's skin and is gentle and non-irritating when removed or repositioned. The reflective insulator serves as a barrier against ambient and radiant heat while allowing the most accurate sensing of the patient's true skin temperature.

FMT probe covers are completely latex and DEHP free.



Ø 26 mm (1") Diameter
Color: Silver Grey

100 pcs/pack

- REF: FMT-PC26



Ø 30 mm (1.2") Diameter
Color: Silver Grey

100 pcs/pack

- REF: FMT-PC30

FMT is registered trademark of Metko Ltd.

METKO
Medical Engineering Trade Company

Headquarter & Factory
İvedik O.S.B. Ağaç İşleri Sanayi Sit.
1354. Cad. 1358.Sok. No:9
06378 Yenimahalle

ANKARA / TÜRKİYE

Tel (pbx) : +90 312 387 12 46
Fax : +90 312 387 12 51

Branch
Atatürk Mah. Sedef Cad. 38.Ada
Ata Plaza 3-5 Blokları Kat:2 No:57
34758 Ataşehir

İSTANBUL / TÜRKİYE

Tel (pbx) : +90 216 455 91 21
Fax : +90 216 455 48 24

www.metkoltd.com

Other products, logos and company names mentioned herein may be trademarks of their respective owners and are not to be taken as an endorsement of affiliation with FMT®. The information in this catalogue has been carefully checked and it is believed to be accurate. Images in this catalogue are representative of items offered. Actual product may have slight visual differences. In the interest of continued product development, Metko reserves the right to make changes and improvements to this catalogue and the product it described any time, without notice or obligation.